CABLE ADAPTER 4-PIN WITH I/O/PR5MEC21 TELTONIKA

Modelis: PR5MEC21

Gamintojas: TELTONIKA

EAN: 4779051840434

Prekės kodas: 38016

13.00€

The **Teltonika PR5MEC21** is a **4-pin Power Adapter with I/O access**. It is a specialized "pigtail" connector used to unlock the advanced input/output features of Teltonika routers.

Where it is used:

It is used in professional and industrial installations where you need more than just power. It allows you to connect external sensors or control devices directly through the router's power port.

- **Vehicle Ignition Detection:** Connecting the router to a vehicle's ignition so it only turns on (or sends a notification) when the engine starts.

- **Remote Control/Switching:** Using the router to remotely open gates, barriers, or door locks via SMS or the RMS app.

- **Sensor Monitoring:** Connecting digital sensors (like door open/close sensors or liquid level alarms) to trigger alerts.

- **Industrial Control Cabinets:** Providing a clean screw-terminal connection for power and data wires without needing to solder or crimp tiny connectors.

Compatible Devices:

It works with almost all Teltonika devices that have a **4-pin** power socket:

- **RUT Series:** RUT240, RUT241, RUT360, RUT950, RUT955, RUT956.

- **RUTX Series:** RUTX09, RUTX11, RUTX14, RUTX50, etc.

- **Gateways:** TRB140, TRB141, TRB142, TRB145, TRB500.

Key Specifications:

- **Connector:** 4-pin Micro-Fit to a 4-way **screw terminal block**.

- **Pinout:** * Pin 1: Power (+)

  - Pin 2: Ground (-)

  - Pin 3 & 4: Configurable Input/Output (I/O).

In short: Use this adapter if you want to use your router as a mini-controller to sense or switch external equipment.

- Input connector: 4-pin, 3 mm pitch and 4-way screw terminal block

- Output connector: 4-pin, 3 mm pitch

- Cable: 4 x 0.20 mm² (24 AWG), 100 mm

- Screwdriver type: Micro slotted

Vendor Homepage: teltonika-networks.com/products/accessories/powering-options/4-pin-power-adapter-with-io-access-1 | Model: PR5MEC21 | Product Type: Cable | Colour: Black | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0001725 | Product Net Weight: 0.015 | Unit Calculated Weight: 0.024