



**PHILIPS**  
**242S9JML/00**  
**23.8inch**  
**1920x1080 VA**  
**Flat H/A 130 MM**  
**4ms GtG 75Hz**  
**USB HUB**  
**SPEAKERS DP**  
**HDMI**

Modelis: 242S9JML/00

Gamintojas: MMD-MONITORS & DISPLAYS

EAN: 8712581796464

Prekės kodas: 380492

**168.99€**

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy-on-the eyes and increase your productivity.

Bundled software: SmartControl | Compatible operating systems: Windows 11 / 10 / 8.1 / 8 / 7 Mac

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

OS X | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | European Product Registry for Energy Labelling (EPREL) code: 1291734 | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Compliance certificates: RoHS | Colour gamut standard: sRGB | Adjustable height (max): 13 cm | Contrast ratio (dynamic): 5000000:1 | Response time: 4 ms | DisplayPorts quantity: 1 | Operating temperature (T-T): 0 - 40 °C | Cable lock slot: Yes | LED indicators: Stand-by | Display number of colours: 16.7 million colours | Height (with stand): 484 mm | Pixel pitch: 0.2745 x 0.2745 mm | Width (with stand): 539 mm | DisplayPort version: 1.2 | LED indicators: Operation | AC input voltage: 100 - 240 V | Depth (with stand): 205 mm | Cable lock slot type: Kensington | Display brightness (typical): 300 cd/m<sup>2</sup> | Package weight: 7.15 kg | Tilt angle range: -5 - 25° | Power consumption (PowerSave): 12 W | Native aspect ratio: 16:9 | HDCP: Yes | Viewing angle, vertical: 178° | Operating altitude: 0 - 3658 m | Product colour: Black | HD type: Full HD | Viewing angle, horizontal: 178° | Storage temperature (T-T): -20 - 60 °C | Display diagonal: 61 cm (24") | Power consumption (off): 0.3 W | AC input frequency: 50 - 60 Hz | Display resolution: 1920 x 1080 pixels | Operating relative humidity (H-H): 20 - 80% | Screen shape: Flat | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: English | Package height: 420 mm | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: Greek | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Japanese | NTSC coverage (typical): 80% | Heavy metals free: Hg (mercury) | Weight (with stand): 4.85 kg | Width (without stand): 539 mm | Flicker-free technology: Yes | Manual: Yes | Weight (without stand): 3.09 kg | Swivelling: Yes | DVI port: Yes | Display sRGB: Yes | Regulatory Approvals: CB CE Mark CU-EAC EAEU RoHS FCC Class B ICES-003 SEMKO TUV Ergo TUV/GS | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Number of speakers: 2 | EasyRead mode: Yes | Mean time between failures (MTBF): 70000 h | Picture enhancement: SmartImage | VGA (D-Sub) ports quantity: 1 | VESA Adaptive Sync support: Yes | Plug and Play: Yes | Dynamic contrast ratio marketing name: SmartContrast | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Contrast ratio (typical): 3000:1 | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | USB upstream port type: USB Type-B | Doesn't contain: Mercury | USB Power Delivery (USB PD): Yes | Cables included: DisplayPort | RMS rated power: 2 W | Cables included: AC | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Display technology: LCD |

**Viewable size, vertical: 29.6 cm | Built-in speaker(s): Yes | On Screen Display (OSD) languages:**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Spanish | Colour depth: 8 bit | Non-operating altitude: 3658 - 12192 m | PC Audio in: Yes | sRGB coverage (typical): 99% | Cables included: HDMI | Doesn't contain: PVC/BFR | Market positioning: Business | Package depth: 139 mm | HDMI: Yes | Digital horizontal frequency: 30 - 85 kHz | Built-in USB hub: Yes | Height (without stand): 324 mm | Height adjustment: Yes | Backlight type: W-LED | Post-consumer recycled plastic: 85% | Anti-glare screen: Yes | Component video sync: Separate sync | USB Type-A downstream ports quantity: 4 | Energy consumption (SDR) per 1000 hours: 14 kWh | Number of USB Type-B upstream ports quantity: 1 | Power supply type: Internal | Pixel density: 93 ppi | Swivel angle range: -180 - 180° | HDMI ports quantity: 1 | DDC/CI: Yes | Energy efficiency class (SDR): D | Haze rate: 25% | Pivot angle: -90 - 90° | Touchscreen: No | Recyclable packaging material: 100% | Digital vertical frequency: 48 - 75 Hz | Surface hardness: 3H | Low Blue Light technology: Yes | Power consumption (typical): 15 W | Display diagonal (metric): 60.5 cm | LowBlue mode: Yes | On Screen Display (OSD) languages: Turkish | Number of upstream ports: 1 | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Feet colour: Black | Package width: 730 mm | Sustainability compliance: Yes | Depth (without stand): 55 mm | Power consumption (standby): 0.4 W | VESA mounting: Yes | Maximum refresh rate: 75 Hz | Panel type: VA | Stand included: Yes | Pivot: Yes | Viewable size, horizontal: 52.7 cm | Tilt adjustment: Yes | Audio output: Yes | Built-in camera: No | HDMI version: 1.4 | Panel mounting interface: 100 x 100 mm | Exterior finish type: Textured | HDCP version: 1.4 | Component video sync: Sync-on-green (SOG) | DVI-D ports quantity: 1 | Front bezel colour: Black

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903