

W zestawie

Wszystko, co potrzebne na początek.

Urządzenie wielofunkcyjne
HP Color LaserJet Pro 3302fdn

HP Color LaserJet Pro MFP 3302fdn Laser A4 600 x 600 DPI 25 ppm

Modelis: 499Q7F

Gamintojas: HEWLETT-PACKARD

EAN: 196786388620

Prekės kodas: 382367



378.98€

Replacement cartridges: HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X | Manufacturer warranty: One-year limited warranty. For more information please visit us at <https://www.support.hp.com> 14 . | Compatible operating systems: Windows 11 Windows 10 Android iOS macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection. Apple macOS 12.0 Monterey macOS 13.0 Ventura macOS v14 Sonoma 2GB HD Internet required. | Box

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

contents: HP Color LaserJet Pro MFP 3302fdn Power cord Toner cartridge User Guide Flyers | Bundled software: HP Printer Software downloadable from www.hp.com/hp-app | Certification: EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2021 CISPR 32:2019 CISPR 35:2016 EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN 61000-4-12:2017 FCC CFR 47 Part 15B ICES-003, Issue 6:2019 Other EMC approvals as required by individual countries. | Mac operating systems supported: MacOS | Package width: 497 mm | Display: TFT | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 14.0 Sonoma | Package weight: 20.6 kg | Windows operating systems supported: Windows 11 | Package depth: 398 mm | Storage temperature (T-T): -20 - 60 °C | Weight: 17.1 kg | Display diagonal: 10.9 cm (4.3") | Processor frequency: 1200 MHz | Windows operating systems supported: Windows 10 | Built-in display: Yes | Operating temperature (T-T): 15 - 30 °C | Operating relative humidity (H-H): 10 - 80% | Product colour: Blue | Power consumption (off): 0.05 W | USB 2.0 ports quantity: 2 | Processor frequency: 1.2 GHz | Mac operating systems supported: Mac OS X 13.0 Ventura | Power consumption (PowerSave): 0.05 W | Mac operating systems supported: Mac OS X 12.0 Monterey | AC input voltage: 110 - 240 V | Manual: Yes | Copy speed (colour, normal quality, A4): 25 cpm | User guide: Yes | Custom media width: 76 - 216 mm | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Maximum print size: 216 x 355.6 mm | Cabling technology: 10/100Base-T(X) | Internal memory: 512 MB | Maximum scan area: 216 x 297 mm | Auto document feeder (ADF) input capacity: 50 sheets | Scan to: USB | Scan to: E-mail | Depth: 419.1 mm | Scanner type: Flatbed & ADF scanner | Digital sender: Yes | Faxing: Mono faxing | Optical scanning resolution: 1200 x 1200 DPI | Scan to: Network folder | Package height: 532 mm | Modem speed: 33.6 Kbit/s | Printing: Colour printing | Copying: Colour copying | Copy speed (black, normal quality, A4): 25 cpm | Wi-Fi: No | Width: 418 mm | Scan to: PC | Height: 341.3 mm | Input colour depth: 24 bit | Cables included: AC | Built-in processor: Yes | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Image formats supported: JPG | Image formats supported: TIFF | Print technology: Laser | Duplex scanning: No | Number of print cartridges: 4 | USB port: Yes | Printer fonts: Scalable | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Fax memory: 500 pages | Duplex copying: Yes | Print margins (top, bottom, right, left): 5 mm | Paper tray media types: Glossy paper | Paper tray media types: Lightweight paper | Total input capacity: 251 sheets | Paper tray media types: Plain paper | Paper tray media types: Labels | Paper tray media types: Transparencies | Paper tray media types: Letterhead | Fax forwarding: Yes | Paper tray media types: Card stock | Recommended humidity operating range: 30 - 70% | Paper tray media types: Recycled paper | Printer fonts: TrueType | Acoustic pressure emissions bystander (ready): 16 dB | Duplex functions: Copy | Typical electricity consumption (TEC) number: 0.338 kWh/week (Energy Star) | HP Web Jetadmin: Yes | Total output capacity: 100 sheets |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Custom media sizes: 76 x 127 mm to 216 x 356 mm | Sound pressure level (printing): 51 dB | Sustainability compliance: Yes | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Acoustic power emissions (ready): 23 dB | Mobile printing technologies: Apple AirPrint | Maximum resolution: 600 x 600 DPI | Optical scanning resolution (ADF): 300 x 300 DPI | Sustainable technologies and materials: Contains post-consumer recycled plastic | Total number of input trays: 2 | Optical scanning resolution (colour): 1200 x 1200 ppi | Duplex functions: Print | Optical scanning resolution (black): 1200 x 1200 ppi | Print speed (black, normal quality, A4/US Letter): 25 ppm | Power supply type: Internal (Built-in) power supply | Print speed (colour, normal quality, A4/US Letter): 25 ppm | Number of users: 10 user(s) | Duplex printing mode: Auto | Scan drivers: TWAIN | Maximum input capacity: 251 sheets | UNSPSC-code: 43212110 | Recommended duty cycle: 150 - 2500 pages per month | Maximum ISO A-series paper size: A4 | Auto reduction: Yes | Maximum copy resolution: 600 x 600 DPI | Control type: Touch | Paper tray media types: Bond paper | Harmonized System (HS) code: 8443310000 | Power consumption (sleep): 0.95 W | Fax delayed sending: Yes | Photo paper sizes: 10x15 cm | Other operating systems supported: iOS | Paper tray 1 input capacity: 250 sheets | Carbon emissions, end-of-life (kg of CO₂e): 0.6 | ISO A-series sizes (A0...A9): A5 | Power consumption (ready): 7.6 W | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A6 | HP Dynamic security: Yes | Maximum output capacity: 100 sheets | Mobile printing technologies: Mopria Print Service | Greyscale levels: 256 | Included cartridge capacity (CMY): 500 pages | Power consumption (printing): 416 W | Time to first page (black, normal): 10.9 s | Maximum number of copies: 999 copies | Total carbon footprint (kg of CO₂e): 14.8 | Scan technology: CIS | Auto fit function: Yes | HP Auto-On/Auto-Off: Yes | Fax resolution (black): 300 x 300 DPI | Non-ISO print media sizes: Oficio | Colour display: Yes | HP GTIN (EAN/UPC): 886111043361 | Envelopes sizes: B5 | Print resolution colour: 600 x 600 DPI | Printing colours: Black, Cyan, Magenta, Yellow | Other operating systems supported: Android | Total carbon emissions, w/o use phase (kg of CO₂e): 499 | Internal storage capacity: 0.512 GB | Cartridge(s) included: Yes | Time to first copy (colour, normal): 13.9 s | Carbon emissions, logistics (kg of CO₂e): 50 | Fax transmission speed: 3 sec/page | Envelopes sizes: DL | Scan speed (black): 19 ppm | Maximum duty cycle: 40000 pages per month | Recommended operating temperature range (T-T): 15 - 27 °C | Duplex printing: Yes | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Non-ISO print media sizes: 16K | RJ-11 ports quantity: 2 | Scan speed (colour): 8 ppm | Time to first copy (black, normal): 9.7 s | Sound pressure level (scanning): 41 dB | Document formats supported: PDF | Time to first page (colour, normal): 11 s | Carbon emissions, manufacturing (kg of CO₂e): 377 | Compliance certificates: Federal Communications Commission (FCC) | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

(B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Compliance certificates: CE | Envelopes sizes: C5 | Photo paper sizes (imperial): 4x6 | Included cartridge capacity (black): 600 pages | Speed dialling: Yes | Compliance certificates: BIS | HP segment: Small medium business | Auto-redialing: Yes | Photo paper sizes (imperial): 8.5x13 | Compliance certificates: EAC | TWAIN version: 2.1 | Warm-up time: 55 s | Photo paper sizes (imperial): 5x8" | Compliance certificates: GS mark | Compliance certificates: CCC | Compliance certificates: BSMI | Maximum internal memory: 512 MB | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Page description languages: URF | Paper tray media weight: 60 - 176 g/m² | Page description languages: PCL 5 | Page description languages: PDF | Page description languages: PCLm | Page description languages: PCL 6 | Maximum number of input trays: 2 | Page description languages: JPEG | Page description languages: PWG | Sound power level (printing): 6.3 dB