



# Display LCD 55" LG 55UL3Q-E UHD Digital Signage Monitor



Modelis: 55UL3Q-E

Gamintojas: LG

EAN: 8806096497487

Prekės kodas: 382727

## 742.99€

## LG 55UL3Q-E 55" UHD Digital Signage Display

The LG 55UL3Q-E is a 55-inch digital signage display designed to deliver superb picture quality with ultra-high-definition resolution. Its UHD resolution makes colors and details vivid and realistic, complemented by a wide viewing angle for clear content presentation.

### Features:

- **Ultra HD Resolution:** Experience vivid and realistic colors and details.
- **Wide Viewing Angle:** Ensures clear content from various viewing positions.
- **LG webOS 6.1:** High-performance platform for smooth multitasking and intuitive user interface.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- **Uniform Bezel Design:** Simplifies installation and provides an immersive viewing experience with balanced horizontal and vertical bezels.
- **Adaptive Viewing Experience:** Offers Face Up/Down tilt support for optimal viewing at any height.
- **Remote Monitoring and Control:** Web-based solution for easy access and real-time adjustments via mobile or PC.
- **Built-In Brightness Sensor:** Automatically adjusts brightness to match lighting conditions, optimizing viewing quality and energy efficiency.
- **Enhanced Security:** Incorporates LG's Enhanced Kernel Protection (EKP) technology, safeguarding data from unauthorized access.
- **Sustainability:** Award-winning commitment to environmental responsibility, earning the EcoVadis Platinum medal.
- **LG ConnectedCare:** Optional cloud service for remote fault diagnosis and control, ensuring stable operation.

The LG 55UL3Q-E offers versatile features, including tilt support, high-performance webOS, enhanced security, and a commitment to sustainability, making it an excellent choice for various digital signage applications.

**LG** is a global leader in developing innovative display technologies committed to delivering superior products.

Order today from ++SHOP++ as we offer the best...

### Superb Picture Quality with Ultra HD Resolution

With the resolution of UHD, it makes the color and details of the contents vivid and realistic. In addition, the wide viewing angle provides clear contents.

### High-Performance with LG webOS 6.1

LG webOS 6.1 is available on the UL3Q series for smooth execution of multiple tasks. The LG webOS smart signage platform enhances user convenience with an intuitive GUI\*.

### Easy Installation with Uniform Bezel Design

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

The UL3Q series features perfectly balanced horizontal and vertical bezels, creating a visually harmonious display solution. Its specialized design simplifies installation in retail environments while delivering a truly immersive viewing experience. The sophisticated, symmetrical bezels enhance the aesthetic appeal of any space, transforming ordinary displays into elegant focal points.

### **Adaptive Viewing Experience**

Experience enhanced flexibility with the UL3Q's innovative Face Up/Down tilt support. Whether mounted high or low, each display can be adjusted to better meet viewers at eye level, promoting maximum engagement regardless of installation height. This versatility optimizes both spatial efficiency and visual comfort, delivering clear information from various viewing angles.

### **Remote Monitoring and Control**

This web-based monitoring solution is user-friendly and allows the user to be at ease. It enables the user to have full access anywhere at anytime from their mobile phone & PC under network-accessible environment while having access to both current and past data. It allows the user to monitor the unit, make adjustments and control the unit remotely in real time.

### **Built-In Brightness Sensor**

The UL3Q's front-mounted sensor automatically adjusts brightness to match various lighting conditions, helping to optimize viewing quality and energy efficiency without manual intervention. This adaptive feature helps maintain consistent display performance while supporting power savings, delivering improved visual experience that responds to environmental changes.

### **Advanced Security Architecture**

The UL3Q incorporates LG's Enhanced Kernel Protection (EKP) technology, safeguarding critical data from unauthorized access and potential security threats. This commitment to information security is validated by the ISO/IEC 15408 Common Criteria EAL2 certification, providing businesses with the confidence that their sensitive content and operations remain protected in today's challenging security landscape.

### **Award-Winning Sustainability**

The UL3Q series embodies LG Display's ESG commitment: "Better Life for All." This company-wide dedication to environmental responsibility has earned the prestigious 2025 EcoVadis Platinum

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

medal, placing us among the top 1% of global companies for sustainability excellence.

### **LG ConnectedCare**

Maintenance is easy and fast with the optional LG ConnectedCare\* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, supporting the stable operation of clients' businesses.

### **Superb Picture Quality with Ultra HD Resolution**

With the resolution of UHD, it makes the color and details of the contents vivid and realistic. In addition, the wide viewing angle provides clear contents.

### **High-Performance with LG webOS 6.1**

LG webOS 6.1 is available on the UL3Q series for smooth execution of multiple tasks. The LG webOS smart signage platform enhances user convenience with an intuitive GUI\*.

### **Easy Installation with Uniform Bezel Design**

The UL3Q series features perfectly balanced horizontal and vertical bezels, creating a visually harmonious display solution. Its specialized design simplifies installation in retail environments while delivering a truly immersive viewing experience. The sophisticated, symmetrical bezels enhance the aesthetic appeal of any space, transforming ordinary displays into elegant focal points.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## **Adaptive Viewing Experience**

Experience enhanced flexibility with the UL3Q's innovative Face Up/Down tilt support. Whether mounted high or low, each display can be adjusted to better meet viewers at eye level, promoting maximum engagement regardless of installation height. This versatility optimizes both spatial efficiency and visual comfort, delivering clear information from various viewing angles.

## **Remote Monitoring and Control**

This web-based monitoring solution is user-friendly and allows the user to be at ease. It enables the user to have full access anywhere at anytime from their mobile phone & PC under network-accessible environment while having access to both current and past data. It allows the user to monitor the unit, make adjustments and control the unit remotely in real time.

## **Built-In Brightness Sensor**

The UL3Q's front-mounted sensor automatically adjusts brightness to match various lighting conditions, helping to optimize viewing quality and energy efficiency without manual intervention. This adaptive feature helps maintain consistent display performance while supporting power savings, delivering improved visual experience that responds to environmental changes.

## **Advanced Security Architecture**

The UL3Q incorporates LG's Enhanced Kernel Protection (EKP) technology, safeguarding critical data from unauthorized access and potential security threats. This commitment to information security is validated by the ISO/IEC 15408 Common Criteria EAL2 certification, providing businesses with the confidence that their sensitive content and operations remain protected in today's challenging security landscape.

## **Award-Winning Sustainability**

The UL3Q series embodies LG Display's ESG commitment: "Better Life for All." This company-wide dedication to environmental responsibility has earned the prestigious 2025 EcoVadis Platinum medal, placing us among the top 1% of global companies for sustainability excellence.

## **LG ConnectedCare**

Maintenance is easy and fast with the optional LG ConnectedCare\* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

and remote-control services, supporting the stable operation of clients' businesses.

- Brightness : 350 nit (Typ.)
- Face Up/Down with Tilt Support
- High-Performance with webOS 6.1
- Enhanced Security
- Sustainability for ESG

Summary: LG 55UL3Q-E. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Product colour: Black | Vendor Homepage: <https://www.lg.com/global/business/digital-signage/lg-55ul3q-e> | Colour saturation: 80 | Contrast ratio (dynamic): 1000000:1 | Contrast ratio (typical): 1200:1 | Display brightness: 350 | Display diagonal: 55 | Display number of colours: 1.07 billion colours | Display resolution: 3840 x 2160 | Display technology: LED | Haze rate: 1 | HD type: 4K Ultra HD | Native aspect ratio: 16:9 | Native refresh rate: 60 | Panel type: ADS | Rated lifetime: 30000 | Response time: 8 | Touchscreen: No | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 3 | HDMI version: 2.2/1.4 | PC Audio out: Yes | RS-232C: Yes | USB port: Yes | Built-in speaker(s): Yes | Number of built-in speakers: 2 | RMS rated power: 20 | Bezel colour: Black | Bezel width (bottom): 10.8 | Bezel width (side): 10.8 | Bezel width (top): 10.8 | Orientation: Horizontal/Vertical | Panel mounting interface: 300 x 300 | Placement supported: Indoor | Product colour: Black | Product design: Digital signage flat panel | VESA mounting: Yes | On Screen Display (OSD) languages:

Arabic/Czech/Danish/Dutch/English/Finnish/French/German/Greek/Italian/Japanese/Korean/Norwegian/Polish

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Chinese/Spanish/Swedish/Traditional Chinese/Turkish | Operating hours (hours/days): 16/7 | Web browser: Yes | webRTC support: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): G | Heat generation (max): 525.4697 | Heat generation (typical): 334.39 | Power consumption (economy mode): 0.5 | Power consumption (max): 154 | Power consumption (off): 0.5 | Power consumption (standby): 0.5 | Power consumption (typical): 98 | Internal memory: 8 | Display depth: 58.9 | Display height: 706.7 | Display width: 1234.2 | Package depth: 825 | Package height: 118 | Package weight: 15400 | Package width: 1380 | Cables included: Power | Remote control included: Yes | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Ethernet LAN: Yes | Gyroscope: Yes | LG technologies (AV/TV): Auto Set ID, Booting Logo Image, Control Manager, Fail over, Gapless Playback, Group Manager, ISM Method, Local Contents Scheduling, Local Network Sync, No Signal Image, RS232C Sync, SI Server Setting, Setting Data Cloning, Smart Energy Saving, Status Mailing, Video Tag | Temperature sensor: Yes | Wi-Fi: Yes | Compliance certificates: CB/CE/Electromagnetic Compatibility (EMC)/Federal Communications Commission (FCC) | Power supply type: Internal | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2293365/fiches?language=EN> | Energy efficiency class: G | EPREL Registration Number: 2293365 | EPREL Version Number: 2 | Units per Pallet: 0 | Unit Calculated Volume: 0.1343 | Unit Calculated Weight: 15.4

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903