



Skaner 3D Creality Sermoon P1



Modelis: 4008050065

Gamintojas: CREALITY

EAN: 6977905743452

Prekės kodas: 382909

3,635.99€

Creality Sermoon P1 3D Scanner

Creality Sermoon P1 is an advanced, professional 3D scanner that combines accuracy of up to 0.02 mm with very fast scanning. Thanks to its hybrid 22 + 7 + 1 blue laser line system and dual NIR structured light, it accurately maps both large elements and fine details or deep holes – it works well with objects from 5 mm³ to 4000 mm³. The built-in Qualcomm 8-core processor, Adreno 740 GPU, 24 GB RAM, and 256 GB ROM allow you to scan and process models even without a computer. You can also choose from 3 operating modes. It is a mobile, complete tool for professional engineering, quality control, and object digitization – ready for use in the office, production hall, and in the field.

Hybrid scanning system - greater precision, better results

The Sermoon P1 uses a hybrid light source: 22 cross laser lines for fast capture of large element geometry, 7 parallel lines for precise detail mapping, and 1 line for scanning deep holes. This is

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

complemented by dual NIR structured light, which allows for fast scanning of larger objects and human figures without the use of markers. This configuration allows you to adjust the operating mode to the material, size, and complexity of the scanned element, ensuring full coverage of both large surfaces and complex structures.

Three operating modes - freedom in all conditions

The Sermoon P1 offers three operating modes. Standalone mode allows scanning without connecting a computer, at speeds of up to 60 FPS. Wireless PC uses Wi-Fi for fast and stable data transmission, allowing you to work without cables. In wired PC mode, the device achieves maximum performance (up to 100 FPS) – this is the solution for the most demanding industrial projects.

Precision you can rely on

Accuracy of up to 0.02 mm (laser) and 0.075 mm (infrared), as well as volumetric accuracy of 0.02 mm + 0.06 mm/m, guarantee repeatable and reliable results in professional applications such as reverse engineering and quality control. 3D resolution in the range of 0.05–2 mm (laser) and 0.1–2 mm (NIR) allows you to map both fine details and larger solids with high data quality. This level of precision enables analysis, design, and inspection without compromise.

Scanning deep holes and hard-to-reach spaces

The single laser line mode has been optimized for use in deep holes, narrow gaps, and recesses. The device supports scanning holes with a depth-to-diameter ratio of up to 5:1, allowing you to capture 3D data from places that are inaccessible to many standard scanners. In practice, this means a more complete model of mechanical components, more accurate inspections, and better support for design and analysis processes.

Real-time performance - up to 100 FPS and millions of points per second

Laser mode scanning reaches speeds of up to 60 FPS in Standalone mode and up to 100 FPS in PC mode. Infrared mode offers up to 18 FPS (Standalone) and 30 FPS (PC). What's more, in wired mode, the device captures up to 1,740,000 points/s (22 blue laser lines) or as many as 6,881,000 points/s (NIR). Such high data collection speed translates into smooth real-time reconstruction, stable

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

tracking, and shorter project completion times – even with complex and demanding objects.

Independent operation without a computer - powerful components on board

Sermoon P1 integrates an 8-core Qualcomm 8-core 3 (3.6 GHz) processor, Adreno 740 GPU, and FPGA chip, enabling fast scanning and data processing without the need to connect to a computer. In addition, 24 GB of LPDDR5X RAM provides high bandwidth and low latency, while 256 GB of UFS 4.0 storage speeds up file saving and transfer. You also have built-in software that supports calibration, scanning, point cloud fusion, mesh editing, and multi-scan merging, allowing you to complete model processing directly on the device.

Innovative 4-lens system - precision and wide field of view

The scanner is equipped with a 4-lens system – it offers high-resolution lenses shared with a blue laser and wide field of view lenses. This solution reduces the need for markers, improves tracking stability, and speeds up work with large objects – including scanning human figures.

Mobility, ergonomics, and uninterrupted power

The scanner weighs 830 g and is equipped with a 6-inch Full HD touchscreen with a 160° viewing angle, which provides a clear, bright image even outdoors. Two removable batteries with independent USB-C ports (3300 mAh each) enable long-term field work, and fast 65 W PD 3.0 charging allows you to reach 80% in about 50 minutes. An intelligent energy-saving system, which automatically activates sleep mode, also ensures efficient, energy-efficient operation. In addition, the built-in Wi-Fi 7 module offers up to 4.8× faster speeds than Wi-Fi 6 and, combined with lossless compression algorithms, provides a fast, secure, and stable connection. Also noteworthy is the convenient handle and the included case, which allows for safe transport of the scanner and its accessories.

Wide scanning range

The device allows you to scan both small objects measuring 5 × 5 × 5 mm and very large objects up to 4000 × 4000 × 4000 mm. This makes it ideal for a variety of scenarios – you can easily digitize coins, figurines, sculptures, mechanical parts, and even people and vehicles. The maximum field of

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

view in laser mode is 380 × 365 mm at 550 mm, and in infrared mode it is as much as 1245 × 754 mm at 1000 mm, which allows you to scan an entire human figure in about a minute. The larger FOV also reduces the need for markers and improves tracking stability when working with large objects.

Works well on difficult surfaces and when working in the field

The Sermoon P1 can handle black and metal surfaces without the need for matte sprays. What's more, the system works effectively in lighting conditions up to 100,000 lux (single line and 22 cross line modes), up to 50,000 lux (7 lines), or up to 30,000 lux in NIR mode. This allows you to successfully use the device in a variety of environmental conditions, both in the production hall and in the field.

Realistic textures and global shutter

The built-in RGB camera with global shutter and 12 LEDs (blue and white) enable accurate scanning of object textures and colors. Color mapping is handled by a Qualcomm ISP chip with advanced algorithms, which translates into accurate, saturated reproduction of shades and surface details. This makes the Sermoon P1 ideal for archiving works of art, working in the creative industry, or creating realistic models for visualization.

Stable scanning thanks to AI

The scanner uses an AI-based temperature compensation algorithm, which, combined with an optimized thermal design, ensures stable, reliable operation regardless of conditions. The system minimizes the impact of temperature on measurements, maintaining stability and repeatability of results even during long scanning sessions. This is particularly useful in professional applications such as reverse engineering or quality control, where data consistency is of paramount importance.

Software tailored to your needs

The scanner works with CrealityScan software available for Windows and macOS. In addition, scan data can be seamlessly exported and imported into popular engineering, inspection, and design programs such as QuickSurface, Geomagic Design X, Siemens NX, CATIA, Creo, SolidWorks, Maya, 3DMax, Rhino, Cinema4D, ZBrush, Meshmixer, Mudbox, Meshlab, Unreal Engine, Fusion 360, and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Blender. Such broad compatibility makes the Sermoon P1 an easy fit into existing workflows in the automotive, manufacturing, reverse engineering, quality inspection, and art digitization industries.

Included in the set

- Creality Sermoon P1 3D scanner x1
- High-precision glass calibration plate x1
- USB-C 3.0 cable (2 m) x1
- Power adapter with adapters x1
- D6 mm reflective markers x10
- D3 mm reflective markers x10
- Spare battery x1
- Cleaning cloth x1
- Lanyard x1
- Quick start guide, declaration of conformity, and warranty card x1
- Carrying case x1

Manufacturer	Creality
Model	Sermoon P1
Accuracy (laser)	Up to 0.02 mm
Accuracy (NIR)	Up to 0.075 mm
Volume accuracy (laser)	0.02 mm + 0.06 mm/m
Volume accuracy (NIR)	0.075 mm + 0.1 mm/m
	Single line: up to 61,000 points/s
Scanning speed (laser, Standalone mode)	7 parallel lines: up to 430,000 points/s 22 cross lines: up to 1,044,000 points/s
Scanning speed (NIR structured light, Standalone mode)	Up to 3,440,000 points/s Single line: up to 102,000 points/s
Scanning speed (laser, wired PC mode)	7 parallel lines: up to 716,000 points/s 22 cross lines: up to 1,740,000 points/s

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kalna gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Scanning speed (NIR structured light, wired PC mode)	Up to 6,881,000 points/s
3D resolution (laser)	0.05-2 mm
3D resolution (NIR structured light)	0.1-2 mm
Scanning speed (laser, standalone mode)	Up to 60 FPS
Scanning speed (NIR structured light, standalone mode)	Up to 18 FPS
Scanning speed (laser, wired PC mode)	Up to 100FPS
Scanning speed (NIR structured light, wired PC mode)	Up to 30 FPS
Min. scanning volume	<p>Laser: 5 × 5 × 5 mm</p> <p>NIR structured light: 4000 × 4000 × 4000 mm</p> <p>Laser:</p> <p>85 mm × 105 mm at 160 mm</p> <p>135 mm × 130 mm at 200 mm</p> <p>265 mm × 200 mm at 300 mm</p> <p>310 mm × 265 mm at 400 mm</p> <p>380 mm × 365 mm at 550 mm</p>
Single capture range	<p>NIR structured light (close range):</p> <p>135 mm × 130 mm at 200 mm</p> <p>265 mm × 200 mm at 300 mm</p> <p>310 mm × 265 mm at 400 mm</p> <p>NIR structured light (long distance):</p> <p>688 mm × 375 mm at 500 mm</p> <p>1245 mm × 754 mm at 1000 mm</p> <p>1450 mm × 1020 mm at 1200 mm</p> <p>Single line: 200-550 mm</p>
Working distance (laser)	<p>7 parallel lines: 160-400 mm</p> <p>22 cross lines: 200-550 mm</p>

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Working distance (NIR structured light)	Close distance: 170–400 mm Far distance: 200–1200 mm
Color mapping	Supported
Alignment mode	Laser: Markers / Global markers NIR structured light: Markers / Global markers / Geometry / Texture
Additional color illumination	12 white LEDs
Outdoor scanning (laser)	Single line: below 100,000 lx 7 parallel lines: below 50,000 lx 22 cross lines: below 100,000 lx
Outside scanning (NIR structured light)	Below 30,000 lx
Tag recognition enhancement	12 blue LEDs
Laser safety	Laser: Class II (eye safe); NIR structured light: Class I (eye safe)
Device weight	830 g
Dimensions	209 mm × 129 mm × 53 mm
Calibration plate	High-precision glass calibration plate
Processor	Qualcomm, 8-core 3.36 GHz + Adreno 740 GPU + FPGA
Built-in RAM	24 GB LPDDR5X
Built-in storage	256 GB UFS 4.0
Display	6-inch HD touch screen
Battery	2 × 7.2 V Li-ion battery, 3300 mAh (1 installed, 1 included separately)
Power adapter	65 W PD 3.0 fast charging
Wireless PC scanning	Supported
Operating modes	Standalone, Wireless PC, Wired PC
Wi-Fi	Wi-Fi 7
PC software support	Windows / macOS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsijyant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Recommended hardware configuration

Windows:

Win10/11 (64-bit)

13th generation Intel i7 processor or newer

NVIDIA 4060 graphics card or higher (8 GB VRAM)

RAM \geq 64 GB

macOS:

macOS 14 or newer

Apple M3 / M4 / M5 processor

RAM \geq 32 GB

Operating temperature

-10°C to 40°C

Operating humidity

10-90% RH

GPSR Link: <https://psr->

[assets.innpro.pl/creative_technologies/sg_creative_technologies_3d_scanners.pdf](https://psr-assets.innpro.pl/creative_technologies/sg_creative_technologies_3d_scanners.pdf), Gross weight:

2870, Net weight: 830, Box length: 43,00, Box width: 31,00, Box height: 12,50, Wybierz inny model

serii: Skaner 3D Creality Sermoon P1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903