

**Monitorius DELL  
S2722DC 27"  
QHD IPS USB-C  
Šakotuvus (65W  
PD) |  
2560x1440,  
4ms,  
Reguliuojamas  
stovas**



Modelis: 210-BBRR

Gamintojas: DELL

EAN: 5397184567609

Prekės kodas: 388181

**386.99€**

**Išskirtinis Aiškumas ir Sklandi Jungtis: DELL S2722DC QHD  
Monitorius**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DELL S2722DC yra universalus 27 colių monitorius, sukurtas profesionalams ir daugialypės terpės entuziastams, kuriems reikia aukščiausios vaizdo kokybės ir supaprastintos darbo vietos. Šis ekranas, pasižymintis stulbinančia Quad HD (2560 x 1440) raiška ir pažangia IPS panele, užtikrina ryškias detales ir gyvas spalvas (99% sRGB aprėptis) plačiais 178 laipsnių žiūrėjimo kampais.

## Pagrindinės Savybės ir USB-C Jungtis

Supaprastinkite savo darbo stalą naudodami galingą USB-C jungtį. Vienas USB-C laidas perduoda vaizdo, garso ir duomenų signalus, tuo pačiu metu įkraunant suderinamą nešiojamąjį kompiuterį (iki 65W Maitinimo Tiekimas, PD). Tai paverčia monitorių švaria, integruota prijungimo stotele (docking station).

- **Įtraukianti QHD Raiška:** Mėgaukitės keturis kartus didesniu detalių lygiu nei standartinė 720p raiška ir 1,77 karto didesniu nei Full HD (1080p) 27 colių ekrane.
- **IPS Panelė:** Nuoseklus ir tikslus spalvų atkūrimas (99% sRGB) bei platūs žiūrėjimo kampai, idealiai tinkantys bendradarbiavimui.
- **USB-C Maitinimo Tiekimas (65W):** Įkraukite įrenginį ir perduokite vaizdą/duomenis vienu kabeliu.
- **Sklandus Vaizdas:** Turi 4 ms atsako laiką ir 75 Hz atnaujinimo dažnį, patobulintą AMD FreeSync technologija, kuri mažina vaizdo trūkinėjimą peržiūrint vaizdo įrašus ar žaidžiant.
- **Integruotas Garsas:** Įmontuoti 2x 3W RMS garsiakalbiai užtikrina aiškų garsą, neapkraunant stalo išoriniais įrenginiais.

## Ergonomiškas Dizainas ir Komfortas

DELL S2722DC sukurtas maksimaliam vartotojo komfortui ir lankstumui. Plonas rėmelio dizainas sumažina blaškymą, todėl monitorius puikiai tinka kelių ekranų sistemoms. Pilnai reguliuojamas stovas leidžia pritaikyti žiūrėjimo kampą pagal jūsų poreikius, gerinant laikyseną per visą darbo dieną.

- **Visiškas Reguliavimas:** Pritaikykite vaizdą su aukščio reguliavimu (iki 110 mm), palenkimu (-5° iki 21°), pasukimu (Swivel, -30° iki 30°) ir pasukimu vertikaliai (Pivot, 90°).
- **Akių Komfortas:** Mažos Mėlynosios Šviesos (Low Blue Light) ir „Flicker-free“ technologijos sumažina akių nuovargį ilgo naudojimo metu.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- **Universalios Jungtys:** Yra 2x HDMI 1.4 prievadai ir išsamus USB Type-A prievadų rinkinys periferiniams įrenginiams prijungti.

**DELL** yra visame pasaulyje pripažintas kompiuterinių technologijų lyderis, vertinamas už patikimus, aukštos kokybės skaičiavimo ir ekranų sprendimus, skirtus tiek namų, tiek profesionaliai aplinkai.

Užsisakykite šiandien iš ++SHOP++ nes siūlome geriausius pasiūlymus ir greitą naujausių monitorių technologijų pristatymą.

A 27" QHD monitor with outstanding visuals and USB-C connectivity. One cable lets you transfer video, audio and data along with power delivery.

- 68.47cm (27") Quad HD 2560 x 1440 W-LED IPS
- 4ms, 16:9, 350 cd/m<sup>2</sup>, 1000:1
- HDMI

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

can introduce a standard deviation which must be taken into account while completing the calculations.

7. Please note, PAIA uses theecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>)whenever primary data is not made available for calculations.

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.

9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.

10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.

12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).

13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.

14. Metrics used: The units for global warming potential are in kgCO<sub>2</sub>-equivalent or MT (metric ton) CO<sub>2</sub>-equivalent (CO<sub>2</sub>e).

15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL S Series S2722DC. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Grey | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: W-LED | Colour gamut standard: sRGB | Contrast ratio (typical): 1000:1 | Display brightness (typical): 350 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LCD | HD type:

Quad HD | Heat dissipation: 528.88 | Heat dissipation (typical): 60.39 | High Dynamic Range (HDR) supported: No | Horizontal scan range: 30 - 144 | Maximum refresh rate: 75 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 109 | Pixel pitch: 0.2331 x 0.2331 | Response time: 4 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1600 x 900/1920 x 1080 (HD 1080)/2048 x 1080/2560 x 1440/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080i/1080p/480i/480p/576i/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 75 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: Yes | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 3 | Detachable stand: Yes | Feet colour: Grey | Front bezel colour: Black | Market positioning: Business | Product colour: Grey | Audio output: Yes | Built-in USB hub: No | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 1.4 | Headphone out: No | Number of USB Type-C upstream ports quantity: 1 | USB Power Delivery up to: 65 | USB Type-A downstream ports quantity: 2 | USB upstream port type: USB Type-B | Wi-Fi: No | Adjustable height (max): 110 | Cable lock slot: Yes | Height adjustment: Yes | LED indicators: Power | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -30 - 30 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50 - 60 | AC input voltage: 120 - 240 | Energy consumption (SDR) per 1000 hours: 18 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 699422 | Power consumption (max): 155 | Power consumption (off): 0.2 | Power consumption (standby): 0.3 | Power consumption (typical): 17.7 | Power supply type: Internal | Non-operating altitude: 0 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 21.55 | Bezel width (side): 7.43 | Bezel width (top): 7.42 | Depth (with stand): 174.72 | Depth (without stand): 55.43 | Height (with stand): 510.05 | Height (without stand): 364.64 | Weight (with stand): 7160 | Weight (without stand): 5400 | Width (with stand): 611.6 | Width (without stand): 611.6 | Package depth: 819.91 | Package height: 447.04 | Package weight: 9780 | Package width: 139.95 | Cables included: USB Type-C to USB Type-C | DisplayPort cable length: 1.8 | Quick start guide: Yes | Stand included: Yes | Carbon emissions, end-of-life (kg of CO<sub>2</sub>e): 5.52 | Carbon emissions, energy usage (kg of CO<sub>2</sub>e): 166.88 | Carbon emissions, logistics (kg of CO<sub>2</sub>e): 48.16 | Carbon emissions, manufacturing (kg of CO<sub>2</sub>e): 366.25 | PAIA version: 1.3.2, 2022 | Total carbon emissions, standard deviation (kg of CO<sub>2</sub>e): 142 | Total carbon footprint

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

(kg of CO2e): 587 | Harmonized System (HS) code: 85285210 | Data Sheet (Link):  
<https://eprel.ec.europa.eu/api/product/699422/fiches?language=EN> | Energy efficiency class: E |  
EPREL Registration Number: 699422 | EPREL Version Number: 2 | Model: S2722DC | Included  
Accessories: 1 x USB-C 3.2 Gen 1 cable - 1.8 m | Unit Calculated Volume: 0.05109 | Product Net  
Weight: 5.4 | Unit Calculated Weight: 9.85

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903