

Monitorius DELL P2725H Pro Plus 27 colių FHD IPS 100Hz verslui (be stovo)



Modelis: 210-BMGD

Gamintojas: DELL

EAN: 5397184821756

Prekės kodas: 388204

193.00€

Monitorius DELL P2725H Pro Plus 27 colių „Full HD“ verslo ekranas (be stovo)

Skirtas maksimaliam produktyvumui ir vizualiam komfortui, DELL P2725H yra aukštos kokybės 27 colių „Full HD“ (1920x1080) monitorius, idealiai tinkantis reikiams verslo aplinkoms. Sertifikuotas TÜV 4 žvaigždučių akių komforto sertifikatu (su „ComfortView“ ir „Low Blue Light“ technologijomis), šis ekranas užtikrina, kad ilgos darbo sesijos būtų patogios ir nevargintų akių.

Atkreipkite dėmesį: šis konkretus modelis (P2725H_WOST) yra tiekiamas **be stovo**, todėl jis puikiai tinka naudotojams, kurie ketina naudoti kelių monitorių sąrankas arba jau turi VESA suderinamus

laikiklius (100x100 mm).

Aukščiausias vaizdo našumas ir sklandus judėjimas

Mėgaukitės aštriu, nuosekliu vaizdu plačiu 178°/178° žiūrėjimo kampu dėl aukščiausios kokybės IPS skydelio technologijos. Dėl 99% sRGB aprėpties spalvos yra tikslios ir ryškios. Nors optimizuotas produktyvumui, 100 Hz atnaujinimo dažnis užtikrina sklandesnį slinkimą ir geresnį judesio valdymą, lyginant su standartiniais 60 Hz monitoriais, kas svarbu dirbant su dinamiškomis lentelėmis ar naršant mediją.

- **Ekranas dydis ir raška:** 27 colių (68.6 cm) „Full HD“ (1920 x 1080).
- **Skydelio technologija:** IPS panelė su LED apšvietimu.
- **Atnaujinimo dažnis:** 100 Hz maksimalus atnaujinimo dažnis.
- **Reakcijos laikas:** 8 ms (standartinis) arba 5 ms (greitasis režimas).
- **Ryškumas ir kontrastas:** 300 cd/m² ryškumas ir didelis 1500:1 kontrasto santykis.
- **Akių komfortas:** TÜV 4 žvaigždučių sertifikatas, be mirgėjimo („Flicker-free“) ir žemos mėlynosios šviesos technologijos.

Integruotas jungiamumo centras

P2725H veikia kaip produktyvumo centras, siūlantis tvirtas jungiamumo galimybes šiuolaikinėms sąrankoms. Naudokite integruotą USB 3.2 Gen 1 šakotuvą, kad galėtumėte valdyti periferinius įrenginius ir mėgautis plačia jungčių įvairove.

- **Vaizdo įėjimai:** HDMI 1.4, DisplayPort 1.2 ir senesnis VGA prievadas.
- **USB Šakotuvai:** Integruotas USB 3.2 Gen 1 šakotuvai (1x Type-B aukšty n nukreiptas prievadas).
- **Išvesties prievada:** 3x USB Type-A ir 1x USB Type-C (palaikantis 15 W galios tiekimą).
- **Tvirtinimas:** Standartinis VESA 100 x 100 tvirtinimo standartas.

Įsipareigojimas tvarumui

Šis DELL monitorius atitinka griežtus aplinkosaugos standartus, įskaitant ENERGY STAR ir TCO sertifikatus. Prietaisas pagamintas atsižvelgiant į tvarumą, minimalizuojant žalingų medžiagų, tokių kaip arsenas, gyvsidabris, PVC ir BFR, naudojimą. Jis priskiriamas D energijos efektyvumo klasei.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

DELL yra pasaulinis lyderis kuriant esminius technologinius sprendimus, skirtus modernioms hibridinėms darbo vietoms. Gamintojas garsėja patikimumu, saugumu ir puikia vartotojo patirtimi.

Užsisakykite savo profesionalų DELL P2725H monitorių jau šiandien iš ++SHOP++ ir pasinaudokite konkurencingomis kainomis bei patikimu pristatymu.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-inch FHD monitor (without stand), certified by TÜV for 4-star eye comfort.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-inch FHD monitor (without stand), certified by TÜV for 4-star eye comfort.

- 68.6cm (27") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 300cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

calculations.

7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.

9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.

10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.

12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).

13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.

14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).

15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL Pro Plus P2725H_WOST. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: LED | Contrast ratio (typical): 1500:1 | Dell ComfortView technology: Yes | Display brightness (typical): 300 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | Horizontal scan range: 30 - 83 | LED backlight: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 81.57 | Pixel pitch: 0.3114 x 0.3114 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 76 | Viewable size diagonal: 686 | Viewable size, horizontal: 597.89 | Viewable size, vertical: 336.31 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | Mac operating systems supported: MacOS | NVIDIA G-SYNC: No | Windows operating systems supported: Windows 10/Yes | Built-in camera: No | Built-in speaker(s): No | Front bezel colour: Black | Product colour: Black | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: No | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | VGA (D-Sub) ports quantity: 1 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: No | LED indicators: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: No | Plug and Play: Yes | Swivelling: No | Tilt adjustment: No | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 16 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1874335 | Input current: 1.5 | Power consumption (max): 74 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 15.8 | Power supply type: Internal | Non-operating altitude: 0 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 12 | Bezel width (side): 6.4 | Bezel width (top): 6.4 | Depth (without stand): 50.03 | Height (without stand): 354.71 | Weight (without stand): 4030 | Width (without stand): 610.68 | Package weight: 6800 | USB cable length: 1.8 | Cables included: AC/DisplayPort/HDMI/USB | DisplayPort cable length: 1.8 | HDMI cable length: 1.8 | Quick start guide: Yes | Stand included: No | Doesn't contain: Arsenic/Mercury/PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 6.726 | Carbon emissions, energy usage (kg of CO2e): 77.349 | Carbon emissions, logistics (kg of CO2e): 12.744 | Carbon emissions, manufacturing (kg of CO2e): 80.181 | PAIA version: GaBi version

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

1, 2024 | Total carbon footprint (kg of CO2e): 177 | Compliance certificates: RoHS/TÜV mark | Dell Display Manager (DDM) compatibility: Yes | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1874335/fiches?language=EN> | Energy efficiency class: D | EPREL Registration Number: 1874335 | EPREL Version Number: 2 | Model: P2725H | Unit Calculated Volume: 0.05658 | Product Net Weight: 4.03 | Unit Calculated Weight: 6.7

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903