

# Monitor Philips 1000 series 27E2N1500L/00 27 inch Quad HD (QHD) IPS 100Hz with HDR10 and Adaptive Sync



Modelis: 27E2N1500L/00

Gamintojas: PHILIPS

EAN: 8721038005455

Prekės kodas: 389045

## 159.99€

## Philips 27E2N1500L/00: Precision and Performance in Quad HD

Experience unparalleled clarity and color accuracy with the Philips 1000 series 27E2N1500L/00 monitor. Designed for professionals and demanding users, this 27-inch display features true Quad HD (2560 x 1440) resolution, delivering incredibly detailed and sharp imagery for all your tasks, from complex spreadsheets to detailed graphic design work.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

The advanced IPS panel technology ensures outstanding color fidelity, boasting 16.7 million colors and standard sRGB gamut, alongside exceptionally wide 178°/178° viewing angles. Combined with High Dynamic Range 10 (HDR10) support, the monitor provides richer contrast, deeper blacks, and vibrant colors for a truly immersive visual experience.

### Key Features for Productivity and Comfort:

- **Quad HD (QHD) Resolution:** The 2560 x 1440 pixels density (108.79 ppi) delivers four times the detail of standard HD, which is essential for multitasking and professional graphical applications.
- **100 Hz Refresh Rate and Adaptive Sync:** Provides smoother motion compared to standard 60 Hz displays, reducing latency and screen tearing for enhanced work efficiency and enjoyable casual gaming, thanks to VESA Adaptive Sync support.
- **IPS Panel Technology:** Ensures consistent and accurate color representation across extremely wide viewing angles (178° horizontal and vertical), perfect for sharing the screen.
- **Eye Comfort Technologies:** Features Flicker-free technology and the Low Blue Light mode to significantly reduce eye strain and fatigue during extended periods of use.
- **Fast Response Time:** A 4 ms (Gray to Gray) response time minimizes ghosting and motion blur, ensuring clear visuals during fast-moving content.
- **Versatile Connectivity and Mounting:** Equipped with HDMI 1.4 and DisplayPort 1.4 inputs. VESA mount compatibility (100 x 100 mm) and tilt adjustment (-5 to 20°) allow for flexible ergonomic setup.

**Philips** is a globally recognized technology leader committed to improving people's lives through meaningful innovation, offering reliable and high-quality display solutions for various professional and home environments.

Order today from ++SHOP++ as we offer the best deals and guaranteed authentic products.

This monitor is packed with features that allow you to work with absolute precision. Its Quad HD resolution, along with HDR and IPS display, this monitor showcases detailed imagery with the utmost color accuracy.

HDMI version: 1.4 | Display diagonal (metric): 68.6 cm | Touchscreen: No | Tilt adjustment: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

VESA mounting: Yes | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | LED backlight: Yes | Screen shape: Flat | Digital vertical frequency: 48 - 75 Hz | Weight (without stand): 2.82 kg | Panel type: IPS | Digital horizontal frequency: 30 - 114 kHz | Package width: 690 mm | Cable lock slot: Yes | Operating relative humidity (H-H): 20 - 80% | Response time: 4 ms | DisplayPorts quantity: 1 | Display brightness (typical): 300 cd/m<sup>2</sup> | Tilt angle range: -5 - 20° | Energy consumption (SDR) per 1000 hours: 13 kWh | LED indicators: Stand-by | Power consumption (standby): 0.5 W | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Display technology: LED | Haze rate: 25% | Depth (with stand): 200 mm | Pixel density: 108.79 ppi | HDCP: Yes | Viewing angle, vertical: 178° | Viewable size, vertical: 33.6 cm | Operating altitude: 0 - 3658 m | Storage temperature (T-T): -20 - 60 °C | DisplayPort version: 1.4 | Power consumption (typical): 20.32 W | Height (with stand): 457 mm | LED indicators: Operation | AC input voltage: 100 - 240 V | Power consumption (off): 0.3 W | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | Viewable size, horizontal: 59.7 cm | Operating temperature (T-T): 0 - 40 °C | Backlight type: W-LED | Power supply type: External | HDCP version: 1.4 | Anti-glare screen: Yes | Package depth: 126 mm | Cable lock slot type: Kensington | Low Blue Light technology: Yes | Height (without stand): 363 mm | Energy efficiency class (HDR): G | Display diagonal: 68.6 cm (27") | VESA Adaptive Sync support: Yes | HD type: Quad HD | Viewing angle, horizontal: 178° | Native aspect ratio: 16:9 | Width (with stand): 614 mm | Surface hardness: 3H | Energy efficiency class (SDR): C | Product colour: Black | Contrast ratio (typical): 1000:1 | Colour gamut standard: sRGB | Panel mounting interface: 100 x 100 mm | Package height: 420 mm | Display number of colours: 16.7 million colours | Pixel pitch: 0.2331 x 0.2331 mm | Market positioning: Office | High Dynamic Range (HDR) supported: Yes | DDC/CI: Yes | Energy consumption (HDR) per 1000 hours: 30 kWh | Package weight: 5.44 kg | Compliance certificates: TÜV mark | Compliance certificates: CECP | Compliance certificates: ETL | European Product Registry for Energy Labelling (EPREL) code: 2356249 | Compliance certificates: CEL | Compliance certificates: PSB | Compliance certificates: UKCA | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: BSMI | Compliance certificates: Minimum Energy Performance Standards (MEPS) | Compliance certificates: CCC | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: ICES | Compliance certificates: CB | Compliance certificates: EAC | Plug and Play: Yes | HDMI: Yes | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: Turkish | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Maximum refresh rate: 100 Hz | On Screen Display (OSD) languages:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Russian | On Screen Display (OSD) languages: Czech | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: Portuguese | Dynamic contrast ratio marketing name: Mega Infinity DCR | Width (without stand): 614 mm | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: English | Flicker-free technology: Yes | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Greek | Non-operating altitude: 0 - 12192 m | Weight (with stand): 3.19 kg | Depth (without stand): 35 mm | Number of OSD languages: 21 | Response time measurement type: GTG (Gray to Gray) | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903