

HP M22f FHD Monitor

Gamintojas: **HP INC.** · Modelis: **2D9J9AA#ABB** · EAN: **195161271953** · Prekės kodas: **389133**

194,89 €

Kaina su PVM

Be PVM: 161,07 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54,6 cm (21.5") Juoda
- ✓ HDMI HDMI versija: 1.4
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 75 Hz Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ENERGY STAR, EPEAT CECP, CCC, CB, EAC, BIS, Federalinė ryšių komisija (FCC), CE, BSMI

Aprašymas

The highest definition of comfort and design.

Lose yourself in the picture-perfect immersion of this massive canvas, designed to redefine comfort, wellness, and sustainability[1]. Play, work, or simply stare into the new definition of high definition.

Techninė specifikacija

Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD

Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	300 cd/m²
Display brightness	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)
Aspect ratio	16:9
Contrast ratio (dynamic)	10000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.248 x 0.248 mm
Pixel density	102 ppi
Horizontal scan range	30 - 86 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	47.6 cm
Viewable size, vertical	26.8 cm
Digital horizontal frequency	30 - 86 kHz
Digital vertical frequency	48 - 75 Hz
Display diagonal (metric)	54.6 cm
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	99%
sRGB coverage (typical)	99%
Display bezel technology	Micro-Edge
Performance	
NVIDIA G-SYNC	No

AMD FreeSync	Yes
AMD FreeSync type	FreeSync
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Home
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Built-in microphone	No
Design	
Market positioning	Home
Product colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	No
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
HDCP	Yes
AC (power) in	Yes
Ergonomics	
VESA mounting	No
Cable lock slot	Yes
Height adjustment	No
Pivot	No
Pivot angle	-90 - 90°
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 25°
On Screen Display (OSD)	Yes

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	E
Energy consumption (SDR) per 1000 hours	14 kWh
Power consumption (typical)	13 W
Power consumption (standby)	0.5 W
Power consumption (max)	19 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Non-operating relative humidity (non-condensing)	20 - 80%

Weight & dimensions

Width (with stand)	485.5 mm
Depth (with stand)	177.2 mm
Height (with stand)	318 mm
Weight (with stand)	2.2 kg
Width (without stand)	485.5 mm
Depth (without stand)	31.8 mm
Height (without stand)	287.2 mm

Packaging data

Package width	550 mm
Package depth	118 mm
Package height	355 mm
Package weight	4.1 kg
Package type	Box
Warranty card	Yes

Packaging content

Stand included	Yes
----------------	-----

Cables included	HDMI, AC
Power adapter included	Yes
Manual	Yes
Bundled software	HP Display Center
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	150
Carbon emissions, manufacturing (kg of CO2e)	72
Carbon emissions, logistics (kg of CO2e)	1
Carbon emissions, end-of-life (kg of CO2e)	1
Total carbon emissions, w/o use phase (kg of CO2e)	74
Other features	
Country of origin	China
Packaging content	Monitor; HDMI cable; Doc-kit; AC power cord
Weight	2.2 kg
Height	287.2 mm
Width	485.5 mm
Depth	31.8 mm
Compliance certificates	CECP, CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
Certification	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; EUP Lot-5; EUP Lot-6; FCC; ICES; ISO 9241-307; KC/KCC; NOM; VCCI; Vietnam MEPS; WEEE; Low blue light; EUP Lot-26; California Energy Commission (CEC); South Africa Energy; eStandby; WW application; UAE; Ukraine certificates; NRCS of South Africa; CEL Grade 2
UNSPSC-code	43211902
Supplied AC adapter type	195161271953
Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true
Logistics data	
Harmonized System (HS) code	85285210