

HP MP2000 PRO Standard throw projector DLP 1080p (1920x1080) Black

Gamintojas: **HP INC.** · Modelis: **471U1AA** · EAN: **6974400280062** · Prekės kodas: **394589**



745,90 €

Kaina su PVM

Be PVM: **616,45 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Business Standard throw projector Black
- ✓ DLP
- ✓ LED 25000 h
- ✓ 1080p (1920x1080) 16:9
- ✓ Smart projector
- ✓ Focus: Auto
- ✓ Ethernet LAN Wi-Fi Bluetooth
- ✓ Built-in speaker(s) 10 W
- ✓ DC 100 W

Aprašymas

The business collaboration device, reimagined for new ways of working

A smart projector with wireless screen mirroring support for iOS, Android, Windows, macOS and Linux. Embedded with a suite of intuitive apps enables teams to optimize business productivity, run presentations and create impactful work anywhere.

Techninė specifikacija

Specifications

Sandėlio grupė

Unterhaltungselektronik > Projektoren/Beamer [+554][-0]

Projector

Projection technology

DLP

Projector native resolution	1080p (1920x1080)
Native aspect ratio	16:9
Smart projector	Yes
Projector brightness	600 ISO lumens
Light source	
Light source type	LED
Service life of light source	25000 h
Lens system	
Focus	Auto
Throw ratio	1.2
Offset	100%
Video	
Analog signal format system	Not supported
Full HD	Yes
3D	No
Ports & interfaces	
VGA (D-Sub) ports quantity	0
HDMI ports quantity	2
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	0
USB 2.0 Type-A ports quantity	2
S/PDIF out port	Yes
DC-in jack	Yes
Audio Return Channel (ARC)	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	Yes
Bluetooth version	4.2
Features	

Interactive	No
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	10 W
Number of built-in speakers	2
Design	
Product type	Standard throw projector
Market positioning	Business
Product colour	Black
Display	
Built-in display	No
Power	
Power source	DC
Power consumption (typical)	100 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
AC adapter output voltage	19 V
Weight & dimensions	
Width	210 mm
Depth	168 mm
Height	127 mm