HP Z24m G3 QHD Conferencing Display

Gamintojas: **HP INC.** · Modelis: **4Q8N9AA** · EAN: **5715063348888** · Prekės kodas: **394790**



349,90 €

Kaina su PVM

Be PVM: **289,17 €**

Sandėlyje


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60,5 cm (23.8") Sidabras
- ✓ Aukščio reguliavimas 15 cm Įmontuoti garsiakalbiai Integruota kamera
- ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.4
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 90 Hz Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 2560 x 1440 pikseliai Quad HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): F BIS, BSMI, CB, CCC, CE, CEL, EAC, Federalinė ryšių komisija (FCC), GS mark, KCC, „Norma Oficial Mexicana“ (NOM), VCCI, WEEE, cTUVus





















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

Creative Collaboration Elevated

Enhanced by HP Presence[2], you can collaborate wherever you find yourself all while creating with the brilliant and vibrant color you need. With integrated conferencing 5 MP webcam, speakers and mic, you feel as if you're face-to-face. With the 60,5 cm(23.8-inch) diagonal HP Z24m G3 Display, you have color accuracy, HDR, and QHD to bring your ideas to life.

Techninė specifikacija

Display	
Display diagonal	60.5 cm (23.8")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	90 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	400 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1400, 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)
Aspect ratio	16:9
Contrast ratio (dynamic)	10000000:1
Viewing angle, horizontal	178°

Viewing angle, vertical	178°
Pixel pitch	0.21 x 0.21 mm
Pixel density	123 ppi
Horizontal scan range	30 - 140 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Digital horizontal frequency	30 - 140 kHz
Display diagonal (metric)	60.5 cm
Surface hardness	3H
Colour depth	10 bit
Colour gamut standard	sRGB, DCI-P3, Rec. 709
Colour gamut	99%
sRGB coverage (typical)	99%
Display bezel technology	Micro-Edge
DCI-P3 coverage	90%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Infrared (IR) sensor	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	Yes
Number of speakers	2
RMS rated power	10 W
Megapixel (approx.)	5 MP
Built-in microphone	Yes
Design	
Market positioning	Business
Product colour	Silver
Detachable stand	Yes
Feet colour	Silver, Black

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB upstream port type	USB Type-C
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
Network	
Ethernet LAN	Yes
Remotely operated	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	F

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power consumption (typical)	38 W
Power consumption (standby)	0.5 W
Power consumption (max)	170 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width (with stand)	538.3 mm
Depth (with stand)	195 mm
Height (with stand)	489.3 mm
Weight (with stand)	5.7 kg
Width (without stand)	625 mm
Depth (without stand)	141 mm
Height (without stand)	387 mm
Packaging data	
Package width	538.3 mm
Package depth	48.4 mm
Package height	311.7 mm
Package weight	8.2 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Quick start guide	Yes
Bundled software	HP Display Center; HP Display Manager
Carbon footprint	
Total carbon footprint (kg of CO2e)	240
Carbon emissions, manufacturing (kg of CO2e)	139

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	99
Other features	
Weight	5.7 kg
Height	387 mm
Width	625 mm
Depth	141 mm
Compliance certificates	BIS, BSMI, CB, CCC, CE, CEL, EAC, Federal Communications Commission (FCC), GS mark, KCC, Norma Oficial Mexicana (NOM), VCCI, WEEE, cTUVus
Manufacturer warranty	3 years limited warranty
Ethernet LAN (RJ-45) ports	1
Certification	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CEL; cTUVus; EAC; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light; CEL Grade 3; South Africa Energy; ICE; UAE; Ukraine certificates
UNSPSC-code	43211902
Supplied AC adapter type	196188123508
Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **F** A-G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Gamintojo saugos informacija