



**Nešiojamas
Monitorius ASUS
ProArt
PA148CTV 14
colių FHD
(1920x1080) IPS
10 taškų
liečiamasis
ekranas,
„Calman
Verified“
kūrėjams, USB-
C/mHDMI**

Modelis: 90LM06E0-B01170

Gamintojas: ASUS

EAN: 4718017862233

Prekės kodas: 400253

600.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ASUS ProArt PA148CTV: 14 colių nešiojamas liečiamasis monitorius, skirtas kūrėjams

ASUS ProArt PA148CTV yra novatoriškas 14 colių „Full HD“ (1920x1080) nešiojamas monitorius, specialiai sukurtas atitikti griežtus kūrybos profesionalų, įskaitant grafikos dizainerius, fotografus ir vaizdo įrašų redaktorių, poreikius. Šis prietaisas sklandžiai sujungia 10 taškų kelių lietimų (multi-touch) galimybes su specialiais darbo srauto įrankiais, tokiais kaip „ASUS Dial“ ir „Virtual Control Panel“, pagreitinančiais kūrybinės užduoties ir padarančiais jas intuityvesnėmis, ypač dirbant su „Adobe Creative Suite“ programomis.

Neprilygstamas spalvų tikslumas ir sertifikavimas

Pasiekite tikroviškus rezultatus, kad ir kur dirbtumėte. PA148CTV naudoja aukštos kokybės IPS matricą su plačiais 178° žiūrėjimo kampais ir anti-glare dangą, užtikrinančia minimalų spalvų poslinkį. Jis garantuoja visapusišką spalvų aprėptį, palaikydamas 100% sRGB ir 100% Rec. 709 spalvų erdves.

- **„Calman Verified“:** Pirmasis pasaulyje nešiojamas monitorius, įgijęs šį sertifikatą, garantuojantį profesionalius spalvų standartus.
- **Išskirtinis tikslumas:** Gamykloje iš anksto sukalibruotas, kad užtikrintų Delta E 2 spalvų skirtumą, o tai reiškia, kad spalvos ekrane atkuriami tiksliai.
- **„ProArt Palette“:** Tinkinkite daugybę ekrano parametrų, įskaitant spalvų toną, temperatūrą ir gama reguliavimą, suteikiant didesnę spalvų reguliavimo lankstumą.

Supaprastintas kūrybinis darbas su „ASUS Dial“ ir Valdymo skydeliu

Integruotas „ASUS Dial“ yra fizinis valdiklis, įmontuotas ekrano nugarėlėje. Jis sklandžiai veikia su suderinama „Adobe“ programine įranga (tokia kaip „Photoshop“, „Lightroom Classic“ ir „Premiere Pro“) ir „Microsoft Surface Dial“ funkcijomis. Tai leidžia greitai ir tiksliai reguliuoti nustatymus – pavyzdžiui, vaizdų priartinimą, teptuko dydžio keitimą ar slinkimą – nenutraukiant darbo eigos. Be to, „Virtual Control Panel“ suteikia intuityvią sąsają, kuri pritaikoma kiekvienai palaikomai „Adobe“ programinei įrangai.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Pagrindinės savybės ir jungiamumas

- **Ekrano tipas:** 14 colių IPS WLED, Full HD (1920x1080) raiška, 16:9 kraštinių santykis.
- **Jutiklinė funkcija:** Reaguojantis 10 taškų jutiklinis ekranas intuityviam piešimui ir valdymui.
- **Ryškus ir kontrastas:** 300 cd/m² ryškumas ir 700:1 kontrasto santykis.
- **Jungtys:** Turtinas prievadų rinkinys, įskaitant du universalios USB-C įėjimus (palaikančius „DisplayPort Alt Mode“ ir maitinimo įvestį) bei „Micro HDMI“ prievadą įvairiems šaltiniams prijungti.
- **Dizainas ir mobilumas:** Itin lengvas, sveriantis vos 740 g, su integruotu reguliuojamu metaliniu stovu, užtikrinančiu patogius žiūrėjimo kampus ir lengvą nustatymą bet kur.
- **Akių priežiūra:** TUV Rheinland sertifikuota „Flicker-Free“ technologija ir „Ultra-Low Blue Light“ nustatymai sumažina akių įtampą ilgo naudojimo metu.

ASUS yra pasaulinė technologijų lyderė, žinoma dėl naujoviškų produktų skaitmeniniam amžiui kūrimo, apimančio pagrindines plokštes, grafikos plokštes ir aukštos kokybės monitorius, skirtus tiek žaidimams, tiek profesionaliam kūrybiniam darbui.

Užsisakykite ASUS ProArt PA148CTV šiandien iš ++SHOP++ ir pakelkite savo mobilųjį kūrybinį darbą į naują lygį su profesionaliu spalvų tikslumu ir intuityviu valdymu.

A Shortcut to Creators' Workflow

ASUS ProArt PA148CTV is a 14-inch FHD portable monitor designed for creators. Its ASUS Dial and Virtual Control Panel streamlines the creative process with shortcuts and programmable hotkeys that work seamlessly with Adobe creative tools. PA148CTV delivers exceptional color thanks to 100% sRGB and 100% Rec. 709 color spaces, and it is world's 1st portable monitor that reach Calman Verified certification and factory pre-calibrated to provide a Delta E 2 color difference. The anti-glare IPS panel features wide viewing angles with minimal color shift, even when viewed from off-center positions.

Built for Creators

PA148CTV offers a host of features to help you get the most out of creative pursuits. The ASUS Dial and the Virtual Control Panel provide shortcuts and hotkeys to popular Adobe software, allowing you to work more efficiently. The Calman Verified PA148CTV has a Delta E 2 color value and wide color gamut to ensure the colors you see are true to life. ProArt Preset software lets you quickly adjust

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

color gamut, while ProArt Palette lets you adjust various color settings.

Creativity with a Spin

ASUS Dial is a physical dial at the rear of the display that works seamlessly with compatible Adobe software and Microsoft Surface Dial controls, allowing you to make adjustments while keeping focused on the task at hand. The integrated on screen display (OSD) controller allows you to make monitor adjustments quickly and easily.

Works with

Adobe Software

ASUS Dial is designed to work with compatible Adobe software* (for example, Adobe Photoshop, Photoshop Lightroom Classic, Premiere Pro and After Effects). Turning the dial gives you access to customized shortcuts for tasks such as zooming in and out of images and adjusting brush size or brightness settings. You can even tailor the default interface to suit your own work style.

*Support for additional Adobe software will be available in the future. ProArt Creator Hub is required and will be available in Q2 2021

**Adobe, Adobe Premiere, After Effects, Lightroom, Photoshop, and the Photoshop logo are either registered trademarks or trademarks of Adobe in the United States and/or other countries.

Supports Windows

Surface Dial Features

ASUS Dial works seamlessly with Microsoft Surface Dial features. Simply turn ASUS Dial to adjust volume, scroll through web pages, or to perform other functions.

Intuitive Control at Your Fingertips

The Virtual Control Panel provides an intuitive interface that's unique to each supported Adobe software* (for example, Adobe Photoshop, Photoshop Lightroom Classic, Premiere Pro and After Effects), so the controls and shortcuts you need are right in front of you. Tweak image exposure or contrast when working with Photoshop, or slide through video time bars on Premiere – it's all neatly laid out so you can work more quickly and efficiently.

*Support for additional Adobe software will be available in the future. ProArt Creator Hub is required and will be available in Q2 2021

**Adobe, Adobe Premiere, After Effects, Lightroom, Photoshop, and the Photoshop logo are either registered trademarks or trademarks of Adobe in the United States and/or other countries.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Experience Full Color

Wide 100% sRGB and 100% Rec. 709 color gamut offers more vivid colors, ensuring deeper primary colors like red, green and blue, and richer secondary colors.

Revel in pure, expressive hues — thanks to accurate, true-to-life color reproduction. Delta E 2 color accuracy means your images are accurately reproduced on screen, so you can see exactly how they'll turn out.

Pre-Calibrated for Out-of-the-Box Accuracy

Color professionals rely on color-accurate displays to ensure that their creations render as intended. PA148CTV is pre-calibrated at the factory and Calman Verified to guarantee industry-leading color accuracy. Every ProArt display undergoes meticulous testing to ensure smooth color gradation and to guarantee the very best visuals.

Quick Color Gamut Adjustment

ASUS-exclusive ProArt Preset provides multiple modes for quick color-gamut adjustment. Whether you're grading colors, editing videos or manipulating photos, you can switch and match your needs easily.

Personalized Editing Experience

ASUS ProArt Palette lets you customize numerous display parameters, including color hue, temperature and gamma adjustments, via intuitive on-screen menus. With two-point grayscale sliders for all six colors, it provides greater color-adjustment flexibility than many competing monitors. ProArt Palette empowers you to produce quickly and consistently, and makes it easy to keep your color management in check.

Rich Connectivity

PA148CTV offers a host of ports to cater to your creative needs. The two USB-C ports deliver audio / video signals, touch and plus power input over a single cable*. The micro HDMI port provides a connection to various input sources, while the tripod socket allows you to mount PA148CTV onto a tripod.

*Connected device requires USB Type-C (DisplayPort Alt Mode and at least 10W power output.)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Effortless Mobility

PA148CTV fits into a travel bag or backpack, so you can easily take it on location. An integrated adjustable metal kickstand props it up to provide comfortable viewing angles and working positions, anywhere.

Caring for Your Eyes

ASUS Flicker-Free technology ensures a more comfortable viewing experience by reducing on-screen flicker to minimize eye strain, headaches and eye fatigue that can occur when spending long hours in front of a display. Exclusive ASUS Ultra-Low Blue Light technology protects your eyes from harmful blue light emissions with four blue-light filter settings that are easily accessed through the on-screen menu via the hotkey

ASUS ProArt PA148CTV is a 14-inch FHD portable monitor designed for creators. Its ASUS Dial and Virtual Control Panel streamlines the creative process with shortcuts and programmable hotkeys that work seamlessly with Adobe creative tools. PA148CTV delivers exceptional color thanks to 100% sRGB and 100% Rec. 709 color spaces, and it is world's 1st portable monitor that reached Calman Verified certification and was factory pre-calibrated to provide a Delta E 2 color difference. The anti-glare IPS panel features wide viewing angles with minimal color shift, even when viewed from off-center positions.

Product Description: ASUS ProArt PA148CTV - LED monitor - Full HD (1080p) - 14" | Device Type: LED-backlit LCD monitor - 14" | Energy Label QR Code URL: <https://eprel.ec.europa.eu/qr/407449> | Energy Class: Class E | Power Consumption (On mode): 11 W | Features: Touch-screen | Panel Type: IPS | Aspect Ratio: 16:9 | Native Resolution: Full HD (1080p) 1920 x 1080 | Pixel Pitch: 0.16 mm | Brightness: 300 cd/m² | Contrast Ratio: 700:1 | Response Time: 5 ms (grey-to-grey) | Colour Support: 16.7 million colours | Colour Gamut: 100% sRGB | Input Connectors: Micro HDMI, 2xUSB-C | Screen Coating: Anti-glare | Dimensions (WxDxH) - with stand: 32.61 cm x 1.2 cm x 20.44 cm | Weight: 740 g | Compliant Standards: TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification, HDCP 1.4