ASUS ProArt PA169CDV kompiuterio monitorius 39,6 cm (15.6") 3840 x 2160 pikseliai 4K Ultra HD LCD Lietimui jautrus ekranas Juoda

Gamintojas: **ASUS** · Modelis: **90LM0711-B01I70** · EAN: **4711081710554** · Prekės kodas: **400273**



1 329,90 €

Kaina su PVM

Be PVM: **1 099,09 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 39,6 cm (15.6") Juoda
- ✓ Įmontuoti garsiakalbiai
- ✓ HDMI HDMI versija: 2.0
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 10 ms
- ✓ 3840 x 2160 pikseliai 4K Ultra HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E



















Aprašymas

Your Canvas for Digital Art

ASUS ProArt PA169CDV Pen Display features a 15.6-inch, 10-bit, 4K UHD, IPS panel. It’s bundled with the ProArt Pen featuring Wacom EMR technology for great drawing experiences. PA169CDV is the world’s first portable monitor that’s both PANTONE® Validated and Calman Verified to ensure exceptional color accuracy. The ergonomic PA169CDV includes innovative upper and lower kickstands that allow for different tilt angles, making it easy to switch between daily productivity and creative workflows.

Built for Creators

Ready for that Creative Spark

With ProArt Display PA169CDV, you’re ready whenever inspiration strikes comes. Built-in Wacom EMR technology and a bundled ProArt Pen enable a natural and precise drawing feel when creating content or editing artwork.

Streamline Your Workflow

The 4K UHD panel is both PANTONE Validated and Calman Verified to ensure sharper, detailed and more vivid colors, making it the perfect choice for a second display – or even a main screen. Either way, the perfection needed for both creation and color validation is assured.

Impeccably-detailed Visuals

With a 4K UHD (3840 x 2160) panel, you’ll enjoy 4X pixel density and up to 300% more on-screen working space than similarly-sized Full HD (FHD) displays. Up to 400 nits of brightness and VESA DisplayHDR 400 certification delivers brighter, more lifelike viewing experiences, so every image is sharp, detailed and a pleasure to view.

Create Precisely

Like ProArt Display PA169CDV, the all-new ProArt Pen also implements Wacom EMR technology. It’s battery-free and lightweight to support endless creativity, and it accurately detects every hand movement, even when tilted at up to 40 degrees for angled strokes. So, whether you’re drawing fast or slow, creating thick or thin lines, or finely shading areas, ProArt Pen feels intuitive and precise. Its sensitive to 4096 pressure levels and comes with two interchangeable pen nibs to suit any drawing or writing style. In short, creating with ProArt Pen feels just like using a real pen or brush!

ProArt Display PA169CDV has a fully-laminated screen to minimize parallax, offering pixel-precise accuracy so the cursor is exactly where you want it to be, replicating the sensation of pen on paper for natural drawing experiences. It’s also treated with fingerprint-resistant, anti-glare coating – so it fends off fingerprints and distracting reflections.

Enjoy True-to-life Color

Photorealistic Color

ProArt Display PA169CDV delivers exceptionally-detailed and realistic visuals, with 10-bit color depth, 100% sRGB, 100% Rec.709, and cinema-grade DCI-P3 color-gamut support. This means that the colors reproduced on the display are richer and more vivid: it’s ideal for color-intensive projects, but also enhances any kind of content.

Experience Full Color

Revel in pure, expressive hues — thanks to accurate, true-to-life color reproduction. Delta E < 2 color accuracy means your images are accurately reproduced on screen, so you can see exactly how they'll turn out.

Pre-Calibrated for Out-of-the-Box Accuracy

Color professionals rely on color-accurate displays to ensure that their creations render as intended. To ensure precise color accuracy, each PA169CDV is pre-calibrated at the factory. This remarkable display is both PANTONE® Validated and Calman Verified, and has a Delta-E color-accuracy value of less than 2. It also undergoes meticulous testing to ensure smooth color gradation and to guarantee the very best visuals.

Create in Convenience

Slim and Lightweight

The thin 12.1 mm profile and overall weight of just 1.07 kg makes ProArt Display PA169CDV incredibly portable. Its frameless design maximizes screen area and screen-to-body ratio for incredible productivity and entertainment, anywhere.

Built-in Adjustable Kickstands

ProArt Display PA169CDV features two built-in ergonomic kickstands. The lower kickstand provides the ideal viewing angle for everyday productivity, while engaging the upper prop tilts the display at a shallow 17° angle for comfortable creativity.

Rich Connectivity

PA169CDV offers a host of ports to cater to your creative needs, including a single-cable USB-C solution that supports DisplayPort™ Alt Mode and power input simultaneously. Plus, there's another USB-C port solely for the power adaptor. There's additional flexibility in the shape of an HDMI port, making it easy to connect PA169CDV to a wide variety of input sources.
*Connected device requires USB Type-C connectivity. (DisplayPort Alt Mode and at least 15 W power output required).
*Monitor brightness and speaker sounds will be limited when using the single-cable solution.

Harness your creative potential with the ProArt Creator Hub app. The app provides a unified experience across all your connected ProArt Displays to optimize your workflows. There's also a new Color Control that helps you optimize color tools: we've collaborated with Pantone® to provide digital color data that will help you express your wild creativity.

Creativity with a Spin

Discover new ways to work with the exclusive ASUS Dial, an intuitive physical controller that provides instant and precise fingertip control over parameters in creative apps. A switch by the dial allows you to select either stepped or stepless mode for intuitive control. Customized shortcuts enable you to zoom in and out of images or adjust brush size by simply turning the ASUS Dial. You can even tailor the default interface to suit your own work style.
*ProArt Creator Hub for Microsoft Windows only.

Intuitive Control at Your Fingertips

ASUS Control Panel is an exciting virtual interface designed to give you intuitive, precise control over creative apps such as Adobe software, DaVinci Resolve, Clip Studio Paint, and more. With the fully-customizable dial, slider, button, and scroll touch controls, you can easily assign controls to change brush size or saturation.
*ProArt Creator Hub for Microsoft Windows only.
**10-point touch function will depend on the operating system.

Color Management

With the new Color Management feature you can easily capture and analyze any color on your screen with Screen Color Picker, and immediately see all the color data for your reference with Color Analysis. It’s really handy when creating, and you can use the Picture Extractor extract colors from uploaded material to create your own Color Palette to build your personal color preferences. ProArt Creator Hub also provides ASUS Color Trend and ASUS Palette to inspire your creativity.
*ProArt Creator Hub for Microsoft Windows only.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	39,6 cm (15.6")
Ekrano rezoliucija	3840 x 2160 pikseliai
Natūralus kraštinių santykis	16:9
Ekrano technologija	LCD
Lietimui jautrus ekranas	Taip
HD tipas	4K Ultra HD
Skydo tipas	IPS
Reakcijos laikas	10 ms
Ekrano forma	Plokščias
Kontrasto santykis (tipinis)	1200:1
Maksimalus atnaujinimo dažnis	60 Hz
Ekrano spalvų skaičius	1,073 milijardo spalvų
Foninio apšvietimo tipas	LED
Liečiamo ekrano technologija	Prognozuojama talpinė sistema
Lietimui jautri technologija	„Multi-touch“
Vienalaikių kontaktinių taškų skaičius	10
Ekrano ryškumas (pikinis)	500 cd/m²
Ekrano ryškumas (tipinis)	450 cd/m²
Neblizgantis ekranas	Taip
Kontrasto santykis (dinaminis)	15000:1
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Pikselių žingsnis	0,09 x 0,09 mm
Pikselių tankumas	282 ppi
Matomas dydis, horizontalus	34,6 cm
Matomas dydis, vertikalus	19,4 cm
Horizontalus skaitmeninis dažnis	29 - 160 kHz
Vertikalus skaitmeninis dažnis	40 - 60 Hz

Palaikoma HDR	Ne
Didelio dinaminio diapazono (HDR) technologija	High Dynamic Range 10 (HDR10)
Spalvų gylis	10 bitai
Palaikomas sRGB (įprastas)	100%
Veikimo charakteristikos	
NVIDIA G-SYNC	Ne
„AMD FreeSync“	Ne
Apsaugos nuo mirgėjimo technologija	Taip
Mažo kiekio mėlynos šviesos technologija	Taip
Multimedija	
Įmontuoti garsiakalbiai	Taip
Integruota kamera	Ne
Garsiakalbių skaičius	2
RMS galingumas	2 W
Konstrukcija	
Produkto spalva	Juoda
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip
HDMI	Taip
Ausinių išvestis	Ne
C tipo USB kylančiųjų prievadų skaičius	1
„USB Type C DisplayPort Alternate Mode“	Taip
„USB Power Delivery“	Taip
USB maitinimo tiekimas iki	15 W
HDMI portų kiekis	1
HDMI versija	2.0
DC įėjimo lizdas	Taip
Ergonomija	
VESA tvirtinimo pagrindas	Ne
Kabelio spynos lizdas	Ne
Aukščio reguliavimas	Ne
Sukimasis	Taip
Pasukimo kampas	0 - 90°
Pokrypio reguliavimas	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Posvyrio kampo intervalas	54 - 75°
Energijos valdymas	
Energijos vartojimo efektyvumo klasė (SDR)	E
Energijos vartojimo efektyvumo klasė (HDR)	G
Energijos sąnaudos (SDR) per 1000 valandų	12 kWh
Energijos sąnaudos (HDR) per 1000 valandų	16 kWh
Energijos suvartojimas	15 W
Energijos suvartojimas (off)	0,3 W
Energijos suvartojimas (PowerSave)	0,5 W
AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Energijos efektyvumo skalė	Nuo A iki G
Svoris ir matmenys	
Plotis (be stovo)	370 mm
Gylis (be stovo)	12 mm
Aukštis (be stovo)	237 mm
Svoris (be stovo)	1,07 kg
Pakuotės duomenys	
Pakuotės plotis	539 mm
Pakuotės gylis	323 mm
Pakuotės aukštis	107,5 mm
Paketo svoris	2,95 kg
Pakuotės tipas	„Box“
Kitos savybės	
Sertifikavimas	Energy Star TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 Calman Verified Pantone Validated
Matmenys ir svoris	
Matmenys (I × P × A)	1,00cm × 37,00cm × 24,00cm
Svoris	1,10kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt