

# Monitorius ASUS ProArt PA27DCE-K 68.33cm (26.9") 16:9 UHD HDMI DP



Modelis: 90LM0810-B01I70

Gamintojas: ASUS

EAN: 4711081905400

Prekės kodas: 400283

## 2,970.99€

## ASUS ProArt Display OLED PA27DCE-K profesionalus monitorius

ASUS ProArt Display OLED PA27DCE-K yra 26.9 colių 4K HDR monitorius su pažangiu OLED ekranu, turinčiu grynas RGB juosteles ir 99% DCI-P3 aprėptį. Tai užtikrina labai tikslias spalvas, išryškinančias smulkiausias detales jūsų kūriniuose. Su keliais HDR formatų palaikymu, jis suteikia idealią platformą darbui su greitai judančiu HDR turiniu. Integruotas USB-C prievadas siūlo vaizdo palaikymą, itin greitus duomenų perdavimus ir 80 vatų energijos tiekimą vienu kabeliu, suteikdamas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

papildomo patogumo.

## Savybės:

- **Aukščiausios kokybės OLED ekranas:** Įrengtas grynas RGB juostelių OLED ekranas, užtikrinantis tikroviškus vaizdus ir sustiprintą spalvų kontrastą.
- **Itin tikslios spalvos:** Studijinio lygio 99% DCI-P3 spalvų gama, užtikrinanti išskirtinai detalius ir tikroviškus vaizdus.
- **Tikra juoda spalva:** Atkuria tobulus juodos spalvos atspalvius su savaime generuojamu apšvietimu, užtikrinant aštrius ir aiškius vaizdus.
- **Greitas atsako laikas:** 0.1 ms atsako laikas užtikrina itin greitą vaizdo įrašų ir animuoto turinio atkūrimą be suliejimo.
- **ProArt Color Center:** Siūlo nuotolinio grupės valdymo ir kalibravimo įrankius centralizuotam valdymui.
- **Sklandus kalibravimas:** Suderinamas su pagrindiniais kalibratoriais ir profesionalia aparatine kalibravimo programine įranga, tokia kaip Calman ir Light Illusion ColourSpace CMS.
- **ASUS Smart HDR technologija:** Palaiko kelis HDR formatus, įskaitant HLG ir HDR10, universaliai turinio kūrimui.
- **Platus jungiamumas:** Apima pilnai funkcionuojantį USB-C, DisplayPort 1.4 ir tris HDMI (v2.0) prievadus, užtikrinančius suderinamumą su įvairiais įrenginiais.
- **Ergonomiškas dizainas:** Siūlo pakreipimo, pasukimo, pasukimo aplink ašį ir aukščio reguliavimą patogiam žiūrėjimui.

ProArt Display OLED PA27DCE-K suteikia galimybes turinio kūrėjams, tokiems kaip filmų kūrėjai, vaizdo įrašų redaktoriai, dizaineriai, fotografai ir spalvų koreguotojai, pateikdamas itin aukštos rezoliucijos monitorių su išskirtine spalvų kokybe. Jo reguliuojamas stovas ir nešiojamas dizainas puikiai tinka filmavimams aikštelėje, o tikslus spalvų atkūrimas užtikrina, kad kūrybinės detalės nebus prarastos.

**ASUS** yra visame pasaulyje pripažinta įmonė, įsipareigojusi tiekti novatoriškus ir aukštos kokybės technologinius sprendimus.

Užsisakykite šiandien iš ++SHOP++, nes mes siūlome geriausią...

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

# **ASUS ProArt Display OLED PA27DCE-K Professional Monitor - 27-inch (26.9-inch viewable), OLED, 4K UHD (3840 x 2160), 99% DCI-P3, HDR-10, HLG, ΔE 1, USB-C PD 80W, HDMI, Hardware Calibration, Calman Ready, ColourSpace Integration**

## **ProArt Display OLED PA27DCE-K**

### **OLED Mastering, From Production To Post.**

ProArt Display OLED PA27DCE-K is 26.9-inch 4K HDR monitor offers a cutting-edge OLED panel with pure RGB stripes and 99% DCI-P3 coverage to deliver highly accurate colors that bring out the finest details in your creations. Multiple HDR format support provides creators with the ideal platform for working with fast-moving HDR content. For added convenience, the built-in USB-C® port offers video support, superfast data transfers, and 80-watt power delivery via a single cable.

## **Empowering Content Creators**

### **Filmmakers & Video Editors**

An ultra-high-resolution monitor with wide-color-gamut performance is a must-have tool for 4K HDR video production. The adjustable stand and portable design of PA27DCE-K also makes it perfect for on-set shoots, where it can be easily moved to an ideal location or positioned to avoid color shift caused by ambient lighting.

### **Designers & Photographers**

PA27DCE-K provides truly precise color reproduction to bring out the details in photographs or digital artwork. It delivers ultra-high-quality visuals and ensures that creative details aren't lost on the journey from click to print or production.

### **Colorists**

OLED panels are known for their excellent color reproduction. PA27DCE-K is factory pre-calibrated to ensure industry-leading color fidelity and offers delta E 1 color difference, plus auto calibration function to ensure outstanding color accuracy.

## **Offering Amazing OLED Experience**

### **Premium OLED panel with RGB stripes**

PA27DCE-K incorporates OLED technology which achieves ultra-precise control and extreme contrast

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

by making each individual pixel its own light source. PA27DCE-K has a pure RGB Stripe OLED panel with billions of self-illuminating pixels that can be individually activated to reproduce truly lifelike pictures with deep blacks and enhanced color contrast in high-luminance images. These characteristics make PA27DCE-K a natural fit for HDR content mastering.

### **Ultimate Professional-Grade Color**

PA27DCE-K delivers exceptionally detailed and realistic visuals, with a studio-grade 99% DCI-P3 color gamut. This means that the colors reproduced on the display are richer and more vivid, so it's ideal for color-intensive projects but also enhances any kind of content.

### **Ultra-Accurate Color**

Designers, producers and color-solution companies deal with color-critical decisions and communications each day. ProArt displays are factory pre-calibrated to guarantee industry-leading color accuracy. Each monitor undergoes stringent and meticulous testing to ensure smoother color gradation, and each grayscale level is carefully measure and set to comply with the DICOM standard for medical use.

### **True Black: See the Unseen**

PA27DCE-K reproduces black hues perfectly. Since each OLED pixel uses self-generated illumination, it simply turns off to display the deepest possible black shade for extremely crisp and clear images, even in the darkest scenes.

### **Fast Response Time**

A 0.1 ms response time ensures superfast, blur-free video or animated content.

### **Intuitive and Intelligent Calibration**

#### **ProArt Color Center**

ProArt Color Center offers remote group control and calibration tools, allowing you to handle these vital tasks from a centralized location. You'll be able to remote control & group calibration, scheduled calibration and customized color parameters to maintain professional-level accuracy and consistency all the time.

---

#### **ProArt Calibration**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

ASUS ProArt Calibration technology saves all color parameter profiles on the ProArt monitor's internal scaler IC chip, instead of on the PC. The monitor can be calibrated and the look-up table subsequently rewritten, allowing users to connect it to devices with different operating systems or applications without needing to adjust settings.

### **Seamless Calibration**

ProArt Displays are compatible with most major calibrators, including those from X-Rite, Datacolor and Klein. They also work seamlessly with Calman and Light Illusion ColourSpace CMS professional hardware calibration software.

### **Enjoy true-to-life color**

PA27DCE-K exceeds industry color reproduction standards with its 99% DCI-P3 color gamut, and it features true 10-bit color depth to display more than 1.07 billion colors. 1,000,000:1 contrast ratio ensure the deepest blacks and brightest whites, enabling PA27DCE-K to accurately display the most minute details in shadows and bright highlights for incredibly realistic visuals.

### **Class-Leading Color Fidelity**

Each ProArt display is factory pre-calibrated using a new, three-scale process to guarantee industry-leading color fidelity. The display then undergoes stringent testing using ASUS advanced grayscale tracking technology to ensure smoother color gradations, better uniformity and high color accuracy with a Delta E 1 color difference value. Each grayscale level is also carefully measured and set to ensure compliance with the precise DICOM standard for medical use.

### **Uniform Brightness Setting**

OLED displays feature an Auto Brightness Limiter (ABL) to maximize power use. When displaying a white (or bright) image in a particular window, the display automatically dims the image as the window size increases.

The optional Uniform Brightness function in the OSD menu is particularly useful when switching between, or changing the size of windows with vastly different contrast levels as it keeps brightness levels consistent for comfortable viewing and more accurate colors, even after hours of use.

### **Create in Ultra-Vivid HDR**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## **ASUS Smart HDR Technology**

Exclusive ASUS Smart HDR technology enables ProArt Display OLED PA27DCE-K to support multiple HDR formats, including HLG and HDR10.

HLG allows users to view and create material for broadcast and satellite TV platforms such as BBC iPlayer, Japan NHK TV, and DirecTV.

HDR10 support ensures compatibility with existing streaming video services and a growing list of HDR-enabled games.

## **Multiple PQ Curves**

ASUS ProArt Displays support multiple HDR10 curves, including PQ Hard Clip, PQ Optimized and PQ Basic, which can cover all content creation needs.

### **PQ Hard Clip**

Preserves PQ curve till displaying maximum luminance with accuracy. Any luminance higher than display maximum will be mapped to display maximum.

### **PQ Optimized**

Reproduce accurate gradations corresponding to maximum brightness of the monitor. Deliver the optimized HDR performance of this display.

### **PQ Basic**

Present general HDR performance.

## **HDR Preview**

HDR Preview enables a direct camera-to-monitor connection to view captured HDR content with its full tonal range. It also works within most video editing software platforms, providing accurate simulations of the final output for an easier, more streamlined editing experience.

## **Streamlined, Efficient Workflows**

### **Connect to your workflow**

Rich connectivity offers a full-function USB-C, DisplayPort1.4 and three HDMI(v2.0) for compatibility

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

with current and future displays and peripherals. It also features an earphone jack and USB3.2 hub.

### **Picture-by-Picture (PbP)**

View two to four different settings simultaneously by placing multiple input sources onscreen side-by-side; and configure each individual window's color settings with sRGB, Adobe RGB, DCI-P3, Rec. 2020, User Mode 1 or User Mode 2.

### **Picture-in-Picture (PiP)**

Easily place your second input source in a window in one corner of the display.

### **ASUS Flicker-Free technology**

It's time to say goodbye to those tired, strained eyes. ProArt Displays features TÜV Rheinland-certified ASUS Flicker-Free technology to reduce flicker and minimize instances of eyestrain and other damaging ailments for a comfortable viewing experience.

### **Blue Light Filter**

The TÜV Rheinland-certified ASUS Blue Light Filter protects you from harmful blue light, and you can easily access via a hotkey. ProArt displays has undergone stringent performance tests and has been certified by TÜV Rheinland laboratories, a global provider of technical, safety, and certification services, to be flicker-free and to emit low blue light levels.

### **Ergonomic Design**

A comfortable viewing position is always easy to achieve with ASUS ProArt Display. With an ergonomically-designed stand with tilt, swivel, pivot and height adjustments provide comfortable viewing and usage experiences. Furthermore, the VESA wall-mountable to save on desktop space.

### **Free 3 Months of Adobe Creative Cloud**

Get complimentary membership with the purchase of selected ASUS products.\* (Up to a \$238.47 value)

\* Terms and conditions apply. For more details, please read the full terms and published on the event page.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903