

Aerocool Aero One Mini Eclipse Mini Tower Black

Gamintojas: **AEROCOOL** · Modelis: **ACCS-PB18143.11** · EAN: **4710562752403** · Prekės kodas: **403089**



115,91 €

Kaina su PVM

Be PVM: **95,79 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Comes equipped with three 12cm ARGB fans in the front and one 12cm ARGB fan in the rear of the case
- ✓ Addressable RGB fans can be controlled using LED control button or ARGB motherboard
- ✓ Includes a 6-port hub to connect your fans
- ✓ Mesh front panel design allows for superior air flow and ventilation
- ✓ Full tempered glass side panel to showcase the inside of your rig
- ✓ Supports liquid cooling in the front, top, and rear of the case
- ✓ Dual chamber design for improved ventilation



Aprašymas

High-performance mini tower case with full tempered glass side panel to showcase the inside of your rig. Mesh front panel design allows for viewing of your front LED fans while providing superior air flow and circulation.

Comes equipped with three 12cm Addressable RGB fans in the front and one 12cm Addressable RGB fan in the rear of the case. Addressable RGB fans can be controlled using one of two ways: RGB LED control button or Addressable RGB motherboard. 6-Port RGB Control Hub allows you to connect your ARGB fans or accessories.

ADDRESSABLE RGB COMPATIBLE

Take full control of your Addressable RGB fans using one of two ways:

- RGB LED control button on top of the case
- Addressable RGB motherboard

FOUR ADDRESSABLE RGB FANS INCLUDED

Comes equipped with three 12cm Addressable RGB fans in the front and one 12cm Addressable RGB fan in the rear of the case.

COMES EQUIPPED WITH ECLIPSE 12 FANS

Equipped with Dual Slim Ring Lighting Design with LED rings as thin as 2mm, the Eclipse 12 delivers a sleek and stylish flair while delivering superior cooling capabilities.

6-PORT RGB CONTROL HUB

Features a 6-port hub with PWM control functions and allows you to connect up to six 6-Pin AeroCool Addressable RGB fans and up to two 3-Pin Addressable RGB accessories with +5V ARGB connector.

Access 16.8 million colors using compatible Addressable RGB motherboard (Asus Aura Sync, MSI Mystic Light Sync, and Gigabyte RGB Fusion).

PWM COMPATIBILITY

Please check if the 4-Pin fan header on your motherboard is PWM compatible.

- PWM based – PWM compatible
- Voltage based – not PWM compatible

ADDRESSABLE RGB RECEPTOR CABLE INCLUDED

Comes with a receptor cable to connect your hub with compatible Addressable RGB motherboards.

- ARGB MB Connector (For all other ARGB MBs such as ASUS, MSI, etc.)
- ARGB MB Connector (Gigabyte RGB Fusion)
- 4-Pin Hub Connector
- PWM 4-Pin Connector

POWER CABLE INCLUDED

Comes with a cable to power the hub.

- SATA Power Connector
- 4-Pin Hub Power Connector

MESH FRONT PANEL DESIGN

Featuring a unique and stylish mesh front panel design, this case allows for clear viewing of your front LED fans while providing superior air flow and circulation.

FULL TEMPERED GLASS SIDE PANEL

Comes equipped with a full tempered glass side panel to properly showcase the inside of your rig.

DUAL CHAMBER DESIGN

Built with a dual chamber design to direct heat away from the main chamber for more effective all-around cooling.

COOLING FOR YOUR GRAPHICS CARD

VGA fan bracket design supports graphics card cooling: 2 x 120mm fans for superior VGA cooling.

AIR COOLING

Supports air cooling in the front, top, and rear of the case to enhance cooling performance.

- Front: 120mm x 3 or 140mm x 2 (Includes 120mm Eclipse Fan x 3)
- Top: 120mm x 2 (Optional)
- Rear: 120mm x 1 (Includes 120mm Eclipse Fan x 1)
- Supports VGA Fan: 120mm x 2 (Optional)

LIQUID COOLING

Supports liquid cooling in the front, top, and rear of the case for maximum efficiency cooling.

- 120/240mm Radiator (Optional)
- Top: 120/240mm Radiator (Optional)
- Rear: 120mm Radiator (Optional)

BUILT FOR HIGH PERFORMANCE

- Supports Micro-ATX and Mini-ITX motherboards
- Supports CPU coolers up to 161mm
- Supports high-end graphics cards up to 327mm

CONVENIENT ACCESS TO YOUR MEDIA

Quick and easy access to LED control button, 2 x USB 3.0, HD audio and mic ports, and power button.

STORAGE CAPABILITY

Supports up to 2 x 3.5" HDDs (1 x 3.5" and 1 x 2.5"/3.5") and 3 x 2.5" SSDs (2 x 2.5" and 1 x 2.5"/3.5").

EASY MAINTENANCE

Removable dust filters on the front, top, and bottom of the case for fast and convenient cleaning.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherie & Desktop > Workstation Gehäuse [+1637][-1]
Design	
Form factor	Mini Tower
Type	PC
Product colour	Black
Supported motherboard form factors	micro ATX, Mini-ITX
Number of 3.5" bays	2
Material	Acrylonitrile butadiene styrene (ABS), SPCC
Number of 2.5" bays	3
Number of expansion slots	4
Side window	Yes
Illumination	Yes
Illumination colour	Blue, Green, Red
Illumination location	Front

Tempered glass panel(s)	Yes
Anti-dust filter	Yes
On/off button	Yes
LED indicators	Yes
Maximum graphics card length	32.7 cm
Maximum PSU length	16.6 cm
Power supply	
Power supply included	No
Ports & interfaces	
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	0
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	3x 120 mm
Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120 mm
Number of top fans supported (max)	2
Top fans diameters supported	120 mm
Storage	
Supported HDD sizes	2.5,3.5"
Number of HDDs supported	2
Weight & dimensions	
Width	210 mm
Depth	403 mm
Height	459 mm
Weight	5.65 kg
Material thickness	0.7 mm
Logistics data	
Harmonized System (HS) code	84733080

Pallet gross width	120 cm
Pallet gross length	100 cm
Pallet gross height	12 cm