

Aerocool VERKHO4 computer cooling system Processor Cooler 12 cm

Gamintojas: **AEROCOOL** · Modelis: **ACTC-NA30410.02** · EAN: **4710700955901** · Prekės kodas: **403282**



56,89 €

Kaina su PVM

Be PVM: **47,02 €**

Neturime





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Processor Cooler 12 cm 2000 RPM
- ✓ Supported processor sockets: LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1366 (Socket B), LGA 2011 (Socket R), LGA 2066, LGA 775 (Socket T), Socket AM2, Socket AM2+, Socket AM3, Socket AM3+, Socket AM4, Socket FM1, Socket FM2
- ✓ 27 dB 56.4 cfm 1.24 mmH2O
- ✓ 120 x 120 x 25 mm



Aprašymas

HEAT CORE TOUCH TECHNOLOGY (HCTT)

Four heatpipes provide a perfectly flat surface which ensure faster heat dissipation.

120mm PWM HIGH-PRESSURE FAN

High-pressure fan provides a stronger airflow to push the heat away from the aluminum fin faster.

EFFICIENT ALUMINUM FINS

The uneven fin surface design creates heat dissipating area.
It is compatible with most CPUs due to a compact design.

Techninė specifikacija

Specifications	
Sandėlio grupė	Komponenten & Zubehör > Kühler/Lüfter [+4069][-1266]
Performance	
Suitable location	Processor
Type	Cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1366 (Socket B), LGA 2011 (Socket R), LGA 2066, LGA 775 (Socket T), Socket AM2, Socket AM2+, Socket AM3, Socket AM3+, Socket AM4, Socket FM1, Socket FM2
Rotational speed (min)	800 RPM
Rotational speed (max)	2000 RPM
Noise level (low speed)	15 dB
Noise level (high speed)	27 dB
Minimum airflow (imperial)	27.2 cfm
Maximum airflow	56.4 cfm
Minimum air pressure	0.78 mmH2O
Maximum air pressure	1.24 mmH2O
Design	
Fins material	Aluminium
Number of heat pipes	4
Fan connector	4-pin
Power	
Power consumption (typical)	3.12 W
Rated voltage	12 V
Starting voltage	5 V
Rated current	0.26 A
Thermal Design Power (TDP)	140 W
Weight & dimensions	
Width	123 mm
Depth	73 mm

Height	156.5 mm
Fan dimensions (W x D x H)	120 x 120 x 25 mm
Heat pipes diameter	6 mm
Other features	
Mean time to failure (MTTF)	60000 h
Logistics data	
Master (outer) case width	300 mm
Master (outer) case length	476 mm
Master (outer) case height	380 mm
Products per master (outer) case	16 pc(s)