

be quiet! Silent Base 601 Window Midi Tower Black

 Gamintojas: **BE QUIET!** · Modelis: **BGW26** · EAN: **4260052187036** · Prekės kodas: **405319**


147,90 €

Kaina su PVM

 Be PVM: **122,23 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Noise dampening vents provide excellent air permeability with maximum silence
- ✓ Extra thick insulation mats of 10mm in the front, top and sides
- ✓ Two preinstalled Pure Wings 2 140mm fans ensure a silent airflow
- ✓ 3-step fan controller caters for up to three fans
- ✓ PSU shroud and smart HDD slot covers provide a neat interior
- ✓ Fast and secure detachment of the side panels with push pins
- ✓ The power supply can be easily installed from the back of the case
- ✓ Detachable top bracket allows easy installation of radiators up to 360mm
- ✓ Generous dimensions make sure even E-ATX motherboards, large coolers and graphics cards fit well
- ✓ Side panel made of tinted and tempered glass



Aprašymas

Excellent silence and usability

be quiet! Silent Base 601 Window Black delivers the perfect combination of maximum silence and an excellent usability for remarkably quiet configurations.

NOISE DAMPENING VENTS

Minimize noise and maximize airstream

The air inlets on the front cater for maximum silence with a constant amount of air permeability. The specially designed vents reroute the inflowing

air twice to reduce airborne noise.

SUPERB NOISE DAMPENING

Extra thick insulation for maximum stability and silence

The front, top and sides are equipped with extra thick dampening mats of 10mm, resulting in maximum stability and superb noise dampening capabilities. The decoupled PSU bracket and HDD cages also minimize vibrations. The full metal body provides stability for the case and improves its haptic.

PRE-INSTALLED PURE WINGS 2

Whisper-quiet operation

Two pre-installed Pure Wings 2 140mm fans with airflow-optimized fan blades ensure a perfect airflow and solid cooling. The integrated 3-step fan controller caters for up to three fans.

FUNCTIONAL PSU SHROUD

Offering a neat interior

The PSU shroud perfectly covers the cables, PSU and contains a double HDD cage. The cover plates are separately detachable to install a 140mm fan on the top. With the small cover detached a 360mm radiator can be installed at the front. Using the PSU bracket the power supply unit can be easily installed from behind.

CONVENIENT TO HANDLE

Easy access for all kinds of modifications

The high-end side panels provide a mounting system with push-pins for secure and user-friendly detachment. By depressing the push-pins the locking mechanism releases the upper part of the side panel and this hovers safely until removed manually. Excellent usability for fast and easy access to the interior of the case.

GENEROUS SPACE, SMART DESIGN

Designed for all kinds of high-end hardware

Despite its compact design the Silent Base 601 Window provides generous dimensions and cutouts even for installing an E-ATX motherboard. The smart arrangement of components also allows multiple graphics cards and large coolers to fit in well.

EASY INSTALLATION OF RADIATORS

Optimized for water-cooled systems

With its optimized design Silent Base 601 Window is the perfect case for water cooling. Radiators of up to 360mm can be installed at the front, top and rear. Using the detachable bracket radiators can be installed very quickly and easily at the top.

GLASS WINDOW

A perfect view inside your PC

The elegant, windowed side panel offers a perfect view of the components inside your PC case. The window is made of tinted and tempered glass with black painted side bars.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherie & Desktop > Workstation Gehäuse [+1637][+11]
Design	
Form factor	Midi Tower
Type	PC
Product colour	Black

Supported motherboard form factors	ATX, EATX, micro ATX, Mini-ITX
Number of 3.5" bays	3
Number of 5.25" bays	0
Material	Acrylonitrile butadiene styrene (ABS), SECC, Tempered glass
Number of 2.5" bays	6
Number of expansion slots	9
Side window	Yes
Tempered glass panel(s)	Yes
Built-in speaker(s)	No
Anti-dust filter	Yes
LED indicators	HDD
Maximum CPU cooler height	18.5 cm
Maximum graphics card length	44.9 cm
Maximum PSU length	28.8 cm
Certification	CE, RoHS
Power supply	
Power supply included	No
Supported power supply form factors	ATX, PS2
Ports & interfaces	
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	0
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	0
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	1x 140 mm
Number of front fans supported (max)	2
Front fans diameters supported	120,140 mm
Rear fans installed	1x 140 mm
Number of top fans supported (max)	3
Top fans diameters supported	120,140 mm
Maximum airflow	61.2 cfm
Noise level (high speed)	18.8 dB
Fan rated current	0.12 A

Fan power consumption	1.44 W
Front radiator sizes supported	120,140,240,280,360 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	120,240,360 mm
Storage	
Supported HDD sizes	2.5,3.5"
Card reader integrated	No
Weight & dimensions	
Width	240 mm
Depth	532 mm
Height	514 mm
Weight	11.2 kg
Packaging data	
Package width	325 mm
Package depth	566 mm
Package height	615 mm
Package weight	13.2 kg
Logistics data	
Harmonized System (HS) code	84733080
Other features	
Tempered glass panel thickness	4 mm
Fan connector	3-pin
Matmenys ir svoris	
Matmenys (I × P × A)	33,00cm × 57,00cm × 62,00cm