

be quiet! Pure Base 500DX Black

Gamintojas: **BE QUIET!** · Modelis: **BGW37** · EAN: **4260052187937** · Prekės kodas: **405321**



151,90 €

Kaina su PVM

Be PVM: **125,54 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High airflow intake front panel and top cover for maximum performance
- ✓ 3 Pure Wings 2 140mm fans guarantee high cooling performance and silent operation
- ✓ ARGB LED at the front and inside the case
- ✓ USB 3.2 Gen. 2 Type C for latest hardware
- ✓ Water cooling ready for radiators of up to 360mm
- ✓ Up to 2 SSDs can be installed prominently behind the window panel
- ✓ Generous space for high-end graphics cards and large coolers
- ✓ Side panel made of tempered glass



Aprašymas

The be quiet! Pure Base 500DX Black is optimized for high cooling performance and designed for those who seek high airflow.

HIGH AIRFLOW AND MAXIMUM PERFORMANCE

All parts optimized for airflow and performance

For all who strive for maximum performance and especially with water-cooled systems, the Pure Base 500DX Black with its extremely air-permeable front and top cover is the right choice. The dust filters on the front and bottom are easy to remove for cleaning.

3 PREINSTALLED PURE WINGS 2

Whisper-quiet operation

3 preinstalled Pure Wings 2 fans with airflow-optimized fan blades that ensure perfect airflow and cooling. Despite the compact case design the fans at the front, top and rear are 140mm models, resulting in very quiet operation. Up to two 140mm fans can be installed in addition.

IMPRESSIVE ILLUMINATION

ARGB light at the front and inside the case

ARGB LEDs offer multiple colors and modes to individualize the look of the case from the inside as well as from the outside. You can optionally synchronize lighting with your motherboard or ARGB controller.

SMART I/O PORT

State-of-the-art technology for your system

A USB 3.2 Gen. 2 Type C connector is provided on the front I/O port and allows usage of latest hardware. There is also a switch on the front panel to control the interior and exterior LEDs.

SOPHISTICATED DESIGN

Generous space for high-end hardware

The Pure Base 500DX Black provides generous dimensions to install high-end graphics cards and large coolers of up to 190mm in height. Fans or a radiator of up to 360mm can be installed easily at the front and the top area also provides space for more fans or a radiator of up to 240mm.

EYE-CATCHING FEATURES

And great cable routing possibilities

Pure Base 500DX Black offers various options for installing up to 5 SSDs in total. 2 can be installed for prominent viewing through the window panel. To hide any unwanted cables, the case offers excellent cable routing options.

FUNCTIONAL PSU SHROUD

Offering a neat interior

The PSU shroud perfectly covers the cables and PSU. It also contains a double HDD cage with decoupled mountings that reduce vibrations and help maximize the silence. The cage can also be repositioned to install a radiator of up to 360mm at the front. The power supply unit can be easily installed from behind, mounted on the PSU bracket provided.

TEMPERED GLASS WINDOW

A perfect view inside your PC

The high-quality, fully-windowed side panel offers a perfect view of the components inside your PC case. The window is made of tinted and tempered glass with black painted side bars.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherie & Desktop > Workstation Gehäuse [+1637][[-1]
Design	
Form factor	Midi Tower
Type	PC
Product colour	Black
Supported motherboard form factors	ATX, micro ATX, Mini-ATX
Number of 3.5" bays	2
Material	Acrylonitrile butadiene styrene (ABS), Steel, Tempered glass
Number of 2.5" bays	5

Number of expansion slots	7
Side window	Yes
Illumination	Yes
Illumination colour	Blue, Green, Red
Illumination location	Front, Internal
Tempered glass panel(s)	Yes
Anti-dust filter	Yes
On/off button	Yes
Maximum CPU cooler height	19 cm
Maximum graphics card length	36.9 cm
Maximum PSU length	25.8 cm
Certification	CE, RoHS
Power supply	
Power supply included	No
Power supply location	Bottom
Supported power supply form factors	ATX, PS2
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	0
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	1x 140 mm
Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Front fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm
Rear fans installed	1x 140 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Rear fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm
Top fans installed	1x 140 mm
Number of top fans supported (max)	2
Top fans diameters supported	120,140 mm
Top fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm

Front radiator sizes supported	120,140,240,280,360 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	120,140 mm
Storage	
Supported HDD sizes	2.5,3.5"
Weight & dimensions	
Width	232 mm
Depth	450 mm
Height	443 mm
Weight	7.8 kg
Packaging data	
Package width	285 mm
Package depth	510 mm
Package height	494 mm
Package weight	8.49 kg
Logistics data	
Harmonized System (HS) code	84733080