

be quiet! Silent Base 802 Window White Midi Tower

Gamintojas: **BE QUIET!** · Modelis: **BGW40** · EAN: **4260052188408** · Prekės kodas: **405324**



205,91 €

Kaina su PVM

Be PVM: **170,17 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Interchangeable top cover and front panel for either maximum airflow or silent operation
- ✓ Three Pure Wings 2 140mm fans guarantee a perfect airflow
- ✓ Extra thick insulation mats for improved noise reduction
- ✓ State-of-the-art I/O-panel with fan controller and USB 3.2 Gen. 2 Type C connector for usage of latest hardware
- ✓ Fast and secure detachment of the side panels with push pins
- ✓ PSU shroud and smart HDD slot covers provide a neat interior
- ✓ Decoupled motherboard tray can be relocated for an inverted layout
- ✓ The power supply can be easily installed from the back of the case
- ✓ Detachable top bracket allows easy fan and radiator installation
- ✓ Generous dimensions for radiators up to 420mm



Aprašymas

EXCELLENT VERSATILITY, PERFORMANCE AND SILENCE

The be quiet! Silent Base 802 Window White is the perfect solution for sophisticated users who strive for whisper-quiet operation and maximum performance alike.

INTERCHANGEABLE TOP COVER

Optimized for air or water cooling

The first of 2 included top covers perfectly rounds off the design of the Silent Base 802 Window White and ensures a silent operation. For all who strive for extremely powerful cooling and especially with water-cooled systems, the highly air-permeable top cover is the right choice.

INTERCHANGEABLE FRONT PANEL

Ensures maximum performance or whisper-quiet operation

The airflow front panel provides maximum performance for sophisticated configurations with highest demands for low temperatures. The standard front panel is the perfect choice for silent systems and regular PC configurations. Both panels are included.

THREE PREINSTALLED

PURE WINGS 2

Whisper-quiet operation

3 preinstalled Pure Wings 2 140mm fans with airflow-optimized fan blades ensure perfect airflow and solid cooling no matter if you chose a high airflow or a silence optimized configuration.

SUPERB NOISE DAMPENING

Extra thick insulation for maximum stability and silence

The front and sides are equipped with extra thick dampening mats of up to 10mm, resulting in maximum stability and superb noise dampening capabilities. The decoupled PSU bracket, motherboard tray and HDD cages also minimize vibrations. The full metal body provides stability for the case and improves its haptic.

SMART I/O PORT

State-of-the-art technology for your system

A USB 3.2 Gen. 2 Type C connector is provided on the front I/O port and allows usage of the latest hardware. The integrated 4-step fan controller allows the setting of the speed of up to 6 fans manually or connect all to one PWM signal.

VERSATILE MOTHERBOARD TRAY

Designed to fit individual requirements

The motherboard tray is decoupled and can be installed alongside the left panel in an inverted layout. It is also removable for use as a test bench.

FUNCTIONAL PSU SHROUD

Offering a neat interior

The PSU shroud perfectly covers the cables, PSU and contains a double HDD cage. The cover plates are separately detachable to install a 140mm fan on the top. With the small cover detached a 360mm or 420mm radiator can be installed at the front. Using the PSU bracket the power supply unit can be easily installed from behind.

TEMPERED GLASS WINDOW

A perfect view inside your PC

The high-quality, fully-windowed side panel offers a perfect view of the components inside your PC case. The window is made of tinted and tempered glass with white painted side bars.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherie & Desktop > Workstation Gehäuse [+1637][-1]
Design	
Form factor	Midi Tower
Type	PC
Product colour	White
Supported motherboard form factors	ATX, EATX, micro ATX, Mini-ITX
Number of 3.5" bays	3

Number of 5.25" bays	0
Material	Acrylonitrile butadiene styrene (ABS), Steel
Number of 2.5" bays	7
Number of expansion slots	9
Side window	Yes
Tempered glass panel(s)	Yes
Anti-dust filter	Yes
Cable management	Yes
On/off button	Yes
Maximum CPU cooler height	18.5 cm
Maximum graphics card length	44.9 cm
Maximum PSU length	28.8 cm
Certification	CE, RoHS
Power supply	
Power supply included	No
Power supply location	Bottom
Supported power supply form factors	ATX, PS2
Ports & interfaces	
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	0
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	2x 140 mm
Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Rear fans installed	1x 140 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	3
Top fans diameters supported	120,140 mm
Liquid cooling capability	Yes
Front radiator sizes supported	120,140,240,280,360,420 mm

Rear radiator sizes supported	120,140 mm
-------------------------------	------------

Top radiator sizes supported	120,240,360 mm
------------------------------	----------------

Storage

Supported HDD sizes	2.5,3.5"
---------------------	----------

Weight & dimensions

Width	281 mm
-------	--------

Depth	539 mm
-------	--------

Height	553 mm
--------	--------

Weight	13.2 kg
--------	---------

Packaging data

Package width	323 mm
---------------	--------

Package depth	651 mm
---------------	--------

Package height	615 mm
----------------	--------

Package weight	14.9 kg
----------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Stand included	Yes
----------------	-----

Screws included	Yes
-----------------	-----