# i-tec USB 3.0 / USB-C / Thunderbolt, 3x 4K Docking Station + Power Delivery 100W

Gamintojas: **I-TEC** · Modelis: **CATRIPLEDOCKPDPRO** · EAN: **8595611704062** · Prekės kodas: **406683**




**163.89€**

Kaina su PVM

Be PVM: **135.45€**

In Stock

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Connect up to 3 external monitors in resolutions up to 4K
- ✓ Power delivery: up to 100W
- ✓ 2 DisplayPort and 3 HDMI ports available
- ✓ 3x USB 3.1 and 2x USB-C allow you to easily connect your USB devices and peripherals (two ports support 10 Gbps speed)
- ✓ Gigabit Ethernet RJ-45 provides reliable, robust and high-speed internet connectivity with support for 10/100/1000 Mbps speeds
- ✓ Combo jack for audio and microphone
- ✓ Kensington lock provides anti-theft protection, especially in shared office environments or public areas
- ✓ Docking station power switch allows for maximum power savings
- ✓ Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor
- ✓ Supports Windows 10, macOS, Android and Linux










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903



## Aprašymas

A powerful professional docking station that supports output to up to three external monitors in up to 4K high resolution. The dock can be used with virtually any laptop as it supports connection to all common ports: USB 3.0, USB-C and Thunderbolt 3/4, while supporting all common current operating systems. However, connection to three monitors will only be possible if the laptop has a Thunderbolt 3/4 port or a USB-C port that supports video transfer (USB-C DP Alt mode).

Plenty of USB ports (including those that support speeds of up to 10 Gbps), reliable and fast connection to the corporate network thanks to the integrated LAN port and support for installation behind the monitor all make this docking station the ideal companion for true professionals. Of course, it supports charging of your laptop or tablet, up to 100W,

*HDMI 3 port will only work when connected to a laptop with Thunderbolt 3/4 port or USB-C port supporting video transfer (called USB-C DP Alt mode)

## Techninė specifikacija

| | |
|---|---|
| **Ports & interfaces** | |
| Connectivity technology | Wired |
| Host interface | USB 3.2 Gen 1 (3.1 Gen 1) Type-C |
| USB 2.0 ports quantity | 0 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 2 |
| HDMI ports quantity | 3 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity | 1 |
| USB Power Delivery (USB PD) | Yes |
| USB Power Delivery up to | 100 W |
| DisplayPorts quantity | 2 |
| Combo headphone/mic port | Yes |
| Headphone connectivity | 3.5 mm |
| DC-in jack | Yes |
| **Network** | |
| Ethernet LAN | Yes |
| Ethernet LAN (RJ-45) ports | 1 |
| Ethernet LAN data rates | 10,100,1000 Mbit/s |

| | |
|---|---|
| **Performance** | |
| Product colour | Black |
| Card reader integrated | No |
| HD type | 5K Ultra HD |
| Maximum digital resolution | 5120 x 2880 pixels |
| Number of displays supported | 3 |
| Maximum refresh rate | 60 Hz |
| Cable lock slot | Yes |
| Cable lock slot type | Kensington |
| VESA mounting | Yes |
| On/off switch | Yes |
| LED indicators | Yes |
| **Power** | |
| Power source type | AC |
| Output voltage | 24 V |
| Output current | 4 A |
| Compatible power plug types | EU |
| **Software** | |
| Windows operating systems supported | Yes |
| Mac operating systems supported | Yes |
| Linux operating systems supported | Yes |
| Other operating systems supported | Android |
| **Weight & dimensions** | |
| Width | 191 mm |
| Depth | 85 mm |
| Height | 31 mm |
| Weight | 341 g |
| **Packaging data** | |
| Package width | 215 mm |
| Package depth | 260 mm |
| Package height | 48 mm |
| Package weight | 1.34 kg |
| **Packaging content** | |
| Cables included | AC, USB |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| AC adapter included | Yes |
| Quick start guide | Yes |
| **Logistics data** | |
| Harmonized System (HS) code | 84733020 |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 10.00cm × 10.00cm × 10.00cm |

## Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

## Gamintojo ir saugos informacija

MANUFACTURER

**i-tec Technologies s.r.o.**
Teslova 2, 702 00 Ostrava, CZ
i-tec.pro

DISTRIBUTOR

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.