



**Monitor DELL
S2722DC 27"
QHD IPS USB-C
Hub (65W PD) |
2560x1440,
4ms, 75Hz,
Adjustable
Stand (Swivel,
Pivot)**

Modelis: DELL-S2722DC

Gamintojas: DELL

EAN: 5397184567609

Prekės kodas: 409594

466.00€

**Exceptional Clarity and Seamless Connectivity: DELL
S2722DC QHD Monitor**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The DELL S2722DC is a versatile 27-inch monitor designed for professionals and media enthusiasts seeking superior visual clarity and simplified workspace organization. Featuring stunning Quad HD (2560 x 1440) resolution on an advanced IPS panel, this display delivers crisp details and vibrant colors (99% sRGB coverage) across wide 178-degree viewing angles.

Key Features and Connectivity

Simplify your desktop setup with powerful USB-C connectivity. A single USB-C cable handles video, audio, and data transfer while simultaneously charging your compatible laptop with up to 65W Power Delivery (PD). This effectively turns the monitor into a clean, integrated docking station.

- **Immersive QHD Resolution:** Enjoy four times the detail of standard 720p and 1.77 times the detail of Full HD (1080p) on the 27-inch screen.
- **IPS Panel Technology:** Consistent and accurate color reproduction (99% sRGB) and wide viewing angles ideal for collaboration.
- **USB-C Power Delivery (65W):** Charge your device and transmit video/data simultaneously using one cable.
- **Smooth Visuals:** Features a 4ms response time and 75Hz refresh rate, enhanced by AMD FreeSync technology to reduce screen tearing during casual gaming or video playback.
- **Integrated Audio:** Built-in 2x 3W RMS speakers provide clear sound without cluttering your desk with external peripherals.

Ergonomic Design for Optimal Comfort

The DELL S2722DC is engineered for maximum user comfort and flexibility. The slim bezel design minimizes distractions, making it perfect for multi-monitor setups. Its fully adjustable stand ensures you can tailor the view to your needs, promoting better posture throughout the workday.

- **Full Adjustability:** Customize your viewing experience with Height adjustment (up to 110 mm), Tilt (-5° to 21°), Swivel (-30° to 30°), and Pivot (90° rotation) functionality.
- **Eye Comfort Features:** Low Blue Light and Flicker-free technology reduce eye strain during extended use.
- **Multiple Inputs:** Includes 2x HDMI 1.4 ports and a comprehensive set of USB Type-A downstream ports for connecting peripherals.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DELL is a globally recognized leader in computer technology, celebrated for delivering reliable, high-performance computing and display solutions for home and professional environments.

Order today from ++SHOP++ as we offer the best deals and fast shipping on cutting-edge monitor technology.

A 27" QHD monitor with outstanding visuals and USB-C connectivity. One cable lets you transfer video, audio and data along with power delivery.

- 68.47cm (27") Quad HD 2560 x 1440 W-LED IPS
- 4ms, 16:9, 350 cd/m², 1000:1
- HDMI

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.
8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.
11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL S Series S2722DC. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Grey | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: W-LED | Colour gamut standard: sRGB | Contrast ratio (typical): 1000:1 | Display brightness (typical): 350 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LCD | HD type: Quad HD | Heat dissipation: 528.88 | Heat dissipation (typical): 60.39 | High Dynamic Range (HDR) supported: No | Horizontal scan range: 30 - 144 | Maximum refresh rate: 75 | Native aspect ratio:

16:9 | Panel type: IPS | Pixel density: 109 | Pixel pitch: 0.2331 x 0.2331 | Response time: 4 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1600 x 900/1920 x 1080 (HD 1080)/2048 x 1080/2560 x 1440/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080i/1080p/480i/480p/576i/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 75 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: Yes | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 3 | Detachable stand: Yes | Feet colour: Grey | Front bezel colour: Black | Market positioning: Business | Product colour: Grey | Audio output: Yes | Built-in USB hub: No | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 1.4 | Headphone out: No | Number of USB Type-C upstream ports quantity: 1 | USB Power Delivery up to: 65 | USB Type-A downstream ports quantity: 2 | USB upstream port type: USB Type-B | Wi-Fi: No | Adjustable height (max): 110 | Cable lock slot: Yes | Height adjustment: Yes | LED indicators: Power | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -30 - 30 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50 - 60 | AC input voltage: 120 - 240 | Energy consumption (SDR) per 1000 hours: 18 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 699422 | Power consumption (max): 155 | Power consumption (off): 0.2 | Power consumption (standby): 0.3 | Power consumption (typical): 17.7 | Power supply type: Internal | Non-operating altitude: 0 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 21.55 | Bezel width (side): 7.43 | Bezel width (top): 7.42 | Depth (with stand): 174.72 | Depth (without stand): 55.43 | Height (with stand): 510.05 | Height (without stand): 364.64 | Weight (with stand): 7160 | Weight (without stand): 5400 | Width (with stand): 611.6 | Width (without stand): 611.6 | Package depth: 819.91 | Package height: 447.04 | Package weight: 9780 | Package width: 139.95 | Cables included: USB Type-C to USB Type-C | DisplayPort cable length: 1.8 | Quick start guide: Yes | Stand included: Yes | Carbon emissions, end-of-life (kg of CO2e): 5.52 | Carbon emissions, energy usage (kg of CO2e): 166.88 | Carbon emissions, logistics (kg of CO2e): 48.16 | Carbon emissions, manufacturing (kg of CO2e): 366.25 | PAIA version: 1.3.2, 2022 | Total carbon emissions, standard deviation (kg of CO2e): 142 | Total carbon footprint (kg of CO2e): 587 | Harmonized System (HS) code: 85285210 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/699422/fiches?language=EN> | Energy efficiency class: E |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

EPREL Registration Number: 699422 | EPREL Version Number: 2 | Model: S2722DC | Included
Accessories: 1 x USB-C 3.2 Gen 1 cable - 1.8 m | Unit Calculated Volume: 0.05109 | Product Net
Weight: 5.4 | Unit Calculated Weight: 9.85

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903