

**Monitor DAHUA
DHI-LM24-P301A
23.8" QHD
(2560x1440) IPS
75Hz/100Hz with
USB-C 65W PD,
Swivel, Tilt
(Black)**



Modelis: LM24-P301A

Gamintojas: DAHUA TECHNOLOGY

EAN: 6923172579744

Prekės kodas: 416281

291.99€

DAHUA DHI-LM24-P301A 23.8" QHD Professional Monitor

The DAHUA LM24-P301A monitor is engineered for professional environments demanding exceptional clarity, color fidelity, and comprehensive connectivity. Featuring a 23.8-inch IPS panel and Quad HD (2560x1440) resolution, this display delivers crisp, vivid imagery essential for detailed

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

work, graphic design, and video editing. The 3-sided frameless design minimizes bezel distraction, creating a seamless multi-monitor setup.

Exceptional Visual Performance

Experience true-to-life colors and wide viewing consistency thanks to the advanced IPS panel technology. With extra-wide 178° horizontal and vertical viewing angles, image quality remains consistent from virtually any perspective. The monitor supports an extensive color spectrum, making it ideal for creative professionals:

- Quad HD (2560x1440) resolution for clear and detailed visuals.
- Wide Color Gamut coverage: 99% sRGB, 98% DCI-P3, and 102% NTSC, ensuring vibrant color reproduction.
- Fast 5ms response time and up to 75Hz/100Hz refresh rate (depending on connection) helps minimize motion blur and ghosting.
- High brightness (320 cd/m²) and contrast (1000:1) for excellent picture depth.

Advanced Productivity and Connectivity

This DAHUA monitor maximizes workflow efficiency through powerful, integrated connectivity options. The built-in USB hub and Type-C port streamline cable management and device charging.

- **USB Type-C with 65W Power Delivery (PD):** Connect, transmit video, data, and simultaneously charge your compatible laptop or device with a single cable.
- **PIP/PBP Functionality:** Use Picture-in-Picture or Picture-by-Picture mode to display content from two different input sources simultaneously, boosting multitasking capabilities.
- **Multiple Interfaces:** Includes DisplayPort 1.4 and HDMI 2.1 for flexible connection to various devices.

Ergonomic Comfort

Designed for all-day comfort, the DHI-LM24-P301A features a fully adjustable stand. Easily customize your viewing experience to prevent strain and fatigue.

- **Full Adjustment Capability:** Supports Height adjustment (max 125 mm), Swivel (-45° to 45°), Tilt (-5° to 20°), and 90° Pivot rotation.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- VESA Mounting Support (75x75 mm) for flexible wall or arm mounting.

DAHUA is a globally recognized leader in smart Internet of Things (IoT) solutions and security, known for delivering high-quality, reliable display technology for both professional and commercial applications.

Order your DAHUA QHD IPS monitor today from ++SHOP++ and benefit from superior color accuracy and modern connectivity features.

Dahua 23.8" QHD Commercial Monitor

- The 2560*1440 resolution produces clearer and more vivid pictures
- IPS panel for wide viewing angles with 3-sided frameless design
- 178°H/178°V extra-wide viewing angle for overall viewing performance
- Wide color gamut □ 99% sRGB, 120% NTSC, 98% DCI-P3
- Rich interfaces, 65W type-C can support reverse charging
- 6ms fast response time with no image blurring or ghosting
- Supporting PIP/PBP to display the screens of two devices on the display simultaneously
- The angle can be adjusted to meet different needs

Summary: Dahua Technology LM24-P301A. Display diagonal: 60.5 cm (23.8"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage:

https://display.dahuasecurity.com/consumer/en/products/productDetail?product_id=115227 | Adobe RGB coverage: 93 | Aspect ratio: 16:9 | Backlight type: Edge LED | Colour gamut: 98 | Colour gamut standard: DCI-P3 | Contrast ratio (typical): 1000:1 | Display brightness (typical): 320 | Display diagonal: 23.8 | Display resolution: 2560 x 1440 | Display technology: LED | HD type: Quad HD | Maximum refresh rate: 75 | Native aspect ratio: 16:9 | NTSC coverage (typical): 102 | Panel type: IPS | Response time: 6 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 2560 x 1440 | Touchscreen: No | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Black | Market positioning: Business | Product colour: Black | AC (power) in: Yes | Audio output: Yes | Built-in

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

USB hub: Yes | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone out: No | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 65 | USB Type-C downstream ports quantity: 1 | Adjustable height (max): 125 | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 75 x 75 | Picture-in-Picture: Yes | Pivot: Yes | Pivot angle: 0 - 90 | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 20 | VESA mounting: Yes | Wall mountable: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 20 | Energy efficiency class (SDR): F | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1363937 | Input current: 2 | Power consumption (max): 130 | Power consumption (standby): 0.5 | Power consumption (typical): 35 | Power supply type: Internal | Operating relative humidity (H-H): 10 - 85 | Operating temperature (T-T): 0 - 40 | Depth (without stand): 53.25 | Height (without stand): 324.46 | Weight (without stand): 5700 | Width (without stand): 539.6 | Package depth: 127 | Package height: 397 | Package type: Box | Package weight: 8200 | Package width: 779 | Cables included: AC/HDMI | HDMI cable length: 1.5 | Stand included: Yes | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1363937/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 1363937 | EPREL Version Number: 1 | Model: DHI-LM24-P301A | Unit Calculated Volume: 0.03876 | Product Net Weight: 5.7 | Unit Calculated Weight: 7.4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903