BenQ PD2725U kompiuterio monitorius 68,6 cm (27") 3840 x 2160 pikseliai 4K Ultra HD LED Juoda

Gamintojas: **BENQ** · Modelis: **9H.LJXLA.TBE** · EAN: **4718755084973** · Prekės kodas: **41717**



816,90 €

Kaina su PVM

Be PVM: **675,12 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 15 cm Įmontuoti garsiakalbiai
- ✓ USB aukštakrypčio prievado tipas: B tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.4
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 5 ms
- ✓ 3840 x 2160 pikseliai 4K Ultra HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): G











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

4K Bezelless
Unleash your creativity

Thunderbolt 3
One cable for fast transfer & power delivery

AQCOLOR Technology
Incredible color confidence

Mac Ready

The simplified solution for Mac users.

Professional Grade. Universal Appeal

PD2725U’s versatility and beautiful design will inspire you. It displays more than a billion colors, has lightning-fast Thunderbolt 3 connectivity for data/video/audio/power transfer, and is loaded with custom modes and productivity boosts.

Mac Ready

Take needless complexity out of the creative process. PD2725U eliminates tedious, repetitive adjustments, freeing your time and energy for what matters most.

Simplified Connectivity

Thunderbolt 3 does it all. One cable lets you transfer audio, video, and data along with 65W power delivery. Its single cable convenience eliminates distracting clutter. For added connectivity, there’s also a convenient USB hub.

Simplified Color Synchronization

You need color that closely matches your Mac. Achieve this with M-Book mode, engaged through the Hotkey Puck G2 or Display Pilot software. Additionally, ICCsync synchronizes color profiles between your monitor and your Mac when activated from the software.

Simplified Management

Available for Mac or Windows, Display Pilot software saves time and boosts efficiency. This proprietary software lets you preset multiple monitor settings with a mouse. And it offers support tools to make design work more convenient and flexible.

VESA
DisplayHDR 400
PD2725U is HDR-10 compatible with VESA HDR400 certification. Get better results more efficiently when you preview the HDR effect on video while editing.

AQCOLOR Technology
Communicates Accurate Messages
BenQ AQCOLOR technology delivers “Accurate Reproduction.” This translates to thedisplay of color precisely as it is intended to appear. Led by a color expert, the BenQ team took part in the ICC* and ISO** to establish color-related standards and inplementation guidelines.

* International Color Consortium
**International Organization of Standardization

Wide Color Gamut for Flawless Color Reproduction

PD2725U covers 95% P3, 100% sRGB, and Rec.709 color spaces. As more apps, devices, and websites adopt P3, you can easily load and display images imported from different sources. Amazing Delta E ≤ 3 ensures superb accuracy and absolute color confidence.

Color Consistency

Experience consistent colors throughout your workflow, even on multiple monitors. BenQ ensures monitors from different production lines display color at the same levels.

Uniformity Technology

BenQ Uniformity Technology delivers corner-to-corner authentic color and consistent luminescence. The display is divided into hundreds of sub-regions and meticulously fine-tuned for precision. This innovative tech assures dependable image fidelity

Industry-Leading
Out-of-the-Box Color Calibration
Each PD2725U comes individually pre-calibrated, with a certification report, guaranteeing trustworthy color performance.

*Calibration eliminates slight color performance variations between individual panels of the same model. Therefore, the calibration data of each report will vary slightly from reports from other displays of the same model.

Calman Verified and Pantone Validated

BenQ DesignVue monitors earn Calman Verified and Pantone Validated status. Creative professionals demand excellence, and BenQ delivers.

ICCsync Color Consistency

BenQ’s new feature helps designers effortlessly match the ICC (International Color Consortium) color space profiles between monitors and computers. ICCsync allows an instant color mode adjustment. Control it through Display Pilot software or the monitor itself.

Elevated Design
and Improved Efficiency.
PD2725U is built with work efficiency in mind.

One Versatile Display

Go split screen. Picture In Picture (PIP) and Picture By Picture (PBP) let you customize your work flow. PD2725U massive screen size opens infinite possibilities.

One Control for Two Systems

Display and control content from two different PC systems on one screen using one keyboard and mouse to save space and boost work efficiency.

One Key Shortcuts

Easily access input modes, industry standard color settings, and other features. The Hotkey Puck G2 makes navigating your screen settings simple and convenient.

One Cable Connectivity

The latest Thunderbolt 3 port provides high-speed video/audio/data transmission and power delivery with just one cable. Improve work flow in an uncluttered workspace.

Lightning-Fast Thunderbolt 3 Connectivity

PD2725U has Thunderbolt 3 connectivity through two USB-C ports with 65W power delivery. This empowers you to extend content on up to two 4K monitors while transferring audio, video, and data seamlessly.

Display Pilot Puts You in Control

Display Pilots makes it possible to integrate designer-friendly features for ease and efficiency

Specialized by Design

PD2725U offers curated display modes to deliver professional results.

CAD/CAM Mode

Enjoy superior contrast of lines and shapes in technical illustrations.

Animation Mode

Enhance the clarity of dark areas without overexposing bright regions.

Darkroom Mode

Adjust image brightness and contrast for work in dark environments.

DualView

Showcase designs in two modes side-by-side for improved workflow and enhanced productivity.

Eye-care For You

BenQ's industry-leading eye care technologies reduce eye fatigue while ensuring greater user comfort during long periods of use.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	68,6 cm (27")
Ekrano rezoliucija	3840 x 2160 pikseliai
Natūralus kraštinių santykis	16:9
Ekrano technologija	LED
Lietimui jautrus ekranas	Ne
HD tipas	4K Ultra HD
Skydo tipas	IPS
Reakcijos laikas	5 ms
Ekrano forma	Plokščias
Kontrasto santykis (tipinis)	1200:1
Maksimalus atnaujinimo dažnis	60 Hz
Ekrano spalvų skaičius	1,07 milijardo spalvų

Ekrano ryškumas (tipinis)	250 cd/m²
Neblizgantis ekranas	Taip
Palaikomos grafikos rezoliucijos	3840 x 2160
Aspekto santykis	16:9
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Atsako laikas (min.)	5 ms
Palaikoma HDR	Taip
Didelio dinaminio diapazono (HDR) technologija	DisplayHDR 400, High Dynamic Range 10 (HDR10)
Spalvų gamos standartas	DCI-P3
Palaikomas sRGB (įprastas)	100%
Veikimo charakteristikos	
Apsaugos nuo mirgėjimo technologija	Taip
Mažo kiekio mėlynos šviesos technologija	Taip
Multimedija	
Įmontuoti garsiakalbiai	Taip
Integruota kamera	Ne
Garsiakalbių skaičius	2
RMS galingumas	5 W
Konstrukcija	
Pozicija rinkoje	Grafinis dizainas
Produkto spalva	Juoda
Priekinės panelės spalva	Juoda
Nuimamas stovas	Taip
Kojelių spalva	Pilka
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip
HDMI	Taip
USB koncentratoriaus versija	3.2 Gen 1 (3.1 Gen 1)
USB aukštakrypčio prievado tipas	B tipo USB
B tipo USB kylančiųjų prievadų skaičius	1
USB A tipo žemakrypčių prievadų skaičius	2
DVI prievadas	Ne
HDMI portų kiekis	2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903


HDMI versija	2.0
„DisplayPort“ kiekis	1
„DisplayPort“ versija	1.4
3 „Thunderbolt“ prievadų skaičius	1
HDCP	Taip
HDCP versija	2.2
Ergonomija	
VESA tvirtinimo pagrindas	Taip
Aukščio reguliavimas	Taip
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Reguliuojamas aukštis (maks.)	15 cm
Sukimasis	Taip
Pasukimo kampas	0 - 90°
Sukiojamas	Taip
Pasukamas	-30 - 30°
Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	-5 - 20°
Paveikslėlis paveikslėly	Taip
Energijos valdymas	
Energijos vartojimo efektyvumo klasė (SDR)	G
Energijos vartojimo efektyvumo klasė (HDR)	G
Energijos sąnaudos (SDR) per 1000 valandų	44 kWh
Energijos sąnaudos (HDR) per 1000 valandų	44 kWh
Energijos suvartojimas	44 W
Energijos suvartojimas (laukimo režimu)	0,5 W
Galios suvartojimas (maks.)	185 W
AC įėjimo įtampa	100 - 240 V
Energijos efektyvumo skalė	Nuo A iki G
Svoris ir matmenys	
Plotis (su stovu)	614,8 mm
Gylis (su stovu)	188,1 mm
Aukštis (su stovu)	499,8 mm
Svoris (su stovu)	8,3 kg
Plotis (be stovo)	614,8 mm
Gylis (be stovo)	80,3 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aukštis (be stovo)	360 mm
Svoris (be stovo)	5,6 kg
Kitos savybės	
Kilmės šalis	Kinija
Logistikos duomenys	
Darniosios sistemos (DS) kodas	85285210
Matmenys ir svoris	
Matmenys (I × P × A)	69,00cm × 17,00cm × 62,00cm
Svoris	10,74kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė G A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas

Gamintojo ir saugos informacija

GAMINTOJAS

BenQ
Jihu Road Neihu 16, 114 Taipei, TW
benq.com

ATSAKINGAS ASMUO ES

BenQ Deutschland GmbH
Essener Straße 5, 46047 Oberhausen, DE
benq.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt