


Zalman CNPS20X computer cooling system Processor Cooler 14 cm Aluminium, Black

Gamintojas: **ZALMAN** · Modelis: **CNPS20X** · EAN: **8809213769641** · Prekės kodas: **429587**



56,89 €

Kaina su PVM

Be PVM: **47,02 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ TDP 300W
- ✓ High end dual tower RGB cooler
- ✓ 140mm addressable RGB fan (SF140) x 2
- ✓ Patented corrugated fins for optimized cooling
- ✓ 6 heat pipes
- ✓ Advanced FDB bearing
- ✓ STC8 thermal compound included "



Aprašymas

The world's best CPU cooler with 4D patented corrugated fin design. Fully compatible with the latest high-performance processors from Intel and AMD. Dual blade impellor patented technology for strong cooling performance

Zalman CNPS20x CPU Cooler

Improved cooling performance by increasing the heat dissipation area 15% with the 4D stereoscopic corrugated cooling fin

350 individual airflow passages are formed to improve the straightness of the airflow

Application of RDTH(Reverse Direct Touch Heatpipe), IHD(Interactive Heatpipe transfer Design) for excellent performance with minimum heat resistance

140mm Dual-Blade spider fans provide maximum cooling performance with unique RGB effect(ZALMAN Patent), Supports motherboard addressable

RGB sync(3-Pin, 5V)

Compatible with AM3 AM4 and Intel 115X, 2066, 2011 V3, 2011.

Techninė specifikacija

Specifications	
Sandėlio grupė	Computers - Cooling solutions - CPU Cooler - Air - Zalman [+12][+0]
Performance	
Suitable location	Processor
Type	Cooler
Fan diameter	14 cm
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM3, Socket AM3+, Socket AM4
Compatible processor series	AMD A, Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i7 Extreme Edition, Intel® Core™ i9, Intel Core i9 Extreme Edition, Intel® Pentium®
Rotational speed (min)	800 RPM
Rotational speed (max)	1500 RPM
Noise level (high speed)	29 dB
Maximum airflow	61 cfm
Maximum air pressure	1.1 mmH2O
Pulse-width modulation (PWM) support	Yes
Bearing type	Fluid Dynamic Bearing (FDB)
Operating temperature (T-T)	-40 - 105 °C
Design	
Product colour	Aluminium, Black
Material	Aluminium, Copper
Number of fans	2 fan(s)
Number of heat pipes	6
Illumination LED	Yes
Fan connector	3-pin + 4-pin
Certification	CE
Power	
Rated voltage	12 V
Rated current	0.28 A
Thermal Design Power (TDP)	300 W

Weight & dimensions

Width	170 mm
Depth	140 mm
Height	165 mm
Weight	1.3 kg
Fan dimensions (W x D x H)	140 x 140 x 26 mm

Technical details

Compliance certificates	RoHS
-------------------------	------

Packaging content

Mounting kit	Yes
Screws included	Yes
Number of screws	8

Other features

Fan rated voltage	5 - 12 V
Thermal grease	Yes

Matmenys ir svoris

Matmenys (l × p × a)	0,00cm × 17,00cm × 24,00cm
Svoris	2,27kg