HP Smart Tank Plus 655 Wireless All-in-One Color Printer, Copier, Scanner

Gamintojas: **HP** · Modelis: **Y0F74A#BHC** · EAN: **192545948258** · Prekės kodas: **432151**



278,91 €

Kaina su PVM

Be PVM: **230,50 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scan to PDF
- ✓ Print, Copy, Scan, Fax, ADF and Wireless
- ✓ Print speed up to 11 ppm (black) and 5 ppm (colour)
- ✓ Up to 1200 x 1200 rendered dpi











Aprašymas

HP Smart Tank Plus 655 Wireless All-in-One Farbe Drucker, Kopierer, Scanner. Drucktechnologie: Thermal Inkjet, Drucken: Farbdruck, Maximale Auflösung: 4800 x 1200 DPI, Druckgeschwindigkeit (Farbe, normale Qualität, A4/US Letter): 5 Seiten pro Minute. Kopieren: Farbkopieren, Max. Auflösung: 600 x 600 DPI. Scannen: Farbscan, Optische Scan-Auflösung: 1200 x 1200 DPI. Faxen: Farbfaxen. Duplexfunktion: Faxen. Maximale Papiergröße der ISO A-Serie: A4. WLAN. Direktdruck. Produktfarbe: Schwarz

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	11 ppm
Duplex printing mode	Manual
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	5 ppm
Print speed (black, draft quality, A4/US Letter)	22 ppm
Print speed (colour, draft quality, A4/US Letter)	16 ppm
Print speed (ISO/IEC 24734) black	11 ppm
Print speed (ISO/IEC 24734) colour	5 ppm
Time to first page (black, normal)	14 s
Time to first page (colour, normal)	21 s
Print margin top (min)	3 mm
Print margin bottom (min)	3 mm
Print margin left (min)	3 mm
Print margin right (min)	3 mm
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	22 cpm
Copy speed (colour, normal quality, A4)	14 cpm
Copy speed (black, draft, A4)	22 cpm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Copy speed (colour, draft, A4)	14 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
ID-card copy function	Yes
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Optical scanning resolution (black)	1200 x 1200 ppi
Optical scanning resolution (colour)	1200 x 1200 ppi
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	Software
Scan speed (colour)	3 ppm
Scan speed (black)	5 ppm
Image formats supported	BMP, JPEG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
Fax	
Faxing	Colour faxing
Duplex faxing	Yes
Fax resolution (black)	300 x 300 DPI
Fax resolution (colour)	200 x 200 DPI
Fax transmission speed	4 sec/page
Modem speed	33.6 Kbit/s
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Features	
Maximum duty cycle	1000 pages per month
Duplex functions	Fax
Number of print cartridges	4
Printing colours	Magenta, Yellow
Recommended duty cycle	400 - 800 pages per month
Digital sender	Yes
Ink tank system	Yes
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes
Country of origin	China
Replacement cartridges	HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VU26AE; HP 31 70-ml Magenta Original Ink Bottle 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE; HP 32XL 135-ml Black Original Ink Bottle 1VV24AA; HP 32 90-ml Black Original Ink Bottle 1VV25AA
HP segment	Home
Input & output capacity	
Total number of input trays	1
Total input capacity	100 sheets
Total output capacity	30 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	35 sheets
Maximum number of input trays	1
Maximum input capacity	100 sheets
Maximum output capacity	30 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Matte paper, Envelopes
ISO A-series sizes (A0...A9)	A4, A6
Maximum print size	216 x 355 mm
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Legal
Envelopes sizes	B5, DL
Borderless printing media sizes	A4, Letter
Custom media width	76.2 - 215 mm
Custom media length	127 - 355 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Paper tray media weight	60 - 300 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Optional connectivity	Bluetooth, USB 2.0
Network	
Wi-Fi	Yes
Ethernet LAN	No
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11g, 802.11b
Wi-Fi Direct	Yes
Bluetooth	Yes
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print
Performance	
Internal memory	256 MB
Maximum internal memory	256 MB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	800 MHz
Sound power level (printing)	6.4 dB
Design	
Product colour	Black
Market positioning	Home & office
Built-in display	Yes
Display diagonal	5.59 cm (2.2")
Control type	Buttons, Touch
Colour display	No
Power	
Power consumption (ready)	3.82 W
Power consumption (sleep)	0.71 W
Power consumption (off)	0.11 W
Energy Star Typical Electricity Consumption (TEC)	0.17 kWh/week
AC input voltage	200 - 240 V

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC input frequency	50/60 Hz
Brand-specific features	
HP ePrint	Yes
HP Auto-On/Auto-Off	Yes
HP Security tools	No
HP GTIN (EAN/UPC)	192545948258
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Operational conditions	
Operating relative humidity (H-H)	15 - 80%
Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 30 °C
Non-operating relative humidity (non-condensing)	5 - 90%
Certificates	
Certification	CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; ICES-003,2016 Issue 6; EN 301 489-1 V2.1.1:2017; EN 301 489-17 V3.1.1:2017; ES 203 021-2/ES 203 021-3
Sustainability	
Sustainable technologies and materials	No
Carbon footprint	
Total carbon footprint (kg of CO2e)	45
Carbon emissions, manufacturing (kg of CO2e)	36
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	4
Weight & dimensions	
Width	449 mm
Depth	373 mm
Height	198 mm
Weight	6.19 kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Packaging data	
Package width	495 mm
Package depth	238 mm
Package height	480 mm
Package weight	8.5 kg
Packaging content	
Cables included	AC
Warranty card	Yes
Bundled software	HP Printer Software, HP Update, HP Photo Creations
Logistics data	
Harmonized System (HS) code	8443319090
Pallet gross weight	425 kg
Layers per pallet	5 pc(s)
Products per pallet	50 pc(s)
Technical details	
Master (outer) cases per pallet layer	10 pc(s)
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-plus-650-wireless-all-in-one-series/model/18695945?sku=Y0F74A
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction
Box contents	HP Smart Tank Plus 655 Wireless All-in-One; 2 x HP 32XL 135-ml Black Original Ink Bottle; HP 31 70-ml Cyan Original Ink Bottle; HP 31 70-ml Magenta Original Ink Bottle; HP 31 70-ml Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; RoH-EAC Regulatory flyer; Power cord (For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies)
Other features	
Number of users	3 user(s)
Power supply type	Internal
Recommended system requirements	Windows 10; 8.1; 8; 7; 32/64-bit; 2 GB available hard disk space; Internet connection; USB port; Internet Explorer. macOS Tahoe 26; macOS Sequoia 15; macOS Sonoma 14; 2 GB SSD; Internet.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia
PictBridge	No
Number of print heads	2
Manufacturer warranty	One year standard or 30,000 pages limited warranty and get up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty periods.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Electromagnetic compatibility	CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; ICES-003,2016 Issue 6; EN 301 489-1 V2.1.1:2017; EN 301 489-17 V3.1.1:2017; ES 203 021-2/ES 203 021-3
Custom media sizes	76.2 x 127 to 215 x 355 mm
Pallet dimensions (W x D x H)	3740 x 1000 x 2400 mm
Pallet dimensions (W x D x H) (imperial)	3739.9 x 1000 x 2397.5 mm (147.2 x 39.4 x 94.4")
Pallet weight (imperial)	424.6 kg (936 lbs)
Typical electricity consumption (TEC) number	0.17 kWh/Week
UNSPSC-code	43212110
Matmenys ir svoris	
Svoris	8,51kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/70418370_77370162.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

- Gamintojo saugos informacija