

Kingston Technology FURY Beast 128GB 3200MT/s DDR4 CL16 DIMM (Kit of 4) Black

Gamintojas: **KINGSTON** · Modelis: **KF432C16BBK4/128** · EAN: **740617319811** · Prekės kodas: **432419**



1 397,90 €

Kaina su PVM

Be PVM: **1 155,29 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cost-efficient, high-performance DDR4 upgrade
- ✓ Intel® XMP Ready and XMP Certified
- ✓ Speeds of up to 3600MT/s and kit capacity of up to 128GB
- ✓ Ready for AMD Ryzen™
- ✓ Low-profile heat spreader design

Aprašymas

Kingston FURY™ Beast DDR4 Memory

Kingston FURY™ Beast DDR4 provides a powerful performance boost for gaming, video editing and rendering with speeds of up to 3600MT/s. This cost-effective upgrade is available in 3200MT/s–3600MT/s speeds, CL16–18 latencies, single module capacities of 8GB–32GB and kit capacities of 16GB–128GB. It is Intel® XMP Ready, XMP Certified and Ready for AMD Ryzen™. FURY Beast DDR4 stays cool with its stylish, low-profile heat spreader. 100% tested at speed and backed by a lifetime warranty, it's an easy, worry-free upgrade for your Intel or AMD-based system.

High-performance, cost-effective upgrade

Kingston FURY Beast DDR4 is the perfect choice for a system builder, or someone looking for an upgrade to jump start their sluggish system.

Intel® XMP Ready and XMP Certified

Designed to maximise the performance of our memory modules, our engineers have predefined Intel Extreme Memory Profiles to reach speeds of up to 3600MT/s.

Ready for AMD Ryzen

Get memory that’s ready for Ryzen and will seamlessly integrate with your AMD-based system. A reliable, compatible performance boost for your build.

Low-profile heat spreader

The sleek-looking heat spreader is a great upgrade for your battle station’s style.

Techninė specifikacija

Features	
Internal memory	128 GB
Memory layout (modules x size)	4 x 32 GB
Internal memory type	DDR4
Memory data transfer rate	3200 MT/s
Component for	PC
Memory form factor	288-pin DIMM
ECC	No
CAS latency	16
Memory voltage	1.2 V
Module configuration	4096M x 64
Row cycle time	45.75 ns
Refresh row cycle time	350 ns
Row active time	32 ns
Intel Extreme Memory Profile (XMP)	Yes
Intel Extreme Memory Profile (XMP) version	2
Programming power voltage (VPP)	2.5 V
Cooling type	Heatsink
Lead plating	Gold
Operational conditions	
Operating temperature (T-T)	0 - 85 °C
Storage temperature (T-T)	-55 - 100 °C
Weight & dimensions	
Width	7.2 mm
Depth	133.3 mm
Height	34.1 mm
Weight	139.04 g

Packaging data

Package width	95.2 mm
Package depth	25.4 mm
Package height	171.4 mm
Package weight	191.22 g

Logistics data

Harmonized System (HS) code	84733020
Products per master (outer) case	10 pc(s)
Master (outer) case width	203.2 mm
Master (outer) case length	311.1 mm
Master (outer) case height	101.6 mm
Master (outer) case gross weight	2.12 kg

Other features

Country of origin	China, Taiwan
-------------------	---------------

Matmenys ir svoris

Matmenys (I × P × A)	15,00cm × 10,00cm × 3,00cm
Svoris	0,20kg