HP Color LaserJet Enterprise M455dn A4/LAN/Duplex

Gamintojas: **HP** · Modelis: **3PZ95A#B19** · EAN: **193905215898** · Prekės kodas: **432508**



636,90 €

Kaina su PVM

Be PVM: **526,36 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalva
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 27 ppm
- ✓ Abipusis spauzdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 55000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 300 lapai Bendra išvesties talpa: 150 lapai
- ✓ Vidinė atmintis: 1280 MB Integruotas procesorius 800 MHz



















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

HP’s entry-level Enterprise-class color printer with speeds up to 28 ppm[8] and strongest security.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	27 ppm
Duplex printing mode	Auto
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	27 ppm
Warm-up time	180 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	11 s
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	55000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PDF 1.7, PCL 5, PCL 6
Recommended duty cycle	900 - 4800 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Country of origin	Vietnam
Replacement cartridges	HP 415A Black Original LaserJet Toner Cartridge (2,400 pages) W2030A, HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages) W2031A, HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages) W2032A, HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages) W2033A, HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages) W2030X, HP 415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages) W2031X, HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages) W2032X, HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages) W2033X
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²

Ports & interfaces

USB port	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB 2.0 ports quantity	3
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, HTTPS
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	1280 MB
Maximum internal memory	1280 MB
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	48 dB
Sound power level (printing)	5.9 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013; Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	574 W
Power consumption (ready)	16.7 W
Power consumption (PowerSave)	0.08 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	0.437 kWh/week

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Other operating systems supported	Android, iOS
Operational conditions	
Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	30 - 70%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury-free
Doesn't contain	Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	270
Carbon emissions, manufacturing (kg of CO2e)	212
Carbon emissions, logistics (kg of CO2e)	8
Carbon emissions, end-of-life (kg of CO2e)	30
Total carbon emissions, w/o use phase (kg of CO2e)	15
Weight & dimensions	
Width	413.6 mm
Depth	472 mm
Height	304.4 mm
Weight	18.9 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2483 mm
Packaging data	
Package width	497 mm
Package depth	379 mm
Package height	583 mm
Package weight	21.6 kg
Packaging content	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cartridge(s) included	Yes
Included cartridge capacity (black)	24000 pages
Included cartridge capacity (CMY)	2100 pages
Cables included	AC

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS40 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(ABT) 193905215867; (ABY) 193905215874; (ACQ) 193905215881; (B13) 193905481590; (B19) 193905215898; (BAZ) 193905215904
HP GTIN (EAN/UPC)	193905215867, 193905215874, 193905215881, 193905481590, 193905215898, 193905215904

Logistics data

Harmonized System (HS) code	84433210
Pallet gross weight	538.8 kg
Layers per pallet	3 pc(s)
Products per pallet	18 pc(s)

Technical details

Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-m455-series/model/22732194?sku=3PZ95A&serialnumber=3PZ95A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2967985_en-US-1.pdf

Other features

Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser.
Power supply type	Internal (built-in) Power Supply

Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013; Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Printing	Colour printing
Manufacturer warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Recommended humidity operating range	10 - 90%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2483.1 mm (47.2 x 39.4 x 97.8")
Pallet weight (imperial)	538.8 kg (1187.8 lbs)
Acoustic power emissions (ready)	45 dB
Acoustic pressure emissions bystander (ready)	33 dB
Typical electricity consumption (TEC) number	0.437 kWh/Week (Energy Star 3.0)
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise M455dn printer; HP Black Original LaserJet Toner Cartridge (~2,400 pages); HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each); Getting started Guide; 1 Power cord
Matmenys ir svoris	
Matmenys (I × P × A)	50,00cm × 39,00cm × 59,00cm
Svoris	22,22kg

Dokumentai ir vaizdo įrašai

- Vaizdo įrašas 1 objects.icecat.biz/objects/87234982_27561932.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/87234982_63183850.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Gamintojo saugos informacija