HP Color LaserJet Enterprise MFP M480f 4in1/A4/LAN/ADF

Gamintojas: **HP** · Modelis: **3QA55A#B19** · EAN: **193905216840** · Prekės kodas: **432519**



1 135,90 €

Kaina su PVM

Be PVM: **938,76 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalvotas spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 27 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas Spalvoto fakso siuntimas
- ✓ Mopria Print Service, HP ePrint, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 2048 MB Integruotas procesorius 800 MHz
- ✓ 23,2 kg










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

HP’s entry-level Enterprise-class Color MFP with speeds up to 28 ppm[9] and strongest security.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	27 ppm
Duplex printing mode	Auto
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	27 ppm
Warm-up time	170 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	11 s
N-in-1 print function	Yes
Watermark printing	Yes
Secure printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Copy speed (black, normal quality, A4)	27 cpm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Copy speed (colour, normal quality, A4)	27 cpm
Time to first copy (black, normal)	9.6 s
Time to first copy (colour, normal)	11.3 s
Maximum number of copies	9999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
Book copy function	Yes
ID-card copy function	Yes
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Duplex scanning mode	Auto
Optical scanning resolution (black)	600 x 600 ppi
Optical scanning resolution (colour)	600 x 600 ppi
Maximum scan resolution	600 x 600 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	E-mail, FTP, Fax, File, Image, PC, SMB, USB
Scan speed (colour)	20 ppm
Scan speed (black)	29 ppm
Duplex scan speed (colour)	46 ppm
Duplex scan speed (black)	35 ppm
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
Fax	
Faxing	Colour faxing
Fax resolution (black)	300 x 300 DPI
Fax resolution (colour)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	1000 pages

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	No
Auto reduction	Yes

Features

Maximum duty cycle	55000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	900 - 4800 pages per month
Digital sender	Yes
Page description languages	PDF 1.7, PCL 5, PCL 6
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
All-In-One-multitasking	Yes
Country of origin	China
Replacement cartridges	HP 415A Black Original LaserJet Toner Cartridge (2,400 pages) W2030A, HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages) W2031A, HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages) W2032A, HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages) W2033A, HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages) W2030X, HP 415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages) W2031X, HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages) W2032X, HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages) W2033X
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	212 x 352 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	3
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	2048 MB
Maximum internal memory	2048 MB
Internal storage capacity	16 GB
Card reader integrated	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	49 dB
Sound pressure level (scanning)	46 dB
Sound power level (printing)	6.1 dB
Sound power level (standby)	20 dB

Design

Product colour	White, Black
Market positioning	Business
Built-in display	Yes
Display	LCD
Display diagonal	10.9 cm (4.3")
Control type	Touch
Colour display	Yes

Power

Power consumption (average operating)	581 W
Power consumption (PowerSave)	0.08 W
Power consumption (printing)	581 W
Power consumption (ready)	21.9 W
Power consumption (sleep)	1 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	1.051 kWh/week
AC input voltage	200 - 240 V
AC input frequency	50 Hz

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HP Security tools	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(ABT) 193905216802; (ABY) 193905216819; (ACQ) 193905216826; (B13) 193905216833; (B19) 193905216840; (BAZ) 193905216857
HP GTIN (EAN/UPC)	193905216802, 193905216819, 193905216826, 193905216833, 193905216840, 193905216857

System requirements

Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Other operating systems supported	Android, iOS

Operational conditions

Operating relative humidity (H-H)	30 - 70%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	15 - 32.5 °C
Recommended humidity operating range	10 - 90%
Recommended operating temperature range (T-T)	15 - 27 °C

Certificates

Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.

Sustainability

Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Sustainable technologies and materials	Mercury-free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	250
Carbon emissions, manufacturing (kg of CO2e)	184

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Carbon emissions, logistics (kg of CO2e)	8
Carbon emissions, end-of-life (kg of CO2e)	30
Total carbon emissions, w/o use phase (kg of CO2e)	25

Weight & dimensions

Width	415.4 mm
Depth	472 mm
Height	399.8 mm
Weight	23.2 kg

Packaging data

Package width	597 mm
Package depth	497 mm
Package height	490 mm
Package weight	26.3 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	2400 pages
Included cartridge capacity (CMY)	2100 pages
Cables included	AC

Logistics data

Harmonized System (HS) code	84433100
Pallet gross weight	527.9 kg
Layers per pallet	4 pc(s)
Products per pallet	16 pc(s)

Technical details

Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m480-series/model/29256417?sku=3QA55A&serialnumber=3QA55A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2952853_en-US-1.pdf
Box contents	HP Color LaserJet Enterprise MFP M480f printer; HP Black Original LaserJet Toner Cartridge (~2,400 pages) HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each); Getting started Guide; 1 Power cord

Other features

Number of users	10 user(s)
Power supply type	Internal (Built-in) power supply

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Manufacturer warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2451 mm
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2450.8 mm (47.2 x 39.4 x 96.5")
Pallet weight (imperial)	527.9 kg (1163.8 lbs)
Acoustic power emissions (ready)	36 dB
Acoustic pressure emissions bystander (ready)	20 dB
Typical electricity consumption (TEC) number	Blue Angel: 1.051 kWh/week; Energy Star 3.0: 0.425 kWh/week
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	60,00cm × 50,00cm × 50,00cm
Svoris	27,34kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas 1 objects.icecat.biz/objects/87234993_63176852.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/87234993_63176853.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija