HP P34hc G4 WQHD USB-C Curved Monitor

Gamintojas: **HP** · Modelis: **21Y56AA#ABB** · EAN: **195122737191** · Prekės kodas: **432526**



426,90 €

Kaina su PVM

Be PVM: **352,81 €**


Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86,4 cm (34") Juoda
- ✓ Aukščio reguliavimas 10 cm Įmontuoti garsiakalbiai
- ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Išlenktas
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 3440 x 1440 pikseliai Wide Quad HD Skydo tipas: VA
- ✓ Energijos vartojimo efektyvumo klasė (SDR): G ENERGY STAR, EPEAT, TCO, TCO10 GS mark, CCC, CB, EAC, BIS, Federalinė ryšių komisija (FCC), CE












Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

Lose Yourself in the Curve

When it comes to the P34hc WQHD Curved Monitor, bigger really is better. Because its immersive, ultrawide screen keeps you focused, you’re likely to be less distracted and up to 33% more productive[1] compared to a smaller screen.

Techninė specifikacija

Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LCD
Touchscreen	No
HD type	Wide Quad HD
Panel type	VA
Response time	5 ms
Screen shape	Curved
Contrast ratio (typical)	3500:1
Maximum refresh rate	60 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	250 cd/m²
Display brightness	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Screen curvature rating	1500R
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3440 x 1440, 640 x 480 (VGA), 800 x 600 (SVGA)

Aspect ratio	21:9
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.231 x 0.231 mm
Pixel density	110 ppi
Horizontal scan range	30 - 160 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	33.4 cm
Viewable size, vertical	79.7 cm
Display diagonal (metric)	86.4 cm
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	NTSC
Colour gamut	85%
NTSC coverage (typical)	85%
Display bezel technology	Micro-Edge
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	6 W
Built-in microphone	No
Design	
Market positioning	Business
Product colour	Black
Detachable stand	Yes
Feet colour	Black

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
DVI port	No
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	Yes
Headphone outputs	1
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	10 cm
Pivot	No
Pivot angle	-90 - 90°
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	G

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	32 kWh
Power consumption (typical)	48 W
Power consumption (standby)	0.5 W
Power consumption (max)	190 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Non-operating relative humidity (non-condensing)	20 - 80%
Weight & dimensions	
Width (with stand)	809.4 mm
Depth (with stand)	234.9 mm
Height (with stand)	518 mm
Weight (with stand)	105.1 kg
Width (without stand)	809.4 mm
Depth (without stand)	112.1 mm
Height (without stand)	366.9 mm
Packaging data	
Package width	950 mm
Package depth	225 mm
Package height	480 mm
Package weight	16.7 kg
Package type	Box
Warranty card	Yes
Packaging content	
Stand included	Yes
Cables included	HDMI, DisplayPort, AC
Quick start guide	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Bundled software	HP Display Center
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT, TCO
Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified; TCO Certified Edge
Doesn't contain	Arsenic, Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	430
Carbon emissions, manufacturing (kg of CO2e)	232
Carbon emissions, logistics (kg of CO2e)	5
Carbon emissions, energy usage (kg of CO2e)	483
Carbon emissions, end-of-life (kg of CO2e)	7
Total carbon emissions, w/o use phase (kg of CO2e)	185
Other features	
Country of origin	China
Heavy metals free	Hg (mercury)
Packaging content	Monitor; DisplayPort™ cable; HDMI cable; Warranty card; Quick Setup Poster; 1 USB Type-C to Type-C cable; AC power cord
Weight	10.5 kg
Height	366.9 mm
Width	809.4 mm
Depth	112.1 mm
Compliance certificates	GS mark, CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE
Low halogen	Yes
Certification	BIS; CB; CCC; CE; CEL; cTUVus; EAC; EPA; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; RCM; VCCI; WEEE; CEL Grade 3; WW application; ICE
UNSPSC-code	43211902
Supplied AC adapter type	195122737221
Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Matmenys (I × P × A)	96,00cm × 48,00cm × 23,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Svoris	15,82kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė G A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Gamintojo saugos informacija