HP LaserJet Tank MFP 2604dw Printer

Gamintojas: **HP** · Modelis: **381V0A#B19** · EAN: **195908729273** · Prekės kodas: **432920**



436,89 €

Kaina su PVM

Be PVM: **361,07 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Vienpusis spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 22 ppm
- ✓ Vienpusis kopijavimas Spalvotas skenavimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 64 MB Integruotas procesorius 500 MHz
- ✓ 7,9 kg











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.




Aprašymas

Powerful productivity. Super-affordable refill. Discover business-ready capabilities and savings with HP LaserJet Tank MFP 2604dw All-in-One Printer pre-filled with up to 5,000 pages of Original HP Toner.[1]

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	22 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Warm-up time	40 s
Time to first page (black, normal)	8 s
Print margins (top, bottom, right, left)	2 mm
Secure printing	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Copy speed (black, normal quality, A4)	14 cpm
Time to first copy (black, normal)	15.6 s
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Maximum scan area	216 x 297 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Scan technology	CIS
Scan to	TWAIN, Software
Image formats supported	TIFF, Raw, JPEG, PNG, BMP
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
TWAIN version	2.1
Fax	
Faxing	No
Features	
Maximum duty cycle	25000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	250 - 2500 pages per month
Page description languages	PCLmS, PWG, URF
Country of origin	Vietnam
Replacement cartridges	DM: HP 153A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 153X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages); RoEM: HP 154A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 154X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages)
HP segment	Business
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	250 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Envelopes, Labels, Heavy paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355.6 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
Non-ISO print media sizes	Executive, Legal, Letter, Oficio
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	10, B5, C5, DL
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	4x6"
Custom media width	102 - 215.9 mm
Custom media length	152 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Built-in processor	Yes
Processor frequency	500 MHz
Sound pressure level (printing)	49 dB
Sound power level (printing)	6.3 dB
Design	
Product colour	Grey
Market positioning	Business

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Built-in display	Yes
Display	LCD
Control type	Buttons
Power	
Power consumption (PowerSave)	0.05 W
Power consumption (printing)	390 W
Power consumption (ready)	2.7 W
Power consumption (sleep)	0.51 W
Power consumption (off)	0.05 W
Energy Star Typical Electricity Consumption (TEC)	0.194 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
HP Software provided	HP Smart App
HP GTIN (EAN/UPC) with options	(ABT) 196068829070; (ABY) 195908729266; (B19) 195908729273; (BAZ) 195908729280
HP GTIN (EAN/UPC)	196068829070, 195908729266, 195908729273, 195908729280
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Server operating systems supported	Windows Server 2008 R2 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
Other operating systems supported	Linux
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 32.5 °C
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Certificates	
Certification	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
Sustainability compliance	Yes
Weight & dimensions	
Width	368 mm
Depth	326 mm
Height	255 mm
Weight	7.9 kg
Packaging data	
Package width	432 mm
Package depth	331 mm
Package height	388 mm
Package weight	9.8 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	5000 pages
Cables included	AC
Bundled software	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Technical details	
Master (outer) cases per pallet layer	8 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-tank-mfp-2602-2606-printer-series/model/2100846452?sku=381V0A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4620941_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4620941_en-US-1.pdf
Box contents	HP LaserJet Tank MFP 2604dw Printer; HP Black Original LaserJet Tank Imaging Drum (introductory ~5000 page black toner yield provided); Power Cord; Setup Guide; Reference Guide; Regulatory/Support Flyers
Other features	
Number of users	5 user(s)

Power supply type	Internal (Built-in) power supply
Recommended system requirements	Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux
Electromagnetic compatibility	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Custom media sizes	102 x 152 to 215.9 x 355.6 mm
Acoustic power emissions (ready)	25 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	Energy Star: 0.194Kwh/week; Blue Angel: 0.203Kwh/week
UNSPSC-code	43212110
Duplex ADF scanning	N
Matmenys ir svoris	
Svoris	10,41kg

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/93992576_27561594.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.