HP LaserJet Tank MFP 2604sdw Printer

Gamintojas: **HP** · Modelis: **381V1A#B19** · EAN: **195908729303** · Prekės kodas: **432922**



452,90 €

Kaina su PVM

Be PVM: **374,30 €**

Sandėlyje


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Namai ir biuras Lazeris Vienpusis spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 22 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 64 MB Integruotas procesorius 500 MHz
- ✓ 9,5 kg










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

Powerful productivity. Super-affordable refill. Discover business-ready capabilities and savings with HP LaserJet Tank MFP 2604sdw All-in-One Printer pre-filled with up to 5,000 pages of Original HP Toner.[1]

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	22 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Warm-up time	40 s
Time to first page (black, normal)	8 s
Secure printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 1200 DPI
Maximum copy size	A4
Copy speed (black, normal quality, A4)	14 cpm
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Optical scanning resolution (black)	600 x 1200 ppi

Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	TWAIN, Software
Scan speed (colour)	10 ppm
Scan speed (black)	19 ppm
Image formats supported	TIFF, Raw, JPEG, PNG, BMP
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	No

Features

Maximum duty cycle	25000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	250 - 2500 pages per month
Page description languages	PCLmS, PWG, URF
All-In-One-multitasking	Yes
Country of origin	Vietnam
Replacement cartridges	DM: HP 153A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 153X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages); RoEM: HP 154A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 154X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages)
HP segment	Home

Input & output capacity

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	250 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	40 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	100 sheets

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Envelopes, Labels, Heavy paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355.6 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	10, B5, C5, DL
Custom media width	102 - 215.9 mm
Custom media length	152 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Built-in processor	Yes
Processor frequency	500 MHz
Sound pressure level (printing)	49 dB
Sound pressure level (scanning)	40 dB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Sound pressure level (standby)	16 dB
Sound power level (printing)	6.3 dB
Design	
Product colour	Black, Grey
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	3 cm (1.18")
Control type	Buttons
Colour display	No
Power	
Power consumption (PowerSave)	0.05 W
Power consumption (printing)	390 W
Power consumption (ready)	2.7 W
Power consumption (sleep)	0.51 W
Power consumption (off)	0.05 W
Energy Star Typical Electricity Consumption (TEC)	0.194 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
HP GTIN (EAN/UPC) with options	(ABT) 196068829087; (ABY) 195908729297; (B19) 195908729303; (BAZ) 195908729310
HP GTIN (EAN/UPC)	196068829087, 195908729297, 195908729303, 195908729310
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2016 x64

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Other operating systems supported	Linux
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 32.5 °C
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C
Certificates	
Certification	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
Sustainability compliance	Yes
Weight & dimensions	
Width	418 mm
Depth	345 mm
Height	311.4 mm
Weight	9.5 kg
Packaging data	
Package width	497 mm
Package depth	398 mm
Package height	409 mm
Package weight	12.6 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	5000 pages
Cables included	AC
Bundled software	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Technical details	
Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-tank-mfp-2602-2606-printer-series/model/2100846453?sku=381V1A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4620941_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4620941_en-US-1.pdf
Box contents	HP LaserJet Tank MFP 2604sdw Printer; HP Black Original LaserJet Tank Imaging Drum (introductory ~5000 page black toner yield provided); Power Cord; Setup Guide; Reference Guide; Regulatory/Support Flyers

Other features

Number of users	5 user(s)
Recommended system requirements	Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux
Electromagnetic compatibility	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Custom media sizes	102 x 152 to 215.9 x 355.6 mm
Acoustic power emissions (ready)	25 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	Energy Star: 0.194Kwh/week; Blue Angel: 0.203Kwh/week
UNSPSC-code	43212110

Matmenys ir svoris

Svoris	12,74kg

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/93992570_62314176.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija