HP LaserJet Tank 2504dw Printer

Gamintojas: **HP** · Modelis: **2R7F4A#B19** · EAN: **195908727583** · Prekės kodas: **432923**



339,90 €

Kaina su PVM

Be PVM: **280,91 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 22 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 25000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 1 Bendra įvesties talpa: 250 lapai Bendra išvesties talpa: 100 lapai
- ✓ Vidinė atmintis: 64 MB Integruotas procesorius 500 MHz
















Aprašymas

Powerful productivity. Super-affordable refill. Discover business-ready capabilities and savings with HP LaserJet Tank 2504dw Printer pre-filled with up to 5,000 pages of Original HP Toner[1]

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	22 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Warm-up time	40 s
Time to first page (black, normal)	8 s
Secure printing	Yes
Features	
Maximum duty cycle	25000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PCLmS, PWG, URF
Recommended duty cycle	250 - 2500 pages per month
Country of origin	Vietnam
Replacement cartridges	HP 153A Black LaserJet Tank Toner Reload Kit (Yield ~2,500 pages); HP 153X Black LaserJet Tank Toner Reload Kit (Yield ~5,000 pages)
HP segment	Business
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets

Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Envelopes, Labels, Heavy paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	10, B5, C5, DL
Custom media width	102 - 215.9 mm
Custom media length	152 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi Direct	Yes
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11g, 802.11b
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Built-in processor	Yes
Processor frequency	500 MHz
Sound pressure level (printing)	50 dB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Sound power level (printing)	6.2 dB
Design	
Market positioning	Business
Product colour	Grey
Built-in display	Yes
Display	LCD
Control type	Buttons
Certification	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Power	
Power consumption (printing)	354 W
Power consumption (ready)	1.59 W
Power consumption (PowerSave)	0.05 W
Power consumption (off)	0.05 W
Energy Star Typical Electricity Consumption (TEC)	0.187 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2008 R2 x64, Windows Server 2012 R2 x64, Windows Server 2016 x64
Other operating systems supported	Linux
Operational conditions	
Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
Sustainability compliance	Yes
Weight & dimensions	
Width	348.7 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Depth	285 mm
Height	214.8 mm
Weight	6.2 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2188 mm

Packaging data

Package width	432 mm
Package depth	331 mm
Package height	291 mm
Package weight	7.6 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	5000 pages
Cables included	AC
Bundled software	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, printer driver and other essential tools

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
HP GTIN (EAN/UPC) with options	(ABT) 196068786250; (ABY) 195908727576; (B19) 195908727583; (BAZ) 195908727590
HP GTIN (EAN/UPC)	196068786250, 195908727576, 195908727583, 195908727590

Logistics data

Pallet gross weight	446.1 kg
Layers per pallet	7 pc(s)
Products per pallet	56 pc(s)

Technical details

Master (outer) cases per pallet layer	8 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-tank-2502-2506-printer-series/model/2100846460 ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4621151_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4621151_en-US-1.pdf

Other features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended system requirements	Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Power supply type	Internal (built-in) Power Supply
Electromagnetic compatibility	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux
Printing	Mono printing
Manufacturer warranty	Up to 3 years extended warranty upon registration within 60 days at www.hp.com/go/lasertank-warranty
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C
Custom media sizes	102 x 152 to 215.9 x 355.6 mm
Envelope feeder	No
Acoustic power emissions (ready)	24 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	Energy Star: 0.187Kwh/week; Blue Angel: 0.197Kwh/week
UNSPSC-code	43212105
Box contents	HP LaserJet Tank 2504dw Printer; HP Black Original LaserJet Tank Imaging Drum (introductory ~5000 page black toner yield provided); Power Cord; Setup Guide; Reference Guide; Regulatory/Support Flyers
Matmenys ir svoris	
Svoris	8,14kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija