HP E24m G4 FHD USB-C Conferencing Monitor

Gamintojas: **HP** · Modelis: **40Z32AA#ABB** · EAN: **195908730736** · Prekės kodas: **433008**



253,89 €

Kaina su PVM

Be PVM: **209,83 €**

Sandėlyje

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60,5 cm (23.8") Juoda
- ✓ Aukščio reguliavimas 15 cm Įmontuoti garsiakalbiai Integruota kamera
- ✓ HDMI HDMI versija: 1.4 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 75 Hz Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ENERGY STAR, EPEAT, TCO CECP, CCC, CB, EAC, BIS, Federalinė ryšių komisija (FCC), CE, BSMI








Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

Connect with Confidence. Conference with Ease.
Conference and connect with ease with the Zoom Certified HP E24m G4 USB-C Conferencing Monitor that has an integrated 5MP, tilt-adjustable webcam, front-firing speakers, and dual mics. Work effortlessly and simplify your set up with one USB-C® cable[1] that delivers data, video, and up to 65W of laptop charging.

Techninė specifikacija

Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	300 cd/m²
Display brightness	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)
Aspect ratio	16:9
Contrast ratio (dynamic)	10000000:1

Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Horizontal scan range	30 - 85 kHz
Vertical scan range	50 - 75 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Digital horizontal frequency	30 - 85 kHz
Digital vertical frequency	50 - 75 Hz
Display diagonal (metric)	60.5 cm
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	99%
sRGB coverage (typical)	99%
Display bezel technology	Micro-Edge
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Infrared (IR) sensor	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	Yes
Number of speakers	2
RMS rated power	10 W
Megapixel (approx.)	5 MP
Built-in microphone	Yes
Design	
Market positioning	Business
Product colour	Black

Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	Yes
Audio output	Yes
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	E
Energy consumption (SDR) per 1000 hours	18 kWh
Power consumption (typical)	37 W
Power consumption (standby)	0.5 W
Power consumption (max)	150 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width (with stand)	539.4 mm
Depth (with stand)	216 mm
Height (with stand)	530.7 mm
Weight (with stand)	7.39 kg
Width (without stand)	539.4 mm
Depth (without stand)	47 mm
Height (without stand)	355.6 mm
Packaging data	
Package width	603 mm
Package depth	192 mm
Package height	421 mm
Package weight	10.3 kg
Package type	Box
Warranty card	Yes
Packaging content	
Stand included	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cables included	USB Type-C to USB Type-C, AC
Quick start guide	Yes
Bundled software	HP Display Center; HP Display Manager
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT, TCO
Sustainable technologies and materials	Low Halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains Ocean-Bound plastic
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	270
Carbon emissions, manufacturing (kg of CO2e)	171
Carbon emissions, logistics (kg of CO2e)	3
Carbon emissions, end-of-life (kg of CO2e)	4
Total carbon emissions, w/o use phase (kg of CO2e)	89
Other features	
Country of origin	China
Packaging content	Monitor; Warranty card; Product notice; Quick Setup Poster; 1 USB Type-C to Type-C cable; AC power cord
Weight	7.39 kg
Height	355.6 mm
Width	539.4 mm
Depth	47 mm
Compliance certificates	CECP, CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
Ethernet LAN (RJ-45) ports	1
Certification	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; E-standby; FCC; ISO 9241-307; KC/KCC; NOM; PSB; RCM; SEPA; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Mexico Energy; ICE; UAE; TGM; TUV-GS; Ukraine certificates; NRCS of South Africa; Belarus Energy; CEL Grade 2
UNSPSC-code	43211902
Supplied AC adapter type	195908730767
Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	9,62kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Gamintojo saugos informacija