

**Monitorius HP E-  
Series E27m G4  
27 colių QHD  
(2560x1440)  
USB-C  
Konferencinis  
Monitorius, IPS,  
Integruota 5MP  
Kamera, 65W  
Maitinimas,  
Zoom  
Sertifikatas**



Modelis: 40Z29AA#ABB

Gamintojas: HP

EAN: 195908730255

Prekės kodas: 433009

**308.99€**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

# HP E27m G4 QHD USB-C Konferencinis Monitorius

HP E27m G4 yra visiškai integruotas, „Zoom“ sertifikuotas konferencinis monitorius, sukurtas supaprastinti jūsų darbo vietą ir profesionalius nuotolinius susitikimus. Šis 27 colių ekranas sujungia stulbinamą Quad HD (QHD) raišką su pažangia bendradarbiavimo ekosistema, apimančia integruotą 5 MP reguliuojamo pasvirimo kampo internetinę kamerą, triukšmą slopinančius dvigubus mikrofonus ir galingus, į priekį nukreiptus garsiakalbius (10 W RMS).

Supaprastinkite sąranką ir prisijunkite naudodami vieną USB-C laidą, kuri perduoda duomenis, vaizdą ir tuo pačiu metu įkrauna prijungtą nešiojamąjį kompiuterį (iki 65 W). Aukščiausios kokybės IPS panelė užtikrina plačius 178° žiūrėjimo kampus ir 99% sRGB spalvų aprėptį, suteikdama ryškius ir tikslus vaizdus darbui ir konferencijoms.

## Profesionalios Konferencinės Funkcijos

Sukurta hibridinei darbo vietai, E27m G4 pašalina netvarką ir sudėtingumą, siūlydamas profesionalias konferencijų priemones tiesiai iš dėžės. Integruota 5 megapikselių kamera užtikrina ypač aiškią vaizdo kokybę, o dvigubi mikrofonai tiksliai fiksuoja jūsų balsą. Reguliavimo funkcijos, tokios kaip aukščio reguliavimas (15 cm), pasukimas ir pakreipimas, užtikrina optimalų matymo ir bendradarbiavimo kampą.

- **„Zoom“ Sertifikatas:** Užtikrintas patikimumas ir funkcionalumas skambinant per Zoom platformą.
- **Integruota 5MP Interneto Kamera:** Suteikia pranašesnę vaizdo kokybę, palyginti su standartinėmis įmontuotomis kameromis.
- **Vieno Kabelio Sprendimas:** USB Type-C perduoda QHD vaizdą, duomenis ir 65 W maitinimo energiją.
- **Įtraukiantis Garsas:** Du 5W garsiakalbiai (iš viso 10 W RMS galios) ir skirtos garso įvesties/išvesties jungtys.
- **Flicker-Free technologija:** Mažina mirgėjimą ir mėlynos šviesos lygį, siekiant apsaugoti akis ilgų darbo sesijų metu.

## Jungiamumas ir Ergonomika

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Šis monitorius veikia kaip galinga prijungimo stotelė jūsų šiuolaikiniam biurui. Integruotas USB 3.2 Gen 1 šakotuvus apima keturis USB Type-A prievadus ir specialią Ethernet LAN (RJ-45) jungtį, užtikrinančią sklandų tinklo ryšį ir periferinių įrenginių prijungimą. Plonas, mikrorėmo dizainas maksimaliai padidina ekrano plotą, o VESA suderinamumas leidžia pritaikyti montavimo sprendimus.

- Ekranas įstrižainė: 68.6 cm (27 coliai)
- Raiška: 2560 x 1440 pikselių (QHD)
- Panelės tipas: IPS su 178° pločio matymo kampais
- Maksimalus atnaujinimo dažnis: 75 Hz
- Jungtys: 1x USB-C (įkrovimas/PD), 1x HDMI 1.4, 1x DisplayPort 1.2, 1x Ethernet LAN (RJ-45), 4x USB Type-A
- Ergonomika: Aukščio reguliavimas (150 mm), Pasukimas (Swivel -45° iki 45°), Pakreipimas (Tilt -5° iki 23°), Apsisukimas (Pivot 90°)

**HEWLETT-PACKARD (HP)** yra pasaulinė lyderė kompiuterijos ir spausdinimo sprendimų srityje, žinoma dėl aukštos kokybės, saugių ir tvarių produktų, pritaikytų verslo ir šiuolaikiniams profesionalų poreikiams, kūrimo.

Užsisakykite šiandien iš ++SHOP++, nes siūlome geriausias kainas ir greitą profesionalių HP monitorių pristatymą.

### **Connect with Confidence. Conference with Ease.**

Conference and connect with ease with the Zoom Certified HP E27m G4 USB-C Conferencing Monitor that has an integrated 5MP, tilt-adjustable webcam, front-firing speakers, and dual mics. Work effortlessly and simplify your set up with one USB-C cable<sup>[1]</sup> that delivers data, video, and up to 65W of laptop charging.

Manufacturer warranty: 3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions apply. | Bundled software: HP Display Center HP Display Manager | Certification: BIS BSMI CB CCC CE CECP cTUVus EAC ENERGY STAR® E-standby FCC ISO 9241-307 KC/KCC NOM PSB RCM SEPA TUV-S VCCI WEEE ISC Mexico Energy ICE UAE TGM TUV-GS Ukraine certificates NRCS of South Africa Belarus Energy CEL Grade 2 | General Product Safety Regulation (GPSR) URL: [https://support.hp.com/us-en/document/ish\\_6126692-6126777-16?openCLC=true](https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true) |

Infrared (IR) sensor: Yes | Adjustable height (max): 15 cm | Response time measurement type: GTG

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

(Gray to Gray) | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Depth (with stand): 216 mm | Power consumption (max): 160 W | Display brightness (typical): 300 cd/m<sup>2</sup> | Product colour: Black | Horizontal scan range: 30 - 115 kHz | Height (with stand): 551 mm | Viewing angle, vertical: 178° | Native aspect ratio: 16:9 | Response time: 5 ms | AC input voltage: 100 - 240 V | Charging port type: USB Type-C | DisplayPorts quantity: 1 | Screen shape: Flat | Built-in USB hub: Yes | Contrast ratio (dynamic): 10000000:1 | DisplayPort version: 1.2 | Storage relative humidity (H-H): 20 - 80% | Operating temperature (T-T): 5 - 35 °C | HDMI version: 1.4 | Power consumption (off): 0.3 W | HDCP: Yes | Tilt angle range: -5 - 23° | Cable lock slot: Yes | Pixel pitch: 0.2331 x 0.2331 mm | Width (with stand): 612.8 mm | Ethernet LAN (RJ-45) ports: 1 | Quick start guide: Yes | Weight: 8.52 kg | Display number of colours: 16.7 million colours | Package width: 695 mm | Vertical scan range: 50 - 75 Hz | Cables included: AC | Aspect ratio: 16:9 | Cables included: USB Type-C to USB Type-C | Package weight: 12 kg | Display surface: Matt | Power consumption (typical): 51 W | Display diagonal: 68.6 cm (27") | Built-in microphone: Yes | Package type: Box | Package height: 483 mm | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | HDMI ports quantity: 1 | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported graphics resolutions: 1600 x 1200 (UXGA) | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1920 x 1200 (WUXGA) | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 2560 x 1440 | Supported graphics resolutions: 2560 x 1400 | Supported graphics resolutions: 720 x 400 | Supported graphics resolutions: 1600 x 900 | HD type: Quad HD | Viewing angle, horizontal: 178° | Package depth: 190 mm | Operating relative humidity (H-H): 5 - 95% | NVIDIA G-SYNC: No | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Headphone out: Yes | Headphone outputs: 1 | Built-in speaker(s): Yes | Pivot: Yes | Stand included: Yes | Viewable size, horizontal: 59.7 cm | Height: 396.6 mm | USB upstream port type: USB Type-C | Number of speakers: 2 | Flicker-free technology: Yes | Viewable size, vertical: 33.6 cm | Weight (with stand): 8.52 kg | Swivelling: Yes | Panel mounting interface: 100 x 100 mm | AMD FreeSync: No | Headphone connectivity: 3.5 mm | Height adjustment: Yes | Maximum refresh rate: 75 Hz | Height (without stand): 396.6 mm | Display technology: LCD | On Screen Display (OSD): Yes | Depth (without stand): 47 mm | Depth: 47 mm | Power supply type: Internal | Built-in camera: Yes | Power consumption (standby): 0.5 W | Swivel angle range: -45 - 45° | Tilt adjustment: Yes | Audio output: Yes | Width (without stand): 612.8 mm | VESA mounting: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Microphone in: Yes | Feet colour: Silver | HDMI: Yes | Panel type: IPS | Ethernet LAN: Yes |  
Touchscreen: No | Audio input: Yes | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Contrast ratio (typical):  
1000:1 | USB Type-A downstream ports quantity: 4 | Pivot angle: -90 - 90° | Width: 612.8 mm | RMS  
rated power: 10 W | Colour gamut: 99% | Harmonized System (HS) code: 85285210 | Display  
diagonal (metric): 68.6 cm | Market positioning: Business | HP GTIN (EAN/UPC): 883585705566,  
883585705597, 884962754504, 883585705559, 883585705504, 883585705528, 883585705511,  
883585705535 | Carbon emissions, manufacturing (kg of CO2e): 22 | Carbon emissions, logistics (kg  
of CO2e): 2 | Total carbon emissions, w/o use phase (kg of CO2e): 1 | Carbon emissions, end-of-life  
(kg of CO2e): 2 | Compliance certificates: VCCI | Compliance certificates: KCC | Compliance  
certificates: WEEE | Compliance certificates: RCM | Compliance certificates: BIS | Compliance  
certificates: CE | Compliance certificates: CCC | European Product Registry for Energy Labelling  
(EPREL) code: 846651 | Total carbon footprint (kg of CO2e): 20 | Compliance certificates: cTUVus |  
Compliance certificates: CECP | Compliance certificates: Norma Oficial Mexicana (NOM) | Compliance  
certificates: Federal Communications Commission (FCC) | Compliance certificates: CB | Compliance  
certificates: EAC | Pixel density: 109 ppi | USB Type-C DisplayPort Alternate Mode: Yes | Detachable  
stand: Yes | Compliance certificates: BSMI | HP segment: Business | Surface hardness: 3H | USB  
Power Delivery up to: 65 W | Fast charging: Yes | Colour gamut standard: sRGB | UNSPSC-code:  
43211902 | USB Type-C downstream ports quantity: 1 | sRGB coverage (typical): 99% | Megapixel  
(approx.): 5 MP | Low Blue Light technology: Yes | Anti-glare screen: Yes | Energy efficiency scale: A  
to G | USB Power Delivery (USB PD): Yes | Display bezel technology: Micro-Edge | Colour depth: 8 bit  
| Sustainable technologies and materials: No | Number of USB Type-C upstream ports quantity: 1 |  
Sustainability certificates: ENERGY STAR | Sustainability compliance: Yes | Sustainability certificates:  
EPEAT Gold | Energy efficiency class (SDR): F | Energy efficiency class (HDR): Not available

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903