



Maono WM650 A2 Wireless Microphone



Modelis: WM650 A2

Gamintojas: MAONO

EAN: 6972237682608

Prekės kodas: 43328

60.98€

Maono WM650 A2 microphone

The Maono WM650 A2 is a 2.4GHz wireless microphone system with two transmitters with built-in microphones designed for on-the-go and field recording. It offers a transmission range of up to 300 meters, a long operating time on a single charge, and noise reduction with 14-step in-app adjustments. The kit also allows quick sound personalization with four ready-made sound presets and includes two compatible receiver types - for phone and camera.

Accurate noise control

The noise reduction system works with three intensity modes (Slight, Moderate, Aggressive) and a custom mode that can be fine-tuned in the MAONO Link app. There will be 14 adjustment levels at your disposal, allowing you to optimally adjust the noise cancellation to your environment.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Thoughtful design

Each microphone weighs just 9 grams and can be worn in three ways - with a magnet, clip or the included necklace. The use of a magnetic attachment provides stability and flexibility without the need for additional mounts. The solution used makes the microphone almost unobtrusive and does not restrict movement.

Detailed sound in 24-bit quality

The system records audio with 48 kHz sampling and 24-bit resolution, allowing it to capture more nuance and detail than typical microphones for mobile devices. The transmitters offer a high signal-to-noise ratio (SNR) of more than 80 dB and support a maximum sound pressure level of up to 120 dB SPL, ensuring clear sound even in demanding recording conditions.

Ready-made sound presets in the app

The Maono Link app offers four sound profiles - Voice Enhancer, Brightness, Warmth and Huskiness - that allow you to quickly adjust the character of your voice to a specific situation without additional processing, which is especially convenient for outdoor recording, live broadcasting or mobile work.

Long runtime and charging in the case

The kit offers up to 9 hours of operation on a single charge of the transmitter and as much as 30 hours of total operating time using the charging case. This allows the WM650 A2 to accompany creators throughout a day of recording - from sunrise to sunset.

Stable transmission and camera compatibility

The system offers stable transmission without interference over a distance of up to 300 meters in open space. The receiver can be mounted directly on the camera or camcorder and allows switching between mono and stereo modes. In addition, it allows you to adjust the recording sensitivity, so you can easily match the sound level to the recording conditions.

Included:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Receiver for camera
- Transmitter x2
- Charging case
- Magnetic clip x2
- Magnet x4
- Wind shield x2
- Magnetic necklace x2
- USB-C charging cable
- 3.5mm/3.5mm audio cable
- USB-C/USB-C cable
- USB-C/Lightning cable
- Cover
- User manual

General

Manufacturer Maono

Model WM650 A2

Transmitter

Transmission type	2.4 GHz Digital Frequency Hopping Technology
Directional characteristic	Omnidirectional
Frequency response	20 Hz - 20 kHz
Maximum sound pressure	120 dB SPL
Dynamic range	93 dB
Signal-to-noise ratio (S/N)	>80 dB
Sensitivity	-2.5 dBFS at 1000 Hz, 94 dB

Wireless transmission range Up to 300 m (line of sight), up to 100 m (with obstacles/rotation)

Rechargeable battery 3.8 V, 97 mAh (lithium)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Operating time	Approximately 10 hours
Charging time	Approx. 1.5 hours
Operating temperature	From -10°C to 50°C
Charging temperature	From 0°C to 45°C
Dimensions	27 x 27 x 13 mm
Weight	9 g

Receiver for camera

Transmission type	2.4 GHz Digital Frequency Hopping Technology
Wireless transmission range	Up to 300 m (in line of sight), up to 60 m (with rotation)
Rechargeable battery	3.8 V, 145 mAh (lithium)
Operating time	Approximately 9 hours
Charging time	Approx. 1.5 hours
Operating temperature	From -10°C to 50°C
Charging temperature	From 0°C to 45°C
Dimensions	44 x 26 x 19 mm
Weight	13.6 g

Charging case for the phone

Rechargeable battery	3.8 V, 750 mAh (lithium)
Charging transmitters	Allows for two full charges
Charging time of the case	Approximately 2 hours
Operating temperature	From -10°C to 50°C
Charging temperature	From 0°C to 45°C
Dimensions	81 x 37 x 51 mm
Weight	79.6 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Charging case for the camera

Rechargeable battery 3.8 V, 1950 mAh (lithium)

Transmitter charging Allows for two full charges

Charging time of the case Approximately 2 hours

Operating temperature From -10°C to 50°C

Charging temperature From 0°C to 45°C

Dimensions 78 x 36 x 57 mm

Weight 107.6 g

Wireless: Yes, Microphone type: Dynamic, GPSR Link: https://psr-assets.innpro.pl/gaming/sg_gaming_microphones.pdf, Gross weight: 290, Net weight: 90, Box length: 14,50, Box width: 12,50, Box height: 8,00, Information about data generation: <https://dataact.innpro.pl/maono/6972237682608>