HP LaserJet Enterprise M612dn S/W-Laserdrucker 71 S./Min. LAN Duplex

Gamintojas: **HP** · Modelis: **7PS86A#B19** · EAN: **194721346773** · Prekės kodas: **433635**



1 129,90 €

Kaina su PVM

Be PVM: **933,80 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 71 ppm
- ✓ Abipusis spauzdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ CGD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 300000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 650 lapai Bendra išvesties talpa: 500 lapai
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.





Aprašymas

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry’s deepest security.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	71 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	130 s
Time to first page (black, normal)	5.1 s
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	300000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PostScript 3, PDF 1.7, PCL 5, PCL 6
Recommended duty cycle	5000 - 30000 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	China

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Replacement cartridges	HP 147A Black Original LaserJet Toner Cartridge (10,500 pages) W1470A; HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages) W1470X; HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages) W1470Y
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	500 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	6
Maximum input capacity	4400 sheets
Maximum output capacity	1300 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Pre-printed, Heavy paper, Lightweight paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²

Ports & interfaces

Direct printing	No
USB port	Yes
USB 2.0 ports quantity	3

Network

Wi-Fi	Yes
Ethernet LAN	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Network ready	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print

Performance

Internal memory	512 MB
Maximum internal memory	1536 MB
Memory slots	1
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	56 dB
Sound power level (printing)	7.1 dB

Design

Market positioning	Business
Product colour	White
Built-in display	Yes
Display	CGD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Control type	Buttons, Touch
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International) Class A/EN 55032:2012 Class A, CISPR 35:2016 (International) Class A/EN 55035:2017 Class A, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.

Power

Power consumption (printing)	877 W
Power consumption (ready)	14.98 W
Power consumption (standby)	15.3 W
Power consumption (PowerSave)	0.1 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	0.866 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

System requirements	
Windows operating systems supported	Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, MacOS
Other operating systems supported	iOS, Android
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	220
Carbon emissions, manufacturing (kg of CO2e)	155
Carbon emissions, logistics (kg of CO2e)	12
Carbon emissions, end-of-life (kg of CO2e)	16
Total carbon emissions, w/o use phase (kg of CO2e)	33
Weight & dimensions	
Width	431 mm
Depth	466 mm
Height	380 mm
Weight	21.6 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2307 mm
Packaging data	
Package width	597 mm
Package depth	497 mm
Package height	539 mm
Package weight	27.3 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	10500 pages

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Cables included	AC

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF and Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(ABT) 194721346681; (ABY) 194721346698; (ACQ) 194721346735; (B13) 194721346759; (B19) 194721346773; (BAZ) 194721346780
HP GTIN (EAN/UPC)	194721346681, 194721346698, 194721346735, 194721346759, 194721346773, 194721346780

Logistics data

Harmonized System (HS) code	84433210
Pallet gross weight	456.6 kg
Layers per pallet	4 pc(s)
Products per pallet	16 pc(s)

Technical details

Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m612-series/model/31570627?sku=7PS86A&serialnumber=7PS86A ; https://h10032.www1.hp.com/ctg/Manual/c06502741.pdf

Other features

Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard disk space; Internet connection; or USB port; Internet browser.
Power supply type	Internal (built-in) 220V Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International) Class A/EN 55032:2012 Class A, CISPR 35:2016 (International) Class A/EN 55035:2017 Class A, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Compatible operating systems	Windows Client OS (32/64-bit) - Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android; Mac - Apple macOS Sierra v10.13, Apple macOS High Sierra v10.14, Apple macOS Mojave v10.15; Discrete PCL6 Printer Driver - for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers - for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems - for more information on the supported operating systems see http://www.hp.com/go/upd
Printing	Mono printing
Processor frequency	1.2 GHz
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	100 sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm; 550 sheet input Tray 2: 99 x 148 to 216 x 356 mm; 550 sheet optional feeder: 99 x 148 to 216 x 356 mm; 75 sheet envelope feeder: 90 x 148 to 178 x 254 mm
Envelope feeder	Yes
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	Blue Angel: 3.106 kWh/Week; Energy Star: 0.866 kWh/Week
UNSPSC-code	43212105
Box contents	HP LaserJet Enterprise M612dn printer; HP Black Original LaserJet Toner Cartridge (10,500 page yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.
Matmenys ir svoris	
Matmenys (I × P × A)	60,00cm × 55,00cm × 50,00cm
Svoris	26,20kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija