HP Color LaserJet Enterprise Flow MFP 5800zf Printer

Gamintojas: **HP** · Modelis: **58R10A#B19** · EAN: **196337404779** · Prekės kodas: **434575**



3 607,91 €

Kaina su PVM

Be PVM: **2 981,74 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Verslui Lazeris Spalvotas spausdinimas
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 43 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas Spalvoto fakso siuntimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ Vidinė atmintis: 6144 MB Integruotas procesorius 1200 MHz
- ✓ 39,1 kg








Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.



Aprašymas

The most customisable HP A4 LaserJet, with advanced workflow solutions optimised for distributed office collaboration. Transform your workflows with advanced capabilities in a compact footprint. From print speeds to colour panels[11], get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	43 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	43 ppm
Time to first page (black, normal)	6.8 s
Time to first page (colour, normal)	7.4 s
Watermark printing	Yes
Secure printing	Yes
Booklet printing function	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Maximum copy size	A4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Copy speed (black, normal quality, A4)	43 cpm
Copy speed (colour, normal quality, A4)	43 cpm
Time to first copy (black, normal)	6.1 s
Time to first copy (colour, normal)	8.6 s
Maximum number of copies	9999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
Book copy function	Yes
ID-card copy function	Yes
Auto fit function	Yes
Edge erase function	Yes
Stamp function	Yes
Watermark copying	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Duplex scanning mode	Auto
Maximum scan resolution	600 x 600 DPI
Maximum scan area	216 x 356 mm
Scan technology	CIS
Scan to	E-mail, Network folder, USB
Scan speed (colour)	56 ppm
Scan speed (black)	56 ppm
Image formats supported	JPEG, MTIFF, TIFF
Document formats supported	CSV, DOCX, HTML, PDF, RTF, UNICODE, XLSX, XML, XPS
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
Fax	
Faxing	Colour faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Fax memory	1000 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	No
Auto reduction	Yes

Features

Maximum duty cycle	80000 pages per month
Duplex functions	Print
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	2000 - 10000 pages per month
Digital sender	Yes
Page description languages	PostScript 3, PDF 1.7, PCL 5c, XPS
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
All-In-One-multitasking	Yes
Country of origin	Czech Republic
Replacement cartridges	HP 213A Black Original LaserJet Toner Cartridge (~3,500 pages) W2130A; HP 213A Cyan Original LaserJet Toner Cartridge (~3,000 pages) W2131A; HP 213A Yellow Original LaserJet Toner Cartridge (~3,000 pages) W2132A; HP 213A Magenta Original LaserJet Toner Cartridge (~3,000 pages) W2133A; HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2130X; HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2131X; HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2132X; HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2133X; HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge, (~18,000 pages) W2130Y; HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000 pages) W2131Y; HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000 pages) W2132Y; HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000 pages) W2133Y
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Auto document feeder (ADF)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Auto document feeder (ADF) input capacity	100 sheets
Maximum number of input trays	5
Maximum input capacity	2300 sheets
Maximum output capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	207.4 x 1191.4 mm
ISO B-series sizes (B0...B9)	B5, B6
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
Envelopes sizes	B5, B6, C5, C6
Photo paper sizes	10x15 cm
Custom media width	64 - 216 mm
Custom media length	127 - 1200 mm
Paper tray media weight	60 - 220 g/m²
Multi-Purpose Tray media weight	45 - 199 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	2
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	6144 MB
Maximum internal memory	6144 MB
Internal storage capacity	500 GB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	52 dB
Sound pressure level (duplex printing)	52 dB
Sound pressure level (scanning)	57 dB
Sound pressure level (standby)	22 dB
Sound power level (printing)	6.3 dB

Design

Product colour	White
Market positioning	Business
Built-in display	Yes
Display	CGD
Display diagonal	25.6 cm (10.1")
Control type	Touch
Colour display	Yes

Power

Power consumption (printing)	655 W
Power consumption (copying)	655 W
Power consumption (ready)	50.1 W
Power consumption (sleep)	0.9 W
Power consumption (off)	0.09 W
Energy Star Typical Electricity Consumption (TEC)	0.552 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(201) 196337404649; (AAZ) 196337404656; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277
HP GTIN (EAN/UPC)	196337404649, 196337404656, 196786225222, 196786225239, 196786225246, 196337404663, 196337404670, 196337404694, 196337404717, 196786225253, 196337404731, 196337713390, 196337404755, 196337404779, 196337404786, 196786225260, 196337404793, 196786225277

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS, Android, iOS

Operational conditions

Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C

Certificates

Certification	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.

Sustainability

Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Gold

Sustainable technologies and materials	15% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	410
Carbon emissions, manufacturing (kg of CO2e)	327
Carbon emissions, logistics (kg of CO2e)	13
Carbon emissions, end-of-life (kg of CO2e)	46
Total carbon emissions, w/o use phase (kg of CO2e)	19
Weight & dimensions	
Width	547 mm
Depth	460 mm
Height	583 mm
Weight	39.1 kg
Packaging data	
Package width	598 mm
Package depth	758 mm
Package height	652 mm
Package weight	44 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	7000 pages
Included cartridge capacity (CMY)	3000 pages
Cables included	AC
Logistics data	
Pallet gross weight	278.9 kg
Layers per pallet	3 pc(s)
Products per pallet	6 pc(s)
Technical details	
Master (outer) cases per pallet layer	2 pc(s)
Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-flow-mfp-5800zf-printer-series/model/2101542943?sku=58R10A&serialnumber=58R10A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4666361_en-US-1.pdf

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Box contents	HP Color LaserJet Enterprise Flow MFP 5800zf Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord

Other features

Number of users	15 user(s)
Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection; or USB port; Internet browser.
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; SAP; Chrome OS; Linux
Processor frequency	1.2 GHz
Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Custom media sizes	Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm
Pallet dimensions (W x D x H)	800 x 1200 x 2083 mm
Pallet dimensions (W x D x H) (imperial)	800.1 x 1199.9 x 2083.1 mm (31.5 x 47.2 x 82")
Pallet weight (imperial)	278.4 kg (613.7 lbs)
Acoustic power emissions (ready)	35 dB
Acoustic pressure emissions bystander (ready)	22 dB
Typical electricity consumption (TEC) number	0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel)
UNSPSC-code	43212110

Matmenys ir svoris

Svoris	44,00kg

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/110498366_27561828.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija