HP Smart Tank 5105 Wireless All-in-One Color Printer, Copier, Scanner

Gamintojas: **HP** · Modelis: **1F3Y3A#BHC** · EAN: **196188530351** · Prekės kodas: **435618**



177,89 €

Kaina su PVM

Be PVM: **147,02 €**


Sandėlyje


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Wireless; High-volume printer tank; Print from phone or tablet; Scan to PDF
- ✓ Print, copy, scan
- ✓ Print speed up to 12 ppm (black) and 5 ppm (color)
- ✓ Up to 1200 x 1200 rendered dpi














Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

The smarter, more connected tank printer Enjoy everyday reliability with the HP Smart Tank 5105 All-in-One Printer that delivers the HP quality you expect and savings that are anything but expected[1].

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	12 ppm
Duplex printing mode	Manual
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	5 ppm
Print speed (black, draft quality, A4/US Letter)	22 ppm
Print speed (colour, draft quality, A4/US Letter)	16 ppm
Print speed (ISO/IEC 24734) black	12 ppm
Print speed (ISO/IEC 24734) colour	5 ppm
Time to first page (black, normal)	14 s
Time to first page (colour, normal)	21 s
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	10 cpm
Copy speed (colour, normal quality, A4)	2 cpm
Maximum number of copies	99 copies
Copier resize	25 - 150%
ID-card copy function	Yes
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Optical scanning resolution	1200 x 1200 DPI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	Software
Image formats supported	JPG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	No

Features

Maximum duty cycle	3000 pages per month
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	400 - 800 pages per month
Digital sender	Yes
Ink tank system	Yes
Page description languages	PCL 3 GUI, PCLm, URF
All-In-One-multitasking	Yes
Country of origin	China
Replacement cartridges	North America: HP 32XL 135-ml Black Original Ink Bottle 1VV24AN; HP 31 Cyan Original Ink Bottle 1VU26AN; HP 31 Magenta Original Ink Bottle 1VU27AN; HP 31 Yellow Original Ink Bottle 1VU28AN; Europa Middle East and Africa: HP 32XL 135-ml Black Original Ink Bottle 1VV24AE; HP 31 Cyan Original Ink Bottle 1VU26AE; HP 31 Magenta Original Ink Bottle 1VU27AE; HP 31 Yellow Original Ink Bottle 1VU28AE. Asia Pacific: HP 32XL 135-ml Black Original Ink Bottle 1VV24AA; HP 31 Cyan Original Ink Bottle 1VU26AA; HP 31 Magenta Original Ink Bottle 1VU27AA; HP 31 Yellow Original Ink Bottle 1VU28AA. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies .
HP segment	Home

Input & output capacity

Total number of input trays	1
Total input capacity	100 sheets
Total output capacity	30 sheets
Maximum number of input trays	1
Maximum input capacity	100 sheets

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maximum output capacity	30 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Matte paper, Envelopes
ISO A-series sizes (A0...A9)	A4, A6
Maximum print size	216 x 355 mm
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Legal
Envelopes sizes	B5, DL
Photo paper sizes (imperial)	4x6,5x7,8x10
Borderless printing media sizes	A4, Letter
Custom media width	88.9 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 300 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Built-in processor	Yes
Processor frequency	980 MHz
Sound power level (printing)	6.4 dB
Design	
Product colour	Grey
Market positioning	Home & office
Built-in display	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Colour name	Light basalt
Display	LCD
Display diagonal	3.05 cm (1.2")
Control type	Buttons
Colour display	Yes

Power

Power consumption (ready)	3.023 W
Power consumption (sleep)	1.096 W
Power consumption (off)	0.109 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Security tools	No
HP GTIN (EAN/UPC)	196188530351

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS

Operational conditions

Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Non-operating altitude	0 - 4572 m
Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 30 °C
Non-operating relative humidity (non-condensing)	5 - 90%

Certificates

Certification	CISPR 32 2015+A1:2019 Class B/EN 55032:2015+A11:2020 Class B; CISPR 24:2010 +A1:2015/EN 55024:2010 +A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016

Sustainability

Sustainability certificates	EPEAT Silver
Sustainable technologies and materials	45% post-consumer recycled plastic; EPEAT registered
Sustainability compliance	Yes

Carbon footprint	
Total carbon footprint (kg of CO2e)	38
Carbon emissions, manufacturing (kg of CO2e)	30
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	2
Total carbon emissions, w/o use phase (kg of CO2e)	4
Weight & dimensions	
Width	434.7 mm
Depth	361.5 mm
Height	157.3 mm
Weight	5.03 kg
Packaging data	
Package width	495 mm
Package depth	198 mm
Package height	478 mm
Package weight	7.2 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	6000 pages
Included cartridge capacity (CMY)	6000 pages
Cables included	AC
Warranty card	Yes
Bundled software	HP Printer Software
Logistics data	
Pallet gross weight	432 kg
Layers per pallet	5 pc(s)
Products per pallet	60 pc(s)
Technical details	
Master (outer) cases per pallet layer	12 pc(s)
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-5100-all-in-one-printer-series/model/2100992769?sku=1F3Y3A
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Box contents	HP Smart Tank 5105 All-in-One Printer; HP 32XL 135-ml Black Original Ink Bottle (1VV24A); HP 31 50-ml Cyan Original Ink Bottle (6ZE06A); HP 31 50-ml Magenta Original Ink Bottle (6ZE07A); HP 31 50-ml Yellow Original Ink Bottle (6ZE08A); HP Black Original Printhead (M0H50A); HP Tri-Color Original Printhead (6ZA18AE); Setup Guide; Reference Guide; Ink Caution flyer; Regulatory flyer; Warranty flyer; Power Cord; For more information about fill and yield, see https://www.hp.com/go/learnaboutsupplies

Other features

Number of users	3 user(s)
Power supply type	Internal built in
Recommended system requirements	Windows 11; Windows 10; 1 GHz processor; 2 GB SSD; Internet. macOS Tahoe 26; macOS Sequoia 15; macOS Sonoma 14; 2 GB SSD; Internet.
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia
PictBridge	No
Number of print heads	2
Manufacturer warranty	One-year or 30,000 pages limited hardware warranty, whichever is earlier from the date of purchase and get up to 2 years extended warranty upon registration at https://www.hp.com/go/inkTank-SmartTank-warranty . User replaceable parts have separate warranty periods.
Electromagnetic compatibility	CISPR 32 2015+A1:2019 Class B/EN 55032:2015+A11:2020 Class B; CISPR 24:2010 +A1:2015/EN 55024:2010 +A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016
Custom media sizes	88.9 x 127 to 215.9 x 355.6 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2390 mm
Pallet dimensions (W x D x H) (imperial)	1218.9 x 1016 x 2389.9 mm (48 x 40 x 94.1")
Pallet weight (imperial)	430.9 kg (950 lbs)
UNSPSC-code	43212104

Matmenys ir svoris

Matmenys (I × P × A)	36,00cm × 43,00cm × 16,00cm
Svoris	7,50kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/100026448_66717991.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

› CE ženklinimas

› Gamintojo saugos informacija