

**Verslo  
Monitorius DELL  
P2425D Pro Plus  
23.8 colio QHD  
(2560x1440) IPS  
100Hz su  
ComfortView  
Plus, USB-C  
šakotuvu (15W  
PD), Pasukimu ir  
Aukščio  
Reguliavimu.**



Modelis: DELL-P2425D

Gamintojas: DELL

EAN: 5397184962459

Prekės kodas: 436457

**228.99€**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

# DELL P2425D 23.8 colio QHD Verslo Monitorius: Našumas ir Komfortas

DELL Pro Plus P2425D sukurtas profesionalams, siekiantiems maksimalaus našumo, išskirtinio vaizdo aiškumo ir aukščiausio lygio vizualinio komforto dirbant ilgas valandas. Šis 23.8 colio monitorius pasižymi Quad HD (QHD) raiška, sklandžiu 100 Hz atnaujinimo dažniu ir pažangia IPS panele, todėl puikiai tinka bet kokiai šiuolaikinei darbo vietai.

## Aukščiausios Kokybės Vaizdas ir Sklandus Judesys

Mėgaukitės išskirtinėmis detalėmis ir spalvų tikslumu, kurie yra gyvybiškai svarbūs analizuojant duomenis ar dirbant su sudėtingomis užduotimis.

- QHD Raiška (2560 x 1440):** Mėgaukitės ryškiais vaizdais, kuriuose išryškėja kiekviena detalė, suteikiant žymiai daugiau darbinės erdvės nei standartiniai Full HD ekranai.
- IPS Panelė:** Užtikrina ryškias ir pastovias spalvas (99% sRGB aprėptis) plačiais 178° apžvalgos kampais.
- 100 Hz Atnaujinimo Dažnis:** Suteikia sklandesnį vaizdą, mažiau mirgėjimo ir sklandesnį slinkimą, gerinant atsako greitį.
- Kontrasto Santykis:** 1500:1 kontrasto santykis užtikrina gilius juodus ir šviesius baltus atspalvius.
- Greitas Atsako Laikas:** Greitas 5 ms (GtG) atsako laikas.

## Sertifikuotas Akių Komfortas (TÜV 4 Žvaigždučių)

Dirbkite ilgiau be nuovargio dėka pažangių akių apsaugos technologijų, patvirtintų aukščiausiais standartais.

- TÜV Rheinland 4 Žvaigždučių Sertifikatas:** Patvirtina pagerintą vizualinį komfortą ir aktyvų akių įtampos mažinimą.
- Patobulinta ComfortView Plus:** Ši nuolat įjungta mažos mėlynos šviesos technologija sumažina potencialiai žalingą spinduliuotę iki mažiau nei 35%, išsaugant spalvų tikslumą.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

## Optimizuotas Darbas ir Ergonomika

Sukonfigūruokite savo idealią darbo vietą su įvairiomis jungtimis ir visapusiškai reguliuojama ergonomika.

- **Integruotas USB-C Šakotuvai:** Patogi priekinė, išlendantis USB-C jungtis su iki 15W maitinimo tiekimu (PD), skirta įrenginiams įkrauti, ir papildomos USB Type-A jungtys.
- **Visiškas Reguliavimas:** Tvirtas stovas leidžia tiksliai nustatyti kampą, siūlant Pasukimą (Swivel), Apvertimą (Pivot), Palenkimą (Tilt) ir 150 mm Aukščio Reguliavimą.
- **Našumo Programinė Įranga:** Naudokite Dell Display and Peripheral Manager (DDPM) programinę įrangą su „Easy Arrange“ funkcija, kuri leidžia be vargo tvarkyti ir išdėstyti programas ekrane.

## Atsakingas Požiūris Į Aplinką

DELL P2425D yra sukurtas atsižvelgiant į tvarumą, naudojant apgalvotai parinktas medžiagas ir laikantis pasaulinių aplinkosaugos standartų.

- **Tvrios Medžiagos:** Pagaminta iš tvarių medžiagų, įskaitant iki 85% perdirbto plastiko, 100% perdirbto aliuminio ir perdirbto plieno bei stiklo.
- **Sertifikatai:** Registruotas EPEAT Gold su Climate+, ENERGY STAR® ir TCO Certified sertifikatais.
- **Ekologiškos Pakuotės:** Monitorius pristatomas 100% iš atsinaujinančių medžiagų pagamintoje pakuotėje, siekiant sumažinti plastiko atliekų kiekį.

**DELL** yra pasaulinis kompiuterinių technologijų lyderis, žinomas dėl aukštos kokybės, patikimos ir novatoriškos verslo bei plataus vartojimo elektronikos, skirtos maksimaliam efektyvumui ir naudotojo patogumui.

Užsisakykite šį našų QHD monitorių jau šiandien iš ++SHOP++, kur siūlome geriausias kainas ir profesionalų klientų aptarnavimą.

Certified by TÜV Rheinland® for 4-star eye comfort, this 23.8-inch QHD monitor offers enhanced productivity with visual comfort.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Certified by TÜV Rheinland® for 4-star eye comfort, this 23.8-inch QHD monitor offers enhanced productivity with visual comfort.

### **Enhanced eye comfort**

TÜV 4-Star certified monitor for eye comfort reduces eye fatigue while you work.

### **Improved ComfortView Plus**

Reduced harmful blue light emissions to  $\leq 35\%$ , for all-day comfort without sacrificing colour.

### **Refresh Rate**

100Hz refresh rate delivers less flicker, more seamless scrolling and smoother motion.

### **Vivid Colours**

Wide colour coverage with up to 16.7 M displayable colours of 99% sRGB.

### **Clarity from any angle**

With high resolution, consistent colours across wide angles, and improved contrast ratio, your work has never looked this good.

### **QHD resolution**

2560 x 1440 resolution makes every detail stand out.

### **Colour consistency**

Vibrant colours across wide viewing angles enabled by In-Plane Switching (IPS) technology.

### **1500:1 contrast ratio**

For deeper blacks and brighter whites.

### **Configure your workspace**

A wide variety of ports ensure you can connect all your accessories and create the perfect work setup to maximise your productivity.

### **Quick access ports**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Experience the convenience of front-facing, pop-out USB-C (with up to 15W charging) and USB Type-A ports for easy connectivity. When you are done, just pop the ports back in for a clean look.

### **Dell Display and Peripheral Manager**

Experience Dell's singular, innovative application to optimise the performance of your entire Dell PC workspace.

### **Maximise productivity**

Easy Arrange tiles apps across screens with pre-set partitions and customises up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

### **Customise your views**

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.

### **More manageable**

Save time and boost IT efficiency with the Dell Device Management Console to manage your Dell peripheral fleet at scale, from a single cloud-based console. Discover expanded Command Line Interface features from Dell Display and Peripheral Manager.

### **Environmentally-forward thinking**

#### **Material innovation**

Your monitor has been thoughtfully crafted with a selection of sustainable materials including up to 85% post-consumer plastic and closed-loop ITE-derived plastic, 100% recycled aluminium, 50% recycled steel and at least 20% recycled glass that make up to 31% recycled content by weight. Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

#### **Environmental standards**

This monitor is registered EPEAT Gold with Climate+, certified ENERGY STAR® and carries the latest TCO certified designation. With the new certification, this monitor is assured to be built using

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

renewable energy while meeting high safety standards.

### **Seamlessly modernise your tech**

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

### **Packaging with purpose**

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.

- 61.0cm (24") Quad HD 2560 x 1440 Edge LED IPS
- 8ms, 16:9, 350cd/m<sup>2</sup>, 1500:1
- USB, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

can introduce a standard deviation which must be taken into account while completing the calculations.

7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.

9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.

10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.

12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).

13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.

14. Metrics used: The units for global warming potential are in kgCO<sub>2</sub>-equivalent or MT (metric ton) CO<sub>2</sub>-equivalent (CO<sub>2</sub>e).

15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL Pro Plus P2425D. Display diagonal: 61 cm (24"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver | Vendor Homepage: <https://www.dell.com/en-uk/shop/dell-pro-24-plus-qhd-monitor-p2425d/apd/210-bqmx/monitors-monitor-accessories> | Anti-glare screen: Yes | Backlight type: Edge LED | Contrast ratio (typical): 1500:1 | Digital horizontal frequency: 30 - 150 | Digital vertical frequency: 48 - 100 |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Display brightness (typical): 350 | Display diagonal: 24 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LCD | HD type: Quad HD | High Dynamic Range (HDR) supported: No | LED backlight: Yes | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 123 | Pixel pitch: 0.2058 x 0.2058 | Response time: 8 | Response time (fast): 5 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 99 | Supported video modes: 1080i/1080p/1440p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Viewable size, horizontal: 526.85 | Viewable size, vertical: 296.35 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Silver | Front bezel colour: Black | Market positioning: office | Product colour: Black,Silver | Built-in USB hub: Yes | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone out: No | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-B | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable management: Yes | Height adjustment: Yes | LED indicators: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Plug and Play: Yes | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 16 | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Power consumption (max): 75 | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power consumption (typical): 15.6 | Power supply type: Internal | Non-operating altitude: 5000 - 12191 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 13.02 | Bezel width (side): 5.93 | Bezel width (top): 5.88 | Depth (with stand): 181.54 | Depth (without stand): 49.74 | Height (with stand): 496.55 | Height (without stand): 315.25 | Weight (with stand): 4670 | Weight (without stand): 3200 | Width (with stand): 538.7 | Width (without stand): 538.7 | Package weight: 7040 | Cables included: AC/DisplayPort/USB Type-A to USB Type-B | Power adapter included: No | Remote control included: No | Stand included: Yes | Stylus included: No | Doesn't contain: Arsenic/Mercury/PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Carbon emissions, end-of-life (kg of CO2e): 4.2 | Carbon emissions, energy usage (kg of CO2e): 76.65 | Carbon emissions, logistics (kg of CO2e): 13.3 | Carbon emissions, manufacturing (kg of CO2e):

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

80.85 | PAIA version: GaBi version 1, 2024 | Total carbon footprint (kg of CO2e): 175 | Compliance certificates: RoHS | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2151579/fiches?language=EN> | Energy efficiency class: E | EPREL Registration Number: 2151579 | EPREL Version Number: 1 | Model: P2425D | Unit Calculated Volume: 0.041123 | Product Net Weight: 5.08 | Unit Calculated Weight: 6.9

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903