

# Monitor EIZO ColorEdge CG2700S 27- inch IPS Black - 2560x1440, 400cd/sqm, 1600:1



Modelis: CG2700S

Gamintojas: EIZO

EAN: 4995047063650

Prekės kodas: 437045

## 2,209.99€

## EIZO ColorEdge CG2700S: Dive Straight into Your Creativity

The EIZO ColorEdge CG2700S is a flagship 27-inch monitor, marking a new generation of ColorEdge monitors with a sleek, updated design. Featuring 2K WQHD (2560 x 1440) resolution, a high brightness of 400 cd/m<sup>2</sup>, and HDR gamma support, this monitor reproduces content with remarkable detail. USB Type-C connectivity streamlines your workflow, allowing video editing, game development, photography, and other creative professionals to focus on their creations.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Features:

- **2K WQHD Resolution:** The 27-inch screen offers ample space for displaying Full HD content, toolbars, palettes, and other applications, making it versatile for various creative fields.
- **Single Cable Connection with USB Type-C:** Display video, transmit USB signals, and supply power to connected devices like tablets or notebooks with a single cable.
- **Power Delivery:** Reliably charges devices, including MacBook Pro, with 92 W power delivery, eliminating the need for bulky power supplies.
- **Stable Network Connection:** A built-in LAN port provides a stable wired connection, ideal for sharing creative assets and enabling network-based color management.
- **Built-In Sensor:** Automates workflow with a built-in calibration sensor that can be set to automatically calibrate the monitor at designated times, ensuring color accuracy without needing a third-party device.
- **ColorNavigator 7:** Manages color with intuitive software that schedules automatic recalibration and calibrates all color modes simultaneously.
- **ColorNavigator Network:** Centralizes quality control of ColorEdge monitors for studios and enterprises, enabling remote quality control via a secure cloud server.
- **Wide Color Gamut:** Faithfully reproduces 98% of DCI-P3, supports BT.2020, covers 99% of Adobe RGB, and almost the entire ISO-coated and US web-coated CMYK color spaces.
- **3D LUT:** Ensures accurate color display by adjusting colors individually and improving additive color mixture.
- **HDR Gamma Support:** Supports HLG and PQ curves for displaying and editing HDR video content with a high brightness level of 400 cd/m<sup>2</sup>.

**EIZO** is a company known for high-quality monitor solutions, especially for color-critical environments. Their ColorEdge series is the industry standard for creative professionals.

Order today from ++SHOP++ as we offer the best...

## Dive Straight into Your Creativity

This flagship 27-inch monitor marks a new generation of ColorEdge with a new exterior design. With 2K WQHD (2560 x 1440) resolution, 400 cd/m<sup>2</sup> high brightness, and HDR gamma support, the monitor reproduces content in remarkable detail. USB Type-C connectivity provides a streamlined experience so professionals in video editing, game development, photography, and more can focus

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsilyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

on creating.

The ColorEdge CG2700S is one of the flagship models for the latest generation of ColorEdge color management monitors. It features HDR gamma support, USB Type-C connectivity, a built-in calibration sensor, and a new cabinet design.

## **2K WQHD Resolution**

The ColorEdge CG2700S displays at 2K WQHD (2560 x 1440) resolution. The 27-inch screen provides ample space for displaying Full HD content in full with enough space to show toolbars, palettes, and other windows or applications. This makes the monitor versatile for video editing, 3DCG creation, game development, photography, and other creative fields. EIZO also offers a 4K UHD (3840 x 2160) model with the ColorEdge CG2700X for creators focused on 4K content.

## **Single Cable Connection with USB Type-C**

The ColorEdge CG2700S features USB Type-C connectivity that allows you to display video, transmit USB signals, and supply power to a connected device such as a tablet or notebook PC. This convenient multi-purpose connectivity makes it faster and easier to connect when moving between workstations or working remotely.

## **Power Delivery**

The ColorEdge CG2700S reliably charges a MacBook Pro or other high-end laptops with 92 W power delivery. This eliminates the need for a laptop's bulky power supply unit, freeing up space in your bag and on the desk.

## **Stable Network Connection**

While many modern laptops are not equipped with a dedicated LAN port, the monitor has one directly built in for stable wired connection. Connecting a laptop via USB Type-C provides access to the network through the monitor for sharing creative assets and files, carrying out post production work remotely, and enables network-based color management via ColorNavigator Network.

## **Built-In Sensor to Automate Your Workflow**

ColorEdge were the first monitors in the world to have a built-in calibration sensor for color critical applications. The ColorEdge CG2700S's built-in sensor can be set to calibrate the monitor

automatically at designated times. This eliminates the need for a third-party calibration device and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ensures your screen stays color-accurate. In addition, the sensor swings onto the screen, taking up minimal space and allowing you to continue working even during calibration.

### **ColorNavigator 7 Color Management Software**

A monitor needs to be calibrated at regular intervals to maintain color accuracy. EIZO's proprietary ColorNavigator 7 software provides an intuitive and highly precise solution to color management. It allows you to schedule automatic recalibration, calibrate all color modes simultaneously, and conduct correlation with external sensors to match the studio's internal color management framework. Calibration information is saved to the monitor instead of the operating system so users do not have to recalibrate even when using a different PC.

### **ColorNavigator Network Color Management Software**

ColorNavigator Network provides centralized quality control (QC) of ColorEdge monitors for studios, printing houses, and other enterprises with multiple creators and editors who work on shared projects. With NetAgent or ColorNavigator 7 installed on the workstation, administrators can manage multiple ColorEdge monitors via web browser enabling quality control even from remote locations. ColorNavigator Network is hosted on a secure cloud server to free you from the initial investment and running costs of providing your own server.

### **Vivid Colors Reproduced to Industry Standards**

The monitor's wide color gamut faithfully reproduces 98% of the DCI-P3 standard used in digital cinema and supports the BT.2020 standard used in broadcasting. In addition, it covers 99% of the Adobe RGB color space so images shot in Adobe RGB will be displayed correctly. It also covers almost the entire ISO-coated and US web-coated CMYK color spaces used in printing.

### **3D LUT for Accurate Color Display**

The monitor uses a 3D LUT which adjusts colors individually on an RGB cubic table. With the supported ColorNavigator 7 software's emulation function, creators can check how content will appear to their audience. The 3D LUT also improves the monitor's additive color mixture (combination of RGB), which is a key factor in its ability to display neutral gray tones.

### **10-Bit Simultaneous Display**

Using the DisplayPort or HDMI input, the ColorEdge monitor offers 10-bit simultaneous display\* from a 16-bit look-up-table (LUT) which means it can show more than one billion colors simultaneously.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

This is 64 times more colors than you get with 8-bit display, resulting in smooth color gradations and reduced Delta-E between two adjacent colors.

### **Broadcast and Cinema Presets**

Preset modes for DCI-P3, BT.709, and BT.2020 ensure you can work in the appropriate color spaces and gamma values. In addition, preset modes for PQ (DCI and BT.2100) and HLG (BT.2100) are available for viewing HDR content. With the built-in calibration sensor, you can conveniently adjust or maintain the brightness setting for each preset.

### **HDR Gamma Support**

The ColorEdge CG2700S features a high brightness level of 400 cd/m<sup>2</sup>. It supports HLG (hybrid log-gamma) and the PQ (perceptual quantization) curve for displaying and editing HDR (high dynamic range) video content. The optimized gamma curves render images to appear more true to how the human eye perceives the real world compared to SDR (standard dynamic range). This ensures professional creators can reliably display HDR content for editing and color grading.

### **Luminance Warning**

The monitor includes a function that shows the areas of the image that cannot be displayed correctly at the current brightness settings. These areas are marked in yellow or magenta and can be viewed for brightness levels of 300, 500, 1000, and 4000 cd/m<sup>2</sup>.

### **Automatic Color Settings**

To ensure color settings stay consistent throughout production, the monitor includes a Sync Signal function which automatically adjusts the monitor's settings, such as input range and input color format, according to the video signal.

### **Adjusted at the Factory for Smooth Color Gradations**

The gamma level for each ColorEdge monitor is adjusted at the factory by measuring the R, G, and B gamma values from 0 - 255, then using the monitor's 16-bit look-up-table (LUT) to select the 256 most appropriate tones and achieve the desired value. This ensures the smoothest color gradations in your images.

### **Stable Color in Just 3 Minutes**

A typical monitor takes 30 minutes or more for its brightness, chromaticity, and tone characteristics

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

to stabilize. The ColorEdge CG2700S takes a mere 3 minutes. Whether you are working in a studio or taking the monitor with you on location, you get reliable color display soon after turning the monitor on.

### **Stable Display Using Industry-First AI**

The color and brightness of an LCD monitor can shift due to changes in ambient temperature and the temperature of the monitor itself. ColorEdge CG Series monitors are equipped with a temperature sensor for accurately measuring the temperature inside the monitor, as well as estimating the temperature of the surrounding environment. With this temperature sensing and estimation technology, the monitor adjusts in real-time so gradations, color, brightness, and other characteristics continue to be displayed accurately. Furthermore, EIZO uses AI (artificial intelligence)\* in the estimation algorithm of the CG2700S so it can distinguish between various temperature changing patterns to calculate even more accurate correction.

### **Uniformity Across the Screen**

LCD monitors commonly exhibit fluctuations in brightness and chromaticity across the screen, affecting color accuracy. To counter this, ColorEdge monitors are equipped with EIZO's patented digital uniformity equalizer (DUE) technology which corrects deviations in every tone across the screen to ensure stable display.

### **Punched Metal Design**

The ColorEdge CG2700S's sleek, new design incorporates punched metal on the back side that allows for more airflow, keeping the monitor cool without a noisy fan. A carrying handle on the back of the monitor allows you to easily move it to other locations.

### **Light Shielding Hood**

The ColorEdge CG2700X comes bundled with a light shielding hood that effectively prevents glare on the screen caused by ambient lighting. The hood is newly designed to be lightweight and easily attaches to the monitor magnetically without needing to connect separate parts.

### **Ergonomic Stand**

Adjust the screen to the most comfortable angle and reposition it to show your work to a colleague or client. The monitor comes with a versatile stand that offers height, tilt, and swivel adjustments.

The stand is also equipped with a quick release that allows you to easily remove the screen from the

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

stand with a single touch.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903