

Kodak i4250 Scanner ADF skeneris 600 x 600 DPI A3 Juoda, Balta

Gamintojas: **KODAK** · Modelis: **1681006** · EAN: **041771681005** · Prekės kodas: **438115**



10 006,91 €

Kaina su PVM

Be PVM: **8 270,17 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: ADF skeneris 600 x 600 DPI
- ✓ Spalvotas nuskaitymas Abipusis skanavimas
- ✓ LCD įmontuotas ekranas
- ✓ A3
- ✓ Maksimalus skanavimo dydis: 304,8 x 9100 mm
- ✓ Jutiklio tipas: CCD
- ✓ USB prievadas
- ✓ Maitinimo tipas: AC 130 W
- ✓ Triukšmo lygis skanavimo metu: 63 dB



Aprašymas

A fresh take on great performance

Busy mailrooms, production departments and service bureaus have relied on KODAK i4000 Series Scanners for years to deliver a valuable combination of quality, productivity, and affordability. They're a great choice for plowing through hours of uninterrupted scanning. Now we've upgraded the performance of the original line and added a new, faster model. See why KODAK i4000 Series Scanners continue to be at the top of their class.

i4000 Series Scanner

Minimize interruptions, maximize productivity

-Speed through huge jobs with time-saving features and the muscle to handle up to 125,000 scans a day.

- Larger interactive control panel lets operators do more without leaving the scanner for the host PC.
- Manage multi-feeds, avoid document damage and reduce the need for rescans with Intelligent Document Protection and auto image rotation.
- Control the most complicated workflows on the fly with advanced barcode reading.

Image quality that's close to perfect

Get crisp, clear images even with challenging originals, thanks to the latest Perfect Page image processing technology.

Stay productive with improved document feeding

Spend less time loading documents and more time getting your work done thanks to a 500-sheet input tray and controlled stacking technology.

Easily scan a mixture of documents of different sizes and thicknesses - from business cards to file folders.

It's easier than ever to take control

Easily eliminate interruptions in big multi-batch jobs with simple patch counting and front-side imprinting technology.

Edit, enhance and manage all kinds of documents with KODAK Capture Pro Software Limited Edition.

The family just got faster

At 150 ppm, the new KODAK i4850 Scanner is the fastest of the bunch.

Reliable scanners, reliable support

Choose from a full range of Service and Support contracts to protect your investment and keep productivity at peak levels.

Techninė specifikacija

Nuskaitymas	
Maksimalus skanavimo dydis	304,8 x 9100 mm
Optinė nuskaitymo skiriamoji geba	600 x 600 DPI
Abipusis skanavimas	Taip
Spalvotas nuskaitymas	Taip
Išvesties spalvos gylis	24 bitai
Išvesties pilkumo lygių gylis	8 bitai
Juostos skanavimas	Ne
ADF skanavimo sparta (nespalvotas, A4)	110 ppm
ADF skanavimo sparta (spalvotas, A4)	110 ppm
ADF skanavimo iš abiejų pusių sparta (nespalvota, A4)	110 ipm
Nespalvoto skanavimo režimas	Juoda ir balta
Konstrukcija	
Skenerio tipas	ADF skeneris
Įmontuotas ekranas	Taip

Produkto spalva	Juoda, Balta
Ekranas	LCD
Lietimui jautrus ekranas	Ne
Veikimo charakteristikos	
Jutiklio tipas	CCD
Kasdienio darbo ciklas (maks.)	40000 puslapiai
Šviesos šaltinis	Baltas LED
Ieškomų failų formatai	JPG, PDF, RTF, TIFF, TXT
Nuskaityti į	„Cloud“, Elektroninį paštą, Failas, Atvaizdas, Atminties kortelė, PC, USB
Skanavimo tvarkyklės	ISIS, TWAIN, WIA
Triukšmo lygis skanavimo metu	63 dB
Įėjties talpa	
Įprasta įėjimo apimtis	500 lapai
Popieriaus tiekimas	
Didžiausias ISO A serijos popieriaus dydis	A3
Laiškas	Taip
Leidžiamas	Taip
Medijos storis (min.)	1,25 mm
Ruošinio svoris, automatinis dokumentų tiektuvas	45 - 200 g/m ²
Maksimalus skanavimo plotas (Auto Dokumentų Tiektuvas)	304,8 x 5300 mm
Minimalus skanavimo plotas (Auto Dokumentų Tiektuvas)	63,5 x 63,5 mm
Ryšys	
USB prievadas	Taip
USB versija	3.2 Gen 1 (3.1 Gen 1)
Standartinės sąsajos	USB 3.2 Gen 1 (3.1 Gen 1)
Energijos valdymas	
Maitinimo tipas	AC
Energijos suvartojimas	130 W
Energijos suvartojimas (laukimo režimu)	1,5 W
Energijos suvartojimas (off)	0,5 W
Energijos suvartojimas (PowerSave)	130 W
AC įėjimo dažnis	50 - 60 Hz
Įėjimo įtampa	100-240 V
Svoris ir matmenys	

Plotis	489 mm
Ilgis	467,3 mm
Aukštis	347,9 mm
Svoris	30,4 kg
Pakuotės turinys	
Siejama programinė įranga	Kodak Capture Pro Software Limited Edition (LE)
Tvarumas	
Tvarumo sertifikatai	ENERGY STAR
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Palaikoma operacinė sistema „Linux“	Ubuntu 14.04
Kitos savybės	
Sertifikavimas	EPEAT Registered
Techninė informacija	
PC jungtis	USB 3.2 Gen 1 (3.1 Gen 1)
Nuskaitymo technologija	CCD
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84716070
Matmenys ir svoris	
Matmenys (I × P × A)	66,00cm × 66,00cm × 63,00cm