ASUS TUF Gaming TUF-RTX5060-O8G-GAMING NVIDIA GeForce RTX 5060 8 GB GDDR7

Gamintojas: **ASUS** · Modelis: **90YV0N00-M0NA00** · EAN: **4711636058179** · Prekės kodas: **438946**



709,89 €

Kaina su PVM

Be PVM: **586,69 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 5060 8 GB GDDR7
- ✓ 7680 x 4320 pikseliai 128 bitai PCI Express 5.0
- ✓ HDMI portų kiekis: 1 „DisplayPort“ kiekis: 3
- ✓ OpenGL versija: 4.6
- ✓ 1x 8-pin























Aprašymas

Game TUF. Built to Last.
NVIDIA Blackwell architecture is elevated by enhanced cooling and power delivery, fortified with rugged reinforcements for exceptional durability. Lock, load and dominate with the TUF Gaming GeForce RTX™ 5060, designed to withstand the harshest conditions and deliver unparalleled performance.

NVIDIA Blackwell Architecture
The Ultimate Platform for Gamers and Creators

Fifth-Gen Tensor Cores
Max AI performance with FP4 and DLSS 4

New Streaming Multiprocessors
Optimized for neural shaders

Fourth-Gen Ray Tracing Cores
Built for Mega Geometry

Premium Durability
Military-Grade Components

TUF Chokes & MOSFETs

Certified military-grade TUF chokes and MOSFETs deliver rock-solid power to the GPU, which can help improve system stability.

TUF Capacitors

TUF 5K black metallic capacitors provide 52% wider temperature tolerance and a 2.5X longer lifespan than standard capacitors.

Protective PCB Coating

A protective conformal coating envelops the circuit board to help protect against short-circuits caused by moisture, dust or debris.

Dual-ball Fan Bearings

Dual-ball bearings offer an extensive lifespan of up to 80,000 hours, double the longevity of sleeve bearings and surpassing fluid dynamic bearings. This helps ensure long-lasting, reliable and quiet cooling.

Cooling Mastery

This advanced cooling design features the ASUS-exclusive MaxContact manufacturing technique and efficient Axial-tech fans, helping to ensure premium thermal performance, optimized airflow and quiet operation, all within a robust and vented metal exoskeleton.

MaxContact Design

MaxContact is a special ASUS manufacturing process that effectively expands the surface area of the heat spreader that sits atop the GPU by 5%, compared to traditional designs. This improves temperatures by up to 2°C, in concert with an extensive heatsink array and powerful Axial-tech fans.

Axial-tech Upgrades

Axial-tech fans spin on dual-ball bearings and propel more air than standard fans.

New Directions

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

The two outer fans spin counterclockwise to reduce turbulence and enhance air dispersion. All three fans stop when GPU temps are below 50°C, for quieter operation during light tasks. They restart above 55°C, following a speed curve that balances performance and acoustics.

Vented Exoskeleton

A high-quality diecast shroud and aluminum backplate help prevent PCB flex and feature large vents to further increase heat dissipation

ASUS GPU Guard

ASUS GPU Guard applies adhesive to secure all four corners to reduce the risk of cracks.

Auto−Extreme Technology

An automated manufacturing process that sets new standards in the industry by allowing all soldering to be completed in a single pass. This reduces thermal strain on components and avoids the use of harsh cleaning chemicals, resulting in less environmental impact, lower manufacturing power consumption and a more reliable product overall.

RTX. It’s On.
The Ultimate in Ray Tracing and AI
RTX is the most advanced platform for full ray tracing and neural rendering technologies that are revolutionizing the ways we play and create. Over 700 games and applications use RTX to deliver realistic graphics and incredibly fast performance with cutting-edge AI features like DLSS Multi Frame Generation.

Creators
Your Creative AI-dvantage
NVIDIA Studio is your creative advantage. GeForce RTX 50 Series GPUs unlock transformative performance in video editing, 3D rendering, and graphic design. Experience RTX accelerations in top creative apps, world-class NVIDIA Studio drivers engineered and continually updated to provide maximum stability, and a suite of exclusive tools that harness the power of RTX for AI-assisted creative workflows.

Techninė specifikacija

Procesorius	
Grafikos procesoriaus šeima	NVIDIA
Grafikos procesorius	GeForce RTX 5060
Maksimali rezoliucija	7680 x 4320 pikseliai
CUDA	Taip
Paralelinio apdorojimo technologijos parama	Nepalaikomas
CUDA šerdys	3840
Procesoriaus laikrodžio greičio padidinimas	2640 MHz
Procesoriaus dažnis (OC režimas)	2677 MHz
Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei	4
Atmintis	
Diskrečiojo grafikos adapterio atmintis	8 GB
Grafikos adapterio atminties tipas	GDDR7
Atminties magistralė	128 bitai

Atminties pralaida (maks)	28 GB/s
Ryšys	
Sąsajos tipas	PCI Express 5.0
HDMI portų kiekis	1
DVI-D prievadų skaičius	0
DVI-I prievadų skaičius	0
„DisplayPort“ kiekis	3
3 „Thunderbolt“ prievadų skaičius	0
Mini HDMI portų kiekis	0
HDMI versija	2.1b
VGA (D-Sub) portų kiekis	0
„Mini DisplayPort“ kiekis	0
„DisplayPort“ versija	2.1b
USB tipo C prievadų kiekis	0
Veikimo charakteristikos	
Integruotas TV tiuneris	Ne
OpenGL versija	4.6
Dvi DVI išvestys	Ne
„Virtual Reality“ (VR) funkcijos parengtis	Taip
HDCP	Taip
HDCP versija	2.3
NVIDIA G-SYNC	Taip
NPU sparta iki	614 TOPs
Padidintos spartos (OC) leidimas	Taip
Konstrukcija	
Aušinimo tipas	Aktyvus
Aušinimo technologija	ASUS Axial-tech
Ventiliatorių skaičius	3 ventiliatorius(iai / ių)
Forma	Full-Height/Full-Length (FH/FL)
Laikiklio aukštis	Full-Height (FH)
Lizdų skaičius	3,1
Iliuminacija	Taip
Apšvietimo spalva	Daugybė
Suderinama su SFF standartu	Ne
Produkto spalva	Juoda

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Energijos valdymas	
Minimalus sistemos maitinimas	550 W
Papildomos maitinimo jungtys	1x 8-pin
Svoris ir matmenys	
Svoris	1,13 kg
Ilgis	302 mm
Ilgis	62 mm
Aukštis	133,5 mm
Pakuotės duomenys	
Pakuotės plotis	421 mm
Pakuotės gylis	227 mm
Pakuotės aukštis	88 mm
Paketo svoris	1,89 kg
Pakuotės tipas	„Box“
Matmenys ir svoris	
Matmenys (I × P × A)	30,00cm × 13,00cm × 6,00cm
Svoris	1,86kg

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt