

**Vaizdo plokštė  
ASROCK AMD  
Radeon RX 9070  
XT 16 GB  
GDDR6, 256  
bitų, PCI  
Express x16 5.0,  
Active  
RX9070XTCL16G**



Modelis: 90-GA61ZZ-00UANF

Gamintojas: ASROCK

EAN: 4710483942761

Prekės kodas: 442656

**712.99€**

## ASROCK AMD Radeon RX 9070 XT Vaizdo Plokštė

ASROCK AMD Radeon RX 9070 XT vaizdo plokštė sukurta užtikrinti išskirtinį aušinimą ir našumą. Su trigubo ventiliatoriaus dizainu, ji optimizuoja sistemos aušinimą, kad sumažintų darbinę

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

temperatūrą. Stilinga metalinė galinė plokštė ne tik pagerina vizualinį patrauklumą, bet ir užtikrina tvirtą konstrukciją, o šiluminė pagalvėlė galinėje pusėje pagerina šiluminį efektyvumą.

## Pagrindinės Savybės:

- **Trigubo Ventiliatoriaus Dizainas:** Optimizuoja sistemos aušinimą žemesnei darbinei temperatūrai.
- **Stilinga Metalinė Galinė Plokštė:** Pagerina vizualinį patrauklumą ir konstrukcijos vientisumą.
- **LED Indikatorius ir Jungiklis:** Siūlo pritaikomą apšvietimą papildomai estetikai.
- **Honeywell PTM7950:** Naudoja fazės keitimo šiluminę pagalvėlę puikiam šilumos išsklaidymui.
- **Dryžuotas Ašinis Ventiliatorius:** Užtikrina didesnę oro srautą, kad pagerintų aušinimo efektyvumą.
- **0dB Tylus Aušinimas:** Ventiliatorius sustoja esant žemai temperatūrai, kad būtų visiškai tylus.
- **Itin Talpus Šilumos Vamzdelis:** Padidina kontaktą, kad optimizuotų šilumos išsklaidymą.
- **Nikeliuotas Varinis Pagrindas:** Padidina GPU kontaktinį plotą, kad efektyviai perduotų šilumą.
- **Didelio Tankio Metalinis Suvirinimas:** Pagerina šilumos išsklaidymą visoje aušinimo sistemoje.
- **Tikslus Varžtų Sukimo Momentas:** Užtikrina optimalų aušintuvo tvirtinimo slėgį.
- **Japoniškas SP-Cap:** Pasižymi puikiomis elektrinėmis charakteristikomis ir patikimumu.
- **SPS (Smart Power Stage):** Užtikrina tolygesnę galią GPU su didesniu našumu.
- **Aukščiausios Kokybės Galios Sklendė:** Pagerina Vcore įtampą, kad pagerintų našumą.
- **2oz Varinė PCB:** Užtikrina žemesnę temperatūrą ir didesnę energijos efektyvumą.
- **Didelio Tankio Stiklo Audinio PCB:** Apsaugo nuo trumpųjų jungimų, kuriuos sukelia drėgmė.

## Pažangus Našumas:

Patirkite itin greitą žaidimą su sklandžiais kadrais ir pilnu įsitraukimu, kurį užtikrina AMD RDNA™ 4 architektūra. Mėgaukitės tikroviškais vaizdais su naujos kartos spindulių sekimu ir dirbtinio intelekto patobulintu vaizdo didinimu per AMD FidelityFX™ Super Resolution 4. Padidinkite našumą naudodami AMD HYPR-RX technologiją, apjungiančią AMD Radeon™ Super Resolution, AMD Fluid

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Motion Frames, AMD Radeon™ Anti-Lag ir AMD Radeon™ Boost.

## **Ateities Technologijos:**

AMD Radeon™ RX 9070 XT yra aprūpinta ateities technologijomis, įskaitant PCI Express® Gen 5 palaikymą, AMD Smart Access Memory™ technologiją ir DisplayPort™ 2.1 palaikymą, užtikrinančius, kad jūsų sistema išliks greita ir pajėgi daugelį metų. Su iki 16 GB vaizdo atminties galite mėgautis AAA žaidimais visa jų vizualine šlove.

**ASROCK** yra pirmaujanti aukštos kokybės pagrindinių plokščių, vaizdo plokščių ir mažo formato kompiuterių gamintoja, įsipareigojusi diegti naujoves ir kokybę.

Order today from ++SHOP++ as we offer the best...

## **Triple Fan Design**

Triple fan design helps to optimize system cooling to reduce the operating temperature.

## **Stylish Metal Backplate**

With the Phantom Gaming look, the stylish metal backplate on the Phantom Gaming graphics cards makes it more fancy in visual and solid in construction. Otherwise, the thermal pad at the backside also helps to enhance the thermal efficiency.

## **LED Indicator**

More Decoration. More Beauty.

Multiple-color LED Indicator embellishes the graphics card to make it more beautiful.

## **LED Switch**

Switch on/off as you want.

You can switch LED on or off depends on the scenarios or your need.

## **Honeywell PTM7950**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Phase-change Thermal Pad

Honeywell PTM7950 phase-change thermal pad can effectively fill the gaps between the GPU and the thermal module, enabling the graphics card to provide excellent heat dissipation, reliability and longevity under high loads.

## Striped Axial Fan

Designed For Enhanced Airflow.

ASRock's custom Striped Axial Fan delivers enhanced airflow to optimize cooling from not only the stripe structure on each fan blade but also the polishing surface on the bottom side.

## 0dB Silent Cooling

Spin For Cooling, Stop For Silence.

The fan spins when the temperature goes high for the optimal cooling, and stops when the temperature goes low for the complete silence.

## Ultra-fit Heatpipe

Consolidated to Maximize the Contact.

The heatpipes are consolidated to maximize the contact among each others and also the GPU baseplate for the optimized heat dissipation.

## Nickel-plated Copper Base

Maximize GPU Contact Area.

With premium copper base heatsink design, the direct contact area to the GPU would be maximized to improve thermal transfer effectively.

## High-density Metal Welding

Improve Heat Dissipation.

Effectively isolate all coverage of the gap between pipe and stacked fins, hence improve heat dissipation effectively.

## Precise Screw Torque

## Optimized Mounting Pressure.

ASRock adopts precise screw torque when assembling its graphics cards to optimize the cooler

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

mounting pressure to improve thermal efficiency while avoiding damage to GPU die.

### **Japanese SP-Cap**

With a high conductive polymer as the electrolyte, it has a lower equivalent series resistance (ESR) to provide outstanding electrical characteristics. In addition to that, it also has excellence in product operational life, reliability and heat resistance.

### **SPS (Smart Power Stage)**

Dr.MOS design features the latest SPS (Smart Power Stage) technology. It's optimized for monitoring current and temperature of each phase, thus delivering smoother and neater power to the GPU with enhanced performance and OC capability.

### **Premium Power Choke**

Compared to traditional chokes, ASRock's premium power chokes effectively make the saturation current up to three times better, thus providing enhanced and improved Vcore voltage to the graphics card.

### **2oz Copper PCB**

Using only carefully selected copper materials for PCB layers, 2oz Copper PCB delivers lower temperature and higher energy efficiency for overclocking.

### **High Density Glass Fabric PCB**

High Density Glass Fabric PCB design that reduces the gaps between the PCB layers to protect the graphics card against electrical shorts caused by humidity.

## **ALL YOU NEED FOR ULTRA FAST GAMING**

Speed, performance, and visuals work together for smooth frames and total immersion. The ultra-fast Radeon RX 9000 Series Graphics Cards are powered by unified AMD RDNA™ 4 compute units with enhanced raytracing capabilities for an ultra-immersive experience across all key gaming resolutions. Activate

## **SUPERPOWERED VISUALS ENHANCED WITH AI**

Get immersed in the action of lifelike visuals with next-gen raytracing. Play in perfect clarity with

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

higher quality, AI-powered AMD FidelityFX™ Super Resolution 41 image upscaling with advanced frame generation in supported games. Put your skills on full display with enhanced multimedia and streaming experiences with the AMD Radiance Display™ Engine.

### **INSTANT PERFORMANCE FOR EVERY MOVE**

Take the instant performance of AMD Radeon™ to an even higher level with the superpower of AMD Software. Enable AMD HYPR-RX6 in one click to unleash the true potential of your Radeon™ GPU, leveraging the combined forces of AMD Radeon™ Super Resolution<sup>1</sup>, AMD Fluid Motion Frames<sup>2</sup>, AMD Radeon™ Anti-Lag and AMD Radeon™ Boost.

### **FUTURE READY TECH WITH AI**

AMD Radeon™ delivers all you need to keep your system feeling fast for years to come. Pair it with AMD Ryzen™ 9000 series processors featuring PCI Express® Gen 5 support and the latest AMD Smart Access Memory™ technology<sup>3</sup> to realize the full performance of your AM5 platform. Harness both Radeon and Ryzen AI-enabled technologies, and upgrade to next generation displays with DisplayPort™ 2.1 support and up to 16GB of video memory to experience AAA games in all their visual glory now and for years to come.

- Triple Fan Design
- Stylish Metal Backplate
- LED Indicator
- LED Switch
- Striped Axial Fan
- 0db Silent Cooling
- Super Alloy Graphic Card

Summary: Asrock Challenger AMD Radeon RX 9070 XT 16GB. Graphics processor family: AMD, Graphics processor: Radeon RX 9070 XT. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR6, Memory bus: 256 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express x16 5.0. Cooling type: Active, Number of fans: 3 fan(s), Illumination colour: Multi | Vendor Homepage: <https://asrock.com/Graphics-Card/AMD/Radeon%20RX%209070%20XT%20Challenger%2016GB/index.asp#Overview> | Compute units: 64 | CUDA: No | Graphics processor: Radeon RX 9070 XT | Graphics processor family: AMD | Maximum displays per videocard: 4 | Maximum resolution: 7680 x 4320 | Parallel processing

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

technology support: Not supported | Processor boost clock speed: 2970 | Processor boost clock speed (Gaming mode): 2400 | Stream processors: 4096 | Data transfer rate: 20 | Discrete graphics card memory: 16 | Graphics card memory type: GDDR6 | Memory bus: 256 | DisplayPort version: 2.1a | DisplayPorts quantity: 3 | HDMI ports quantity: 1 | HDMI version: 2.1b | Interface type: PCI Express x16 5.0 | DirectX version: 12 Ultimate | Dual Link DVI: No | HDCP: Yes | OpenGL version: 4.6 | TV tuner integrated: No | Cooling technology: Asrock Striped Axial Fan | Cooling type: Active | Illumination: Yes | Illumination colour: Multi | Number of fans: 3 | Number of slots: 2.8 | Product colour: Black | Minimum system power supply: 750 | Supplementary power connectors: 2x 8-pin | Depth: 56 | Height: 123 | Length: 290 | Weight: 1038 | Package type: Box | Quick installation guide: Yes | Compliance certificates: CE/Federal Communications Commission (FCC)/UKCA | Waste Electrical and Electronic Equipment (WEEE) compliance: Yes | Units per Pallet: 0 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.008707 | Product Net Weight: 1.038 | Unit Calculated Weight: 1.45

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903