

NEC MultiSync M651-2 Kiosk design 165.1 cm (65") LED 500 cd/m² 4K Ultra HD Black Built-in processor

Gamintojas: **SHARP** · Modelis: **60006086** · EAN: **5028695127494** · Prekės kodas: **443686**



1 113,90 €

Kaina su PVM

Be PVM: **920,58 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4K UHD native resolution allows for crystal clear imagery and messaging that become more vivid and lifelike than ever before!
- ✓ Landscape and Portrait orientation allows for flexibility of installation dependent on your needs
- ✓ Accepts Intel® Smart Display Module Small or Large allowing for sleek all-in-one intelligence and interoperability in a small form factor setting by accepting Intel processor-based products and other peripherals directly into the displays*
- ✓ Raspberry Pi Compute Module 4 allows for future proof expansion directly into the display
- ✓ Bidirectional and Full External Control allows for easy integration into control systems via LAN or RS232C
- ✓ 500 cd/m² brightness and HDR compatibility will capture the attention of audience in almost any situation
- ✓ Integrated Media Player allows for audio, video or image playback via USB
- ✓ 24/7 commercial runtimes with built-in real-time clock and full scheduler capabilities
- ✓ Failover Capabilities with full Input Detect functionality allow peace of mind as the display will automatically switch to a secondary or tertiary source if the primary source fails
- ✓ Energy Star 8.0 Certified Product



Aprašymas

Create pixel-perfect imagery with the high-end panel quality of the fully professional NEC M Series large format displays. By focusing on customer needs while also offering professional reliability, the M series displays give customers a digital signage display lineup without all the costs. The M series can support both landscape and portrait orientations while also allowing the modularity possibilities to customize their needs dependent on their application and use. The new series contain a full metal mechanical chassis, allowing for a more robust design necessary for commercial applications while maintaining the attractive aesthetics that allow the focus of onlookers to be on what matters – the message. Simple and targeted connectivity options allow customers to have the up-to-date options that they need while not having to overpay for excess and unused interfaces. The NEC M series boasts 500 cd/m² brightness which is ideal for a majority of digital signage applications in corporate, higher education, restaurant, retail and grocery store environments when the focus should be on the message, not the budget. Share your message, your way.

Techninė specifikacija

Specifications	
Sandėlio grupė	Large Format Displays [+292][[-2]
Display	
Display diagonal	165.1 cm (65")
Display technology	LED
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Touchscreen	No
Panel type	IPS
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	8000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Active display area (W x H)	1428.5 x 803.5 mm
Display diagonal (metric)	165 cm
Horizontal scan range	26 - 135 kHz
Vertical scan range	23 - 86 Hz
Native refresh rate	60 Hz
Ports & interfaces	
HDMI ports quantity	2
DVI port	No
DisplayPorts quantity	1
USB port	Yes
HDMI input ports quantity	2

DisplayPorts in	1
USB ports quantity	1
USB version	2
Ethernet LAN (RJ-45) ports	1
RS-232 interface	Yes
Audio	
Built-in speaker(s)	Yes
Design	
Product design	Kiosk design
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	400 x 400 mm
Bezel width (bottom)	1.49 cm
Bezel width (side)	1.49 cm
Bezel width (top)	1.49 cm
Performance	
Purpose	Retail
HDCP	Yes
Web browser	Yes
Power	
Power consumption (typical)	165 W
Power consumption (standby)	0.5 W
Power consumption (max)	320 W
AC input voltage	100 - 240 V
Computer system	
Computer system	Yes
Built-in processor	Yes
Processor manufacturer	Intel
Weight & dimensions	
Display width	1462.3 mm
Display depth	681 mm
Display height	837.3 mm

Display weight	29.4 kg
----------------	---------

Packaging data

Package width	1736 mm
---------------	---------

Package depth	280 mm
---------------	--------

Package height	1033 mm
----------------	---------

Package weight	41.7 kg
----------------	---------

Packaging content

Remote control included	Yes
-------------------------	-----

Batteries included	Yes
--------------------	-----

Cables included	HDMI, Power
-----------------	-------------

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Operating relative humidity (H-H)	20 - 80%
-----------------------------------	----------

Storage temperature (T-T)	-20 - 60 °C
---------------------------	-------------

Storage relative humidity (H-H)	10 - 80%
---------------------------------	----------

Network

Ethernet LAN	Yes
--------------	-----

Wi-Fi	No
-------	----

Ethernet LAN data rates	100 Mbit/s
-------------------------	------------

Features

Base material	Metal
---------------	-------