

Epson WorkForce DS-870 Sheet-fed scanner 600 x 600 DPI A4 Grey, White

 Gamintojas: **EPSON** · Modelis: **B11B250401** · EAN: **8715946660813** · Prekės kodas: **444309**


854,90 €

Kaina su PVM

 Be PVM: **706,53 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: Sheet-fed scanner 600 x 600 DPI
- ✓ Colour scanning Duplex scanning
- ✓ LCD Built-in display
- ✓ A4 Scanning media types supported: Business Card, Plastic Card, Post Card(JPN)
- ✓ Sensor type: CIS
- ✓ USB port
- ✓ Power supply type: AC 30 W



Aprašymas

Epson WorkForce DS-870. Optische Scan-Auflösung: 600 x 600 DPI, Eingabe Farbtiefe: 30 Bit, Ausgabe Farbtiefe: 24 Bit. Scanner-Typ: Scanner mit Vorlageneinzug, Produktfarbe: Grau, Weiß, Display: LCD. Sensor-Typ: CIS, Tägliche Einschaltdauer (max): 7000 Seiten, Scanner-Dateiformate: JPEG, PDF, TIFF. Kapazität des automatischen Dokumenteneinzugs (ADF): 100 Blätter. Maximale Papiergröße der ISO A-Serie: A4, Unterstützte Scan-Medientypen: Visitenkarte, Plastik-Karte, Post Card(JPN), ISO-A-Formate (A0...A9): A3, A4, A5, A6

Techninė specifikacija

Specifications

Sandėlio grupė Scanner [+329][-16]

Scanning

Optical scanning resolution 600 x 600 DPI

Duplex scanning Yes

Colour scanning Yes

Input colour depth 30 bit

Output colour depth 24 bit

Input greyscale depth 10 bit

Output greyscale depth 8 bit

ADF scan speed (b/w, A4) 65 ppm

ADF scan speed (colour, A4) 65 ppm

Design

Scanner type Sheet-fed scanner

Built-in display Yes

Product colour Grey, White

Display LCD

Display diagonal 3.81 cm (1.5")

Colour display Yes

Performance

Sensor type CIS

Daily duty cycle (max) 7000 pages

Scan file formats JPEG, PDF, TIFF

Scan to E-mail, FTP, Software, Print, Network folder

Scan drivers TWAIN, ISIS, SANE, WIA

Password protection Yes

Ultrasonic sensor Yes

Input capacity

Auto document feeder (ADF) input capacity 100 sheets

Paper handling

Maximum ISO A-series paper size A4

Scanning media types supported Business Card, Plastic Card, Post Card(JPN)

ISO A-series sizes (A0...A9) A3, A4, A5, A6

ISO B-series sizes (B0...B9) B4, B5, B6

Letter	Yes
Legal	Yes
Auto Document Feeder (ADF) media weight	27 - 413 g/m ²
Maximum scan area (ADF)	215.9 x 6096 mm
Minimum scan area (ADF)	50.8 x 50.8 mm

Ports & interfaces

USB port	Yes
USB version	3.2 Gen 1 (3.1 Gen 1)
Optional connectivity	Ethernet
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Network

Supported network protocols (IPv6)	Yes
Supported network protocols (IPv4)	TCP/IP, DHCP, DNS, SNMP, SLP
IPv6 support	Yes
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP

Power

Power supply type	AC
Power consumption (typical)	30 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Sleep mode	Yes
Input voltage	100 - 240 V

Weight & dimensions

Width	296 mm
Depth	169 mm
Height	167 mm
Weight	3.6 kg

Packaging data

Quantity per pack	1 pc(s)
Package width	270 mm
Package depth	370 mm
Package height	320 mm
Package weight	4.95 kg

Packaging content

Cables included	AC
AC adapter included	Yes
Drivers included	Yes
Bundled software	Document Capture Pro 2.0, Epson Device Admin (EDA), Epson Scan 2
System requirements	
Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	25 - 60 °C
Operating relative humidity (H-H)	15 - 80%
Storage relative humidity (H-H)	15 - 85%
Other features	
Image formats supported	BMP, JPEG, TIFF, PNG
Control panel	5-line LCD with Push Scan features
Output resolutions	1200 dpi
Technical details	
Scan technology	ReadyScan LED
Logistics data	
Products per pallet	48 pc(s)
Country of origin	Indonesia
Pallet gross weight	0 g
Products per pallet layer	8 pc(s)
Products per pallet layer (UK)	10 pc(s)
Products per pallet (UK)	60 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Matmenys (I × P × A)	37,00cm × 37,00cm × 32,00cm