# HP LaserJet Pro 4002dw Printer

Gamintojas: **HP** · Modelis: **2Z606F#B19** · EAN: **195161269653** · Prekės kodas: **452283**




## 414,90 €

Kaina su PVM

Be PVM: **342,89 €**

**Sandėlyje**

**Prekė internetu**


Nuskenuokite kodą arba apsilankykite www.shopro.lt


## Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 40 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 80000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 350 lapai Bendra išvesties talpa: 150 lapai
- ✓ Vidinė atmintis: 256 MB Integruotas procesorius 1200 MHz














Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.




## Aprašymas

**Maximum productivity. Seamless management.** Get blazing fast printing speeds and easy management tools with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Colour | No |
| Print technology | Laser |
| Duplex printing | Yes |
| Maximum resolution | 1200 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) | 40 ppm |
| Print resolution black | 1200 x 1200 DPI |
| Warm-up time | 45 s |
| Time to first page (black, normal) | 6.3 s |
| Watermark printing | Yes |
| Secure printing | Yes |
| Booklet printing function | Yes |
| Economical printing | Yes |
| **Features** | |
| Maximum duty cycle | 80000 pages per month |
| Printing colours | Black |
| Number of print cartridges | 1 |
| Page description languages | PostScript 3, PDF, PWG, URF, PCL 5e, PCL 6 |
| Recommended duty cycle | 750 - 4000 pages per month |
| Printer fonts | Scalable, TrueType |
| Country of origin | Philippines |
| Replacement cartridges | HP 149A Black Original LaserJet Toner Cartridge (~2,900 pages), W1490A; HP 149X Black Original LaserJet Toner Cartridge (~9,500 pages), W1490X |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| HP segment | Small medium business |
| **Input & output capacity** | |
| Total number of input trays | 2 |
| Total input capacity | 350 sheets |
| Total output capacity | 150 sheets |
| Paper tray 1 input capacity | 100 sheets |
| Paper tray 2 input capacity | 250 sheets |
| Multi-Purpose tray | Yes |
| Multi-Purpose tray input capacity | 100 sheets |
| Maximum number of input trays | 3 |
| Maximum input capacity | 900 sheets |
| Maximum output capacity | 150 sheets |
| **Paper handling** | |
| Maximum ISO A-series paper size | A4 |
| Paper tray media types | Plain paper, Bond paper, Recycled paper, Envelopes, Labels, Heavy paper, Lightweight paper, Rough paper, Letterhead |
| ISO A-series sizes (A0...A9) | A4, A5, A6 |
| Maximum print size | 207.4 x 347.1 mm |
| JIS B-series sizes (B0...B9) | B5, B6 |
| Envelopes sizes | B5, C5, DL |
| Photo paper sizes | 10x15 cm |
| Custom media width | 76 - 2165.9 mm |
| Custom media length | 127 - 356.6 mm |
| Paper tray media weight | 60 - 200 g/m² |
| **Ports & interfaces** | |
| Direct printing | Yes |
| USB port | Yes |
| USB 2.0 ports quantity | 1 |
| **Network** | |
| Wi-Fi | Yes |
| Ethernet LAN | Yes |
| Cabling technology | 10/100Base-T(X) |
| Ethernet LAN data rates | 10,100 Mbit/s |
| Wi-Fi Direct | Yes |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Bluetooth | Yes |
| Security algorithms | SSL/TLS, EAP-PEAP, EAP-TLS, WPA2, HTTPS, LEAP |
| Mobile printing technologies | Mopria Print Service, Apple AirPrint |
| **Performance** | |
| Internal memory | 256 MB |
| Maximum internal memory | 256 MB |
| Built-in processor | Yes |
| Processor frequency | 1200 MHz |
| Sound pressure level (printing) | 54 dB |
| Sound power level (printing) | 6.6 dB |
| **Design** | |
| Market positioning | Business |
| Product colour | White |
| Built-in display | Yes |
| Display | LCD |
| Control type | Buttons |
| Certification | CISPR 32:2012 Class B / EN 55032:2012 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B |
| **Power** | |
| Power consumption (printing) | 495 W |
| Power consumption (ready) | 5.5 W |
| Power consumption (PowerSave) | 0.5 W |
| Power consumption (off) | 0.05 W |
| Energy Star Typical Electricity Consumption (TEC) | 0.36 kWh/week |
| AC input voltage | 110 - 240 V |
| AC input frequency | 50/60 Hz |
| **System requirements** | |
| Windows operating systems supported | Windows 10, Windows 11 |
| Mac operating systems supported | Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, MacOS |
| Other operating systems supported | ChromeOS, Android, iOS |
| **Operational conditions** | |
| Operating temperature (T-T) | 10 - 32.5 °C |
| Storage temperature (T-T) | -20 - 40 °C |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Operating relative humidity (H-H) | 10 - 80% |
| **Sustainability** | |
| Sustainability certificates | Blue Angel |
| Sustainable technologies and materials | Recyclable through HP Planet Partners; Compatible with Accessibility Accessories; Contains post-consumer recycled plastic |
| Sustainability compliance | Yes |
| **Carbon footprint** | |
| Total carbon footprint (kg of CO2e) | 100 |
| Carbon emissions, manufacturing (kg of CO2e) | 74 |
| Carbon emissions, logistics (kg of CO2e) | 3 |
| Carbon emissions, end-of-life (kg of CO2e) | 11 |
| Total carbon emissions, w/o use phase (kg of CO2e) | 14 |
| **Weight & dimensions** | |
| Width | 381 mm |
| Depth | 357 mm |
| Height | 216 mm |
| Weight | 8.56 kg |
| Pallet dimensions (W x D x H) | 1200 x 1000 x 2007 mm |
| **Packaging data** | |
| Package width | 443 mm |
| Package depth | 274 mm |
| Package height | 464 mm |
| Package weight | 10.5 kg |
| **Packaging content** | |
| Cartridge(s) included | Yes |
| Included cartridge capacity (black) | 2900 pages |
| Warranty card | Yes |
| Cables included | AC |
| **Brand-specific features** | |
| HP Auto-On/Auto-Off | Yes |
| HP Dynamic security | Yes |
| HP Security tools | Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers |
| HP GTIN (EAN/UPC) with options | (ABT) 195161448027; (ABY) 195161448034; (B19) 195161269653; (BAZ) 195161448058 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| HP GTIN (EAN/UPC) | 195161448027, 195161448034, 195161269653, 195161448058 |

## Logistics data

| | |
|---|---|
| Pallet gross weight | 399 kg |
| Layers per pallet | 4 pc(s) |
| Products per pallet | 36 pc(s) |

## Technical details

| | |
|---|---|
| Master (outer) cases per pallet layer | 9 pc(s) |
| General Product Safety Regulation (GPSR) URL | https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-pro-4001-4004n-dn-dw-d-printer-series/model/35911606?sku=2Z606F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_3956609_en-US-1.pdf |

## Other features

| | |
|---|---|
| Recommended system requirements | 2 GB available hard disk space; Internet connection or USB port Internet browser. 2 GB available hard drive space; Internet connection or USB port Internet browser. |
| Power supply type | Internal (built-in) Power Supply |
| Electromagnetic compatibility | CISPR 32:2012 Class B / EN 55032:2012 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B |
| Compatible operating systems | Windows 11; Windows 10; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS |
| Printing | Mono printing |
| Manufacturer warranty | One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. |
| Recommended humidity operating range | 30 - 70% |
| Recommended operating temperature range (T-T) | 15 - 27 °C |
| Custom media sizes | Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 104.9 x 148.5 to 2165.9 x 356.6 mm |
| Envelope feeder | No |
| Acoustic power emissions (ready) | Inaudible |
| Typical electricity consumption (TEC) number | 0.36 kWh/Week (Blue Angel) |
| UNSPSC-code | 43212105 |
| Box contents | HP LaserJet Pro 4002dw Printer; Preinstalled HP Black Original LaserJet Toner Cartridge (2,900 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable |

## Matmenys ir svoris

| | |
|---|---|
| Matmenys (I × P × A) | 47,00cm × 45,00cm × 29,00cm |
| Svoris | 10,58kg |

## Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

## Gamintojo ir saugos informacija

GAMINTOJAS

**HP Inc**
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

**HP Printing and Computing Solutions S.L.U.**
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Saugos dokumentai

- Gamintojo saugos informacija