



**Surveillance
Monitor AG
Neovo SC-2702,
27" Full HD
(1920x1080), VA
Panel, Industrial
Grade 24/7
Operation,
BNC/HDMI/VGA,
Anti-Burn-in**

Modelis: SC272A11E0000

Gamintojas: AG NEOVO

EAN: 4710739597325

Prekės kodas: 457805

332.99€

**Professional 27-inch Full HD Surveillance Monitor AG Neovo
SC-2702**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The AG Neovo SC-2702 is a robust 27-inch Full HD (1920 x 1080) monitor specifically engineered for continuous 24/7 operation in demanding surveillance and security control room environments. Utilizing VA panel technology, it delivers wide 178° viewing angles and exceptional clarity, crucial for efficient video monitoring.

Its industrial-grade design features a seamless 3-sided bezel-less display, making it ideal for creating highly productive multi-screen setups where rapid analysis and quick decision-making are paramount. This model ensures higher cost performance due to reduced system maintenance efforts and enhanced longevity.

Optimized Image Quality for Security Operators

The SC-2702 is packed with video enhancement controls designed to maximize clarity in surveillance footage:

- **CCTV Mode:** A special pre-configured mode that automatically maximizes image clarity, especially crucial for reviewing low-light footage.
- **Enhanced Gamma Selection:** Allows for visual optimization, improving the light, shadow, and color balance of videos.
- **Dark Scene Visibility:** Black-level adjustment reveals more detail in dark images, ensuring missing details in shadows are a thing of the past.
- **Contrast Enhancer:** Helps to clarify and define low-contrast images, backed by an extremely high 20,000,000:1 dynamic contrast ratio.
- **Anti-Burn-in Technology:** AG Neovo's patented technology significantly prolongs the LCD screen life by preventing permanent image retention caused by static images, ensuring reliable 24/7 operation.

Versatile Connectivity and Ergonomics

Designed for integration into any security system, the SC-2702 supports both analogue and digital video inputs, eliminating the need for external converters in many scenarios.

- **Multi-Input Support:** Features dedicated BNC input/output ports for direct connection to CCTV cameras, alongside standard HDMI 1.4 and VGA (D-Sub) ports.
- **Built-in Audio:** Includes 2W RMS built-in speakers (2 x 1W) and a headphone output, providing essential audio monitoring capabilities.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- **Setup Flexibility:** VESA 100 x 100 mm mounting support facilitates easy integration into multi-monitor desk or wall mounting systems. The monitor also offers tilt adjustment (-5° to 20°) and a Kensington cable lock slot for enhanced physical security.
- **Fast Performance:** A 5 ms response time and 75 Hz maximum refresh rate ensure fluid motion for real-time monitoring.

AG NEOVO is globally recognized for manufacturing professional, durable, and highly reliable displays specifically tailored for security, surveillance, and industrial applications. Their focus on patented technologies like Anti-Burn-in ensures products meet the stringent demands of continuous use environments.

Order this industrial-grade surveillance monitor today from ++SHOP++ for optimal performance and peace of mind in your security operations.

The SC-2702 27-inch surveillance monitor with BNC connector features 3-sided bezel-less specifically designed for security operators – especially those with a 24/7 operating multi-screen setup who are looking for efficient video monitoring. The SC-2702 provides value-added video enhancement controls that help create detailed images for low-light footage. Its optional monitor mounting solutions support single or multiple monitor setups. In terms of cost-to-performance, this model is the solution for productivity in modern operator workstations.

3-SIDED BEZEL LESS MONITOR INCREASE PRODUCTIVITY

The SC-2702 adopts a seamless 3-sided bezel-less design to create a productive work environment and reduce gaps between monitors. Perform rapid analysis, manage, and control video sources from all locations. Evolving situations require quick decisions, which seamless monitors can help with.

MULTIPLE MONITOR SETUPS MADE EASY

With VESA 100 x 100mm, the SC-2702 is compatible with AG Neovo's mounting portfolio of desk and wall mounts. Whether you're looking for a dual, quad, or more monitor set-up, AG Neovo is a one-stop-shop for creating ergonomic workstations in a control room.

HIGHER COST PERFORMANCE

Designed with long-hour monitoring in mind, you can expect a reduction in system maintenance

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

efforts and consequentially higher cost performance. The SC-2702 is commercial grade and meant to work 24/7, 365 days a year. Static images that would otherwise cause screen burn-in are gone with AG Neovo's patented Anti-Burn-in technology. Expect prolonged life for LCD screens.

PERFECT MATCH TO CCTV IMAGES

There is a special pre-configured CCTV Mode that maximises image clarity in low-light footage. Quickly fine-tune your video footage with adjustments for sharpness, saturation, contrast, brightness, and more. Don't waste time testing and re-adjusting constantly, this product already has it all figured out!

ENHANCED GAMMA SELECTION

Offering an enhanced gamma selection makes for amazing visual optimization. Improve the light, shadow, and colour balance quality of your videos with ease.

MISSING DETAILS IN DARK SCENES IS A THING OF THE PAST

More detail from black-level adjustment means improved visibility of dark images.

CONTRAST ENHANCER

By coming with a contrast enhancer, the surveillance monitor enables low-contrast images to become more clear and defined.

ADAPTABLE TO SURVEILLANCE ENVIRONMENT NEEDS

Tailor the display to your needs with on/off toggles for the blue screen. When there is no signal available, a blue screen will show that is ideally designed for dark and low-light environments.

VERSATILE CONNECTIVITY WITH BNC AND HDMI INPUTS

This 27-inch surveillance monitor with BNC Connector supports both analogue and digital video inputs. Easily connect to various video surveillance equipment with HDMI, VGA and BNC in/out ports. BNC port allows connecting CCTV cameras directly to the monitor. With this bezel less security monitor, there is no need for a DVR/converter to get straight to instant monitoring.

Certification: CE LVD WEEE RoHS REACH UKCA EAC | Panel type: VA | VESA mounting: Yes | Weight (without stand): 4.1 kg | Panel mounting interface: 100 x 100 mm | Power consumption (typical): 20

W | Digital vertical frequency: 48 - 75 Hz | Touchscreen: No | Height (without stand): 366.6 mm |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Energy consumption (SDR) per 1000 hours: 20 kWh | Tilt adjustment: Yes | Built-in camera: No | HDMI version: 1.4 | Display diagonal (metric): 69 cm | Width (without stand): 613.8 mm | Headphone out: Yes | Built-in speaker(s): Yes | Maximum refresh rate: 75 Hz | Energy efficiency scale: A to G | RMS rated power: 2 W | European Product Registry for Energy Labelling (EPREL) code: 920671 | Contrast ratio (typical): 20000000:1 | Energy efficiency class (SDR): E | HDMI ports quantity: 1 | HDMI: Yes | AC (power) in: Yes | Power consumption (standby): 0.5 W | Depth (without stand): 47.4 mm | Anti-glare screen: Yes | Weight (with stand): 4.5 kg | Market positioning: Industrial | Number of speakers: 2 | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | VGA (D-Sub) ports quantity: 1 | Operating temperature (T-T): 5 - 35 °C | Depth (with stand): 226.5 mm | Cable lock slot type: Kensington | Width (with stand): 613.8 mm | Display brightness (typical): 300 cd/m² | Tilt angle range: -5 - 20° | Display diagonal: 68.6 cm (27") | Screen shape: Flat | Operating relative humidity (H-H): 20 - 85% | Storage temperature (T-T): -20 - 60 °C | AC input frequency: 50 - 60 Hz | Display resolution: 1920 x 1080 pixels | HD type: Full HD | Package width: 6780 mm | Cable lock slot: Yes | Pixel pitch: 0.311 x 0.311 mm | Display number of colours: 16.78 million colours | Storage relative humidity (H-H): 10 - 90% | Power consumption (off): 0.3 W | Viewing angle, horizontal: 178° | Quick start guide: Yes | Response time: 5 ms | Height (with stand): 453.8 mm | Viewing angle, vertical: 178° | Horizontal scan range: 30 - 85 kHz | AC input voltage: 100 - 240 V | Package height: 545 mm | Package depth: 134 mm | Product colour: Black | Package weight: 6.1 kg | Cables included: Audio | Cables included: AC

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903