

# Monitor Lenovo ThinkVision P25i-30, 24.5" Full HD IPS, 100Hz, USB 3.2 Hub, Ergonomic



Modelis: 63F4MAT1EU

Gamintojas: LENOVO

EAN: 195892096122

Prekės kodas: 458745

## 196.99€

## Lenovo ThinkVision P25i-30 Monitor - Essential Productivity and Eye Comfort

The Lenovo ThinkVision P25i-30 is engineered for the modern, demanding workplace, offering a generous 24.5-inch display diagonal with crisp Full HD (1920 x 1080) resolution. Built with an IPS panel, this monitor ensures exceptional colour consistency (99% sRGB coverage) and wide 178° viewing angles, making collaboration effortless. With a maximum refresh rate of 100 Hz and a fast 4 ms response time, motion appears smoother than standard office displays, reducing eye fatigue

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

during intensive tasks.

## Seamless Connectivity and Multitasking

Designed to streamline your desk setup, the P25i-30 features a robust connectivity suite that supports advanced multitasking. The integrated USB 3.2 Gen 1 hub includes one upstream USB Type-B port and four downstream USB Type-A ports, making it easy to connect peripherals directly to the display. Furthermore, the inclusion of two DisplayPort inputs and one DisplayPort output allows for efficient monitor daisy-chaining, simplifying cable management and expanding your visual workspace.

- **DisplayPort Out:** Enables monitor daisy-chaining for simplified multi-display setups.
- **Multiple Inputs:** Includes 2 x DisplayPort 1.4, 1 x HDMI 2.1, and 1 x VGA port for versatile device connection.
- **Integrated USB Hub:** Features 4 x USB Type-A downstream ports for easy peripheral access.
- **Adjustable Response Time:** Standard 6 ms or ultra-fast 4 ms setting.

## Optimized Ergonomics and Eye Protection

Work comfortably all day thanks to comprehensive ergonomic adjustments. The sturdy stand allows for up to 15.5 cm of height adjustment, -5° to 23.5° tilt, -45° to 45° swivel, and 90° pivot capability, allowing you to switch between landscape and portrait orientations effortlessly. The ThinkVision P25i-30 prioritizes user well-being with multiple eye comfort certifications.

- **Superior Eye Care:** TÜV Low Blue Light (Hardware solution), TÜV Rheinland Flicker Free, and Eyesafe® Display 2.0 certification.
- **Full Adjustability:** Height, tilt, swivel, and 90° pivot functionality (portrait mode).
- **VESA Compatibility:** 100 x 100 mm mounting interface for optional wall or arm mounting.
- **Sustainable Design:** Certified with TCO 9.0, TCO Edge 2.0, and EPEAT™ Gold standards.

**Lenovo** is a global technology leader known for innovation, quality, and reliability in computing and display solutions, focusing on creating smarter technology for all. The ThinkVision line is specifically designed to meet professional demands for performance and user comfort.

Order today from ++SHOP++ as we offer the best deals and prompt delivery for professional-grade monitors.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Lenovo ThinkVision P25i-30 Monitor Made for the modern workplace. See more of your work on the larger 24.5-inch FHD screen. Benefit from more screen real-estate with support for daisy chain using our simplified screen extensions. Navigate the monitor's settings with the easy-to-use joystick placed behind the screen.

Certification: ENERGY STAR® Certified, TCO 9.0, TCO Edge 2.0, EPEAT™ Gold, EU Energy Efficiency Level (Level-D) Eyesafe® Display 2.0, TÜV Low Blue Light (Hardware solution), TÜV Rheinland® Low Blue Light, TÜV Rheinland Flicker Free, TÜV Rheinland Eye Comfort | Compatible operating systems: Windows 10, Windows 11 | DisplayPort out version: 1.4 | DisplayPort out quantity: 1 | Colour gamut standard: DCI-P3 | Adjustable height (max): 15.5 cm | European Product Registry for Energy Labelling (EPREL) code: 1886819 | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Energy consumption (SDR) per 1000 hours: 15 kWh | Power cable length: 1.8 m | Height (without stand): 328.5 mm | Bezel width (side): 1.76 cm | Number of USB Type-B upstream ports quantity: 1 | Energy efficiency scale: A to G | Pixel density: 89.9 ppi | DisplayPort cable length: 1.8 m | Anti-glare screen: Yes | Detachable stand: Yes | Low Blue Light technology: Yes | Depth (without stand): 49 mm | Energy efficiency class (SDR): D | Weight (without stand): 3.4 kg | Cable management: Yes | Bezel width (top): 2 mm | HDMI: Yes | Width (without stand): 557.3 mm | sRGB coverage (typical): 99% | Response time (fast): 4 ms | DisplayPort version: 1.4 | DisplayPorts quantity: 2 | Response time: 6 ms | Height (with stand): 511.8 mm | Package weight: 8.4 kg | Viewable size, vertical: 30.3 cm | Native aspect ratio: 16:9 | Built-in USB hub: Yes | Swivelling: Yes | Bezel width (bottom): 2 mm | Pivot angle: -90 - 90° | Pixel pitch: 0.2802 x 0.2802 mm | Cables included: HDMI | Display number of colours: 16.7 million colours | Tilt angle range: -5 - 23.5° | Power consumption (max): 52 W | Panel mounting interface: 100 x 100 mm | VGA (D-Sub) ports quantity: 1 | Package height: 422 mm | HDMI version: 2.1 | LED backlight: Yes | Swivel angle range: -45 - 45° | Screen shape: Flat | Built-in camera: No | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Cable lock slot type: Kensington | Weight (with stand): 5.4 kg | Pivot: Yes | Stand included: Yes | Contrast ratio (dynamic): 3000000:1 | Display technology: LED | Backlight type: W-LED | Operating temperature (T-T): 0 - 40 °C | Tilt adjustment: Yes | Quick start guide: Yes | Audio input: Yes | USB Type-A downstream ports quantity: 4 | Viewing angle, horizontal: 178° | Maximum refresh rate: 100 Hz | Package width: 730 mm | Feet colour: Black | Storage relative humidity (H-H): 5 - 95% | Product colour: Black | Package depth: 160 mm | Storage temperature (T-T): -20 - 60 °C | Power consumption (off): 0.5 W | Viewing angle, vertical: 178° | Power consumption (typical): 12.5 W | Touchscreen: No |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Power supply type: Internal | Height adjustment: Yes | Depth (with stand): 199.7 mm | Power consumption (standby): 0.5 W | Viewable size, horizontal: 54.4 cm | Contrast ratio (typical): 1300:1 | USB upstream port type: USB Type-B | Operating relative humidity (H-H): 8 - 80% | Display brightness (typical): 250 cd/m<sup>2</sup> | Number of upstream ports: 1 | Market positioning: Office | VESA mounting: Yes | Panel type: IPS | Built-in speaker(s): No | HDMI ports quantity: 1 | Cables included: AC | AC input voltage: 100 - 240 V | Width (with stand): 557.3 mm | HD type: Full HD | Colour gamut: 83% | Cable lock slot: Yes | Display diagonal: 62.2 cm (24.5")

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903