ASUS ROG Strix Helios II „Midi Tower“ Balta

Gamintojas: **ASUS** · Modelis: **90DC00W3-B39000** · EAN: **4711636061247** · Prekės kodas: **458964**



360,89 €

Kaina su PVM

Be PVM: **298,26 €**


Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ „Midi Tower“ PC Žaidimams
- ✓ ATX, EATX, „micro ATX“, Mini-ITX
- ✓ Palaikomas kietojo disko dydis: 2.5,3.5" HDD / SSD jungtinis rėmas
- ✓ 2,5" lizdų skaičius: 4 3,5" lizdų skaičius: 2
- ✓ Šoninis langas Iliuminacija Daugybė Grūdinto stiklo plokštė(-ės) Dulkių filtras
- ✓ Aliuminis, Grūdintas stiklas
- ✓ Balta



Aprašymas

ROG Strix Helios II EATX mid-tower gaming case with dual tempered glass side panels, GPU support for up to 450mm in length, aluminum frame and front panel, GPU braces and 420mm radiator support

ROG Strix Helios II

Striking Looks. Cool Moves.

ROG Strix Helios II is a premium mid-tower gaming case featuring dual tempered glass side panels, a refined aluminum frame, and a diamond grille front panel with a 3D-structured front filter. It comes pre-installed with four 140 x 28 mm performance fans, delivering optimized airflow and enhanced thermal performance for demanding gaming setups. Engineered for expandability and performance, it's ready for motherboards ranging from ITX to EATX and serious water-cooling setups as well - making it the perfect choice for a classic ROG showcase build.

Premium Design & Aesthetics

ROG Strix Helios II is made for showcase builds with dual 4mm-thick tempered glass side panels fitted in a refined brushed-aluminum frame. The aluminum front panel, featuring a diamond grille design, is manufactured using high-precision CNC milling technology and an anodizing process. The diagonal slashes on the front are inspired by race car elegance and individuality to make the Helios II unique. With rounded edges, a streamlined shape and hidden seams, this chassis is sleeker than ever.

Four Pre-Installed Performance Fans

The Helios II is designed to balance performance and acoustics: Four pre-installed 140mm fans with 28mm frames deliver strong airflow while maintaining a low 29 dB(A) noise level.

Ready For High-Performance Builds With Dual AIO Support

The ROG Strix Helios II is built to perform and primed for expansion, with ample space for GeForce RTX™ 5090 graphics cards or hardcore water-cooling setups. It can handle a ROG Ryuo IV SLC 360 ARGB AIO cooler and the 360mm radiator of the ROG Astral LC GeForce RTX 5090 at the same time. It features support for radiators up to 420mm in the front and 360mm at the top, with room reserved for installing the pump and reservoir of a custom loop.

Easy Installation & Maintenance

ROG Strix Helios II is designed with multiple mechanisms to provide the smoothest building experience, even for DIY novices. Meanwhile, keeping your rig clean is made easy with built-in dust filters and easy access to all areas.

Tool-Free Side Panel Design

Pushing a button at the rear of the case releases one of the side panels for tool-less access to the interior. Its tempered glass is hinged on the bottom to swing away and rest at an angle, or you can remove the panel completely and set it aside while you tinker.

Modular Fan & Radiator Mounts

Two removable brackets let you easily mount fans and radiators before installing the whole assembly into the case, simplifying your building experience.

Patented Graphics Card Slot Clamp

A tool-free graphics card slot clamp makes your PC building faster and hassle-free with a simple snap that secures your GPU firmly in place.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Rear Detachable PSU Bracket

For easier installation, a rear bracket detaches from the case so that a power supply can slide right in.

Dust Filters

The 3D-structured front filter provides ample space for the front fans while providing optimized airflow and acoustics. It combines forces with removable filters on the top and underside to provide all-round protection from dust, making cleaning and maintenance easier.

Effortless Cable Management

Keep your build sharp and tidy with flexible covers and a comprehensive cable management system. A cable grommet channel features velcro to let you neatly organize two sets of cables.

A multifunction cover with graphics card braces cleverly hides cabling while providing sturdy support to graphics cards. Its position can be adjusted to accommodate an ATX or EATX motherboard.

Front I/O Panel

The Helios II includes two USB 20Gbps Type-C ports with support for 60-watt fast charging where compatible.

ARGB Lighting Control

This LED-lit button toggles an integrated ARGB controller that supports Aura Sync lighting, enabling vast customization of colors and effects

Premium Fan Speed Control

PWM controls fan speeds automatically, making it easy to switch between light and heavy airflow as needed.

Ergonomic Case Straps

Easily carry your prized build to LAN parties with ergonomically X shape woven fabric straps that combine style and comfort, rigorously tested to support up to 50kg for reliable transport.

ROG Element

The front panel, Velcro straps and drive cage all feature the distinctive ROG logo, communicating futuristic luxury and elegance.

Techninė specifikacija

Design	
Form factor	Midi Tower
Type	PC
Product colour	White
Supported motherboard form factors	ATX, EATX, micro ATX, Mini-ITX
Number of 3.5" bays	2
Number of 5.25" bays	0
Material	Aluminium, Tempered glass

Number of 2.5" bays	4
Number of internal 3.5" bays	2
Number of external 5.25" bays	0
Number of expansion slots	8
Side window	Yes
Suitable for	Gaming
Illumination	Yes
Illumination colour	Multi
Illumination location	Front
Tempered glass panel(s)	Yes
Anti-dust filter	Yes
Cable management	Yes
Reset button	Yes
On/off button	Yes
RGB control button	Yes
Maximum CPU cooler height	19 cm
Maximum graphics card length	45 cm
Maximum PSU length	22 cm
Power supply	
Power supply included	No
Ports & interfaces	
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	0
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	3x 140 mm
Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Rear fans installed	1x 140 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	3

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Top fans diameters supported	120,140 mm
Liquid cooling capability	Yes
Front radiator sizes supported	120,140,240,280,360,420 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	120,140,240,280,360 mm
Storage	
Supported HDD sizes	2.5,3.5"
HDD/SSD combo cage	Yes
Number of HDDs supported	6
Weight & dimensions	
Width	250 mm
Depth	565 mm
Height	591 mm
Weight	18 kg
Matmenys ir svoris	
Matmenys (I × P × A)	71,00cm × 73,00cm × 39,00cm

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.