



# HP LaserJet Pro MFP 3102fdn Printer



Modelis: 3G629F

Gamintojas: HEWLETT-PACKARD

EAN: 195122461751

Prekės kodas: 461526

---

## 241.99€

---

Replacement cartridges: HP 139A Original Black LaserJet Toner CartridgeW1390A (~1,500 yield) HP 139X Original Black LaserJet Toner CartridgeW1390X (~4,000 yield) | Manufacturer warranty: One-year limited warranty Warranty and support options vary by product, country, and local legal requirements | Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Box contents: HP LaserJet Pro MFP 3102fdn Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Security algorithms: SNMP | Package weight: 13.6 kg | Windows operating systems supported: Windows 10 | AC input

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

voltage: 220 - 240 V | AC input frequency: 50/60 Hz | Power consumption (PowerSave): 0.06 W | USB 2.0 ports quantity: 1 | Ethernet LAN data rates: 10,100 Mbit/s | Windows operating systems supported: Windows 11 | Operating temperature (T-T): 15 - 32.5 °C | Operating relative humidity (H-H): 10 - 80% | Package width: 497 mm | Display: CGD | Storage temperature (T-T): -20 - 60 °C | Built-in display: Yes | Product colour: White | Processor frequency: 800 MHz | Power consumption (off): 0.06 W | Display diagonal: 6.86 cm (2.7") | Weight: 10.5 kg | Print resolution black: 1200 x 1200 DPI | Doesn't contain: Mercury | Linux operating systems supported: Yes | Included cartridge capacity (black): 1000 pages | Page description languages: PDF | Page description languages: PCLmS | Sustainability compliance: Yes | Acoustic pressure emissions bystander (ready): 14 dB | Page description languages: PWG | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Paper tray media types: Postcard | Optical scanning resolution (black): 1200 x 1200 ppi | Optical scanning resolution (ADF): 300 x 300 DPI | Speed dialling: Yes | Paper tray media types: Glossy paper | Page description languages: URF | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Package height: 490 mm | Maximum scan area: 216 x 297 mm | Cabling technology: 10/100Base-T(X) | Paper tray media types: Labels | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Height: 313.2 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Paper tray media types: Cut sheet | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | Maximum internal memory: 512 MB | Document formats supported: XPS | Scan to: Software | Maximum copy resolution: 300 x 300 DPI | Non-ISO print media sizes: L | Modem speed: 33.6 Kbit/s | Page description languages: PCL 5c | Depth: 398.2 mm | Scanner type: Flatbed & ADF scanner | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Mobile printing technologies: Apple AirPrint | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Maximum print size: 207 x 348 mm | Paper tray media weight: 60 - 163 g/m<sup>2</sup> | Cables included: AC | Duplex copying: Yes | Compliance certificates: CCC | Print technology: Laser | Non-ISO print media sizes: Oficio | Colour display: Yes | Number of print cartridges: 1 | Scan speed (colour): 8 ppm | HP Dynamic security: Yes | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | Mac operating systems supported: MacOS | Total output capacity: 150 sheets | Package depth: 379 mm | Acoustic power emissions (ready): 32 dB | Fax memory: 500 pages | Total number of input trays: 1 | Recommended operating temperature range (T-T): 17.5 - 25 °C | Fax forwarding: Yes | Copying: Mono copying | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Maximum number of input trays: 1 | Envelopes sizes: B5 | Duplex functions: Print | Recommended duty cycle: 350 - 2500 pages per month | Sustainable technologies and materials: Arsenic-free display glass Mercury-free display backlights Low halogen | Paper tray media types: Plain paper | Cartridge(s) included: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Recommended humidity operating range: 30 - 70% | Printer fonts: Scalable | Sound pressure level (printing): 53 dB | Printer fonts: TrueType | Compliance certificates: BIS | Input colour depth: 24 bit | Width: 418 mm | Optical scanning resolution: 1200 x 1200 DPI | Carbon emissions, manufacturing (kg of CO2e): 143 | HP GTIN (EAN/UPC): 195122442972, 195122443030 | Power consumption (sleep): 1.31 W | Fax transmission speed: 3 sec/page | Compliance certificates: GS mark | Wi-Fi: No | Document formats supported: PDF | Image formats supported: JPG | Image formats supported: TIFF | Optical scanning resolution (colour): 1200 x 1200 ppi | Power consumption (printing): 436 W | Internal memory: 512 MB | Scan technology: CIS | Auto fit function: Yes | ISO A-series sizes (A0...A9): A4 | Duplex printing: Yes | Envelopes sizes: C5 | Total input capacity: 250 sheets | Scan to: TWAIN | Copy speed (black, normal quality, A4): 33 cpm | Auto-redialing: Yes | Compliance certificates: EAC | Custom media width: 76 - 216 mm | Greyscale levels: 256 | Time to first page (black, normal): 7 s | Typical electricity consumption (TEC) number: Blue Angel: 0.402 kWh/week | Mobile printing technologies: Mopria Print Service | HP GTIN (EAN/UPC) with options: (ABB) 195122442972 (ABU) 195122443030 | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Duplex printing mode: Auto | Warranty card: Yes | Fax resolution (black): 300 x 300 DPI | All-In-One-multitasking: Yes | Carbon emissions, end-of-life (kg of CO2e): 17 | USB port: Yes | HP segment: Small medium business | Sound power level (printing): 6.6 dB | ISO C-series sizes (C0...C9): C5 | Sound pressure level (scanning): 47 dB | Server operating systems supported: Windows Server 2008 R2 x64 | Auto document feeder (ADF) input capacity: 50 sheets | Power consumption (ready): 4.5 W | Maximum output capacity: 150 sheets | Paper tray 1 input capacity: 250 sheets | General Product Safety Regulation (GPSR) URL: [https://support.hp.com/us-en/document/ish\\_6126692-6126777-16?openCLC=true](https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true) | Scan drivers: TWAIN | ISO B-series sizes (B0...B9): B5 | Envelopes sizes: DL | Print speed (black, normal quality, A4/US Letter): 33 ppm | Total carbon emissions, w/o use phase (kg of CO2e): 15 | Harmonized System (HS) code: 8443310000 | ISO C-series sizes (C0...C9): C6 | Photo paper sizes: 10x15 | Scan speed (black): 19 ppm | Duplex scanning: No | Server operating systems supported: Windows Server 2016 x64 | Maximum input capacity: 250 sheets | Time to first copy (black, normal): 6.2 s | Maximum ISO A-series paper size: A4 | Printing colours: Black | Compliance certificates: Federal Communications Commission (FCC) | Maximum number of copies: 999 copies | Warm-up time: 35 s | Compliance certificates: CE | Control type: Buttons, Touch | Carbon emissions, logistics (kg of CO2e): 4 | Faxing: Mono faxing | Maximum duty cycle: 50000 pages per month | Compliance certificates: BSMI | Fax delayed sending: Yes | Envelopes sizes: C6 | Maximum resolution: 1200 x 1200 DPI | UNSPSC-code: 43212110 | Secure printing: Yes | Auto reduction: Yes | Server operating systems supported: Windows Server 2012 x64 | Non-ISO print media sizes: 16K |

**Total carbon footprint (kg of CO2e): 0.7**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903